Yahoo Group Archive: KG-UV_Commander

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2018. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2011-05-02 through 2018-05-01

Source WARC: kg-uv_commander.9h2FLM0.warc.gz

Source item: https://archive.org/details/yahoo-groups-2018-09-15T11-12-42Z-b1c848

Messages included in this PDF: 640

Messages omitted as spam from this PDF: 1

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-02 05:24:24 UTC
From: David A. Behar
Topic: 1 Message: 1

Hi friends,

Have you tried the KG-UV Commander software? What do you think?

If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html.

David

3. KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-02 07:12:49 UTC
From: David A. Behar
Topic: 1 Message: 3

Hi friends,

Have you used KG-UV Commander? Share your thoughts and experiences!

David

4. Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:10:12 UTC
From: notrobbage
Topic: 4 Message: 4

I've already fed this back to the author but hopefully we can find out why some setups won't communicate successfully.
Radio is KG-UVD1P
I'm using the application on an XP Pro SPIII machine. I have run it as a regular user and as admin with the same results. I have tried a real serial port with a level shifter adaptor as well as with a Prolific USB adaptor with the same results - "no response from radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD display shows all segments momentarily)
If you look in the application directory you should see a file called "read.log". That could be useful. Mine shows something like this for each attempt:

```
----
Attempting communication using COM1
0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.0471 RX <-- [08] 06 06 4B 47 36 36 39 56
----
```

The characters sent are "HiWOUXUN" + hex-02
The characters received are hex-06 hex-06 + "KG669V"

5. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:22:38 UTC
From: David A. Behar
Topic: 4 Message: 5

Hi notrobbage,

My read.log file starts like this:

```
Attempting communication using COM5
0.2549 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.2632 RX <-- [01] 06
0.2671 TX --> [01] 02
0.3291 RX <-- [08] 06 4B 47 36 36 39 56 F8
Radio ID: KG669V
```

David

----- Original Message -----
From: notrobbage
To: KG-UV_Commander@yahoogroups.com
Sent: Monday, May 02, 2011 1:10 AM
Subject: [KG-UV_Commander] Not working for me

I've already fed this back to the author but hopefully we can find out why some setups won't communicate successfully.
Radio is KG-UVD1P
I'm using the application on an XP Pro SPIII machine. I have run it as a regular user and as admin with the same results. I have tried a real serial port with a level shifter adaptor as well as with a Prolific USB adaptor with the same results - "no response from radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD display shows all segments momentarily)
If you look in the application directory you should see a file called "read.log". That could be useful. Mine shows something like this for each attempt:

```
----
Attempting communication using COM1
0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.0471 RX <-- [08] 06 06 4B 47 36 36 39 56
----
```

The characters sent are "HiWOUXUN" + hex-02
The characters received are hex-06 hex-06 + "KG669V"

6. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:32:59 UTC
From: Bill Maxwell
Topic: 4 Message: 6

I have been experimenting further with my set up, using an I-3 Windows 7, 32 bit laptop.

I am now convinced the problem I was experiencing was entirely due to the plug making inadequate contact with the appropriate sections on the radio's jack. I was also getting a green LED on the rig and seemingly partial communication before the error message to the effect that the radio was not responding.

I had been caught before by not having the plug fully inserted but that did not seem to fix the problem this time around. However, firmly holding it in while reading from the radio, as suggested by another poster earlier today, produced the fix and it is repeatable.

If I am correct, the problem lies with component tolerances on the Wouxon, rather than Jim.

Bill, VK7MX

On 2/05/2011 6:10 PM, notrobbage wrote:
> I've already fed this back to the author but hopefully we can find out why some setups won't communicate successfully.
> Radio is KG-UVD1P
> I'm using the application on an XP Pro SPIII machine. I have run it as a regular user and as admin with the same results. I have tried a real serial port with a level shifter adaptor as well as with a Prolific USB adaptor with the same results - "no response from radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD display shows all segments momentarily)
> If you look in the application directory you should see a file called "read.log". That could be useful. Mine shows something like this for each attempt:
> ____
> Attempting communication using COM1
> 0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
> 0.0471 RX<-- [08] 06 06 4B 47 36 36 39 56
> ____
>
> The characters sent are "HiWOUXUN" + hex-02
> The characters received are hex-06 hex-06 + "KG669V"
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>

>
>
>

7. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:40:03 UTC
From: Bill Maxwell
Topic: 4 Message: 7

or perhaps to be fair to all, the problem may lie with the component
tploerances on the 409shop plug.

Bill, VK7MX

On 2/05/2011 6:32 PM, Bill Maxwell wrote:
>
>
> I have been experimenting further with my set up, using an I-3 Windows
> 7, 32 bit laptop.
>
> I am now convinced the problem I was experiencing was entirely due to
> the plug making inadequate contact with the appropriate sections on
> the radio's jack. I was also getting a green LED on the rig and
> seemingly partial communication before the error message to the effect
> that the radio was not responding.
>
> I had been caught before by not having the plug fully inserted but
> that did not seem to fix the problem this time around. However, firmly
> holding it in while reading from the radio, as suggested by another
> poster earlier today, produced the fix and it is repeatable.
>
> If I am correct, the problem lies with component tolerances on the
> Wouxon, rather than Jim.
>
> Bill, VK7MX
>
> On 2/05/2011 6:10 PM, notrobbage wrote:
>> I've already fed this back to the author but hopefully we can find out why some setups
won't communicate successfully.
>> Radio is KG-UVD1P
>> I'm using the application on an XP Pro SPIII machine. I have run it as a regular user
and as admin with the same results. I have tried a real serial port with a level shifter
adaptor as well as with a Prolific USB adaptor with the same results - "no response from
radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD
display shows all segments momentarily)
>> If you look in the application directory you should see a file called "read.log". That
could be useful. Mine shows something like this for each attempt:
>> ____
>> Attempting communication using COM1
>> 0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
>> 0.0471 RX<-- [08] 06 06 4B 47 36 36 39 56
>> ____
>>
>> The characters sent are "HiWOUXUN" + hex-02

```
>> The characters received are hex-06 hex-06 + "KG669V"
>>
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
```

8. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:46:20 UTC
From: David A. Behar
Topic: 4 Message: 8

Hi Bill,

You are implying a good reason to buy radios and accessories from one place, so in the case of a problem like yours you can send back the whole package and let the dealer sort it out.

David

----- Original Message -----
From: Bill Maxwell
To: KG-UV_Commander@yahoogroups.com
Sent: Monday, May 02, 2011 1:40 AM
Subject: Re: [KG-UV_Commander] Not working for me

or perhaps to be fair to all, the problem may lie with the component tploerances on the 409shop plug.

Bill, VK7MX

On 2/05/2011 6:32 PM, Bill Maxwell wrote:

I have been experimenting further with my set up, using an I-3 Windows 7, 32 bit laptop.

I am now convinced the problem I was experiencing was entirely due to the plug making inadequate contact with the appropriate sections on the radio's jack. I was also getting a green LED on the rig and seemingly partial communication before the error message to the effect that the radio was not responding.

I had been caught before by not having the plug fully inserted but that did not seem to fix the problem this time around. However, firmly holding it in while reading from the radio, as suggested by another poster earlier today, produced the fix and it is repeatable.

If I am correct, the problem lies with component tolerances on the Wouxon, rather than Jim.

Bill, VK7MX

On 2/05/2011 6:10 PM, notrobbage wrote:
I've already fed this back to the author but hopefully we can find out why some setups won't communicate successfully.
Radio is KG-UVD1P
I'm using the application on an XP Pro SPIII machine. I have run it as a regular user and as admin with the same results. I have tried a real serial port with a level shifter adaptor as well as with a Prolific USB adaptor with the same results - "no response from radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD display shows all segments momentarily)
If you look in the application directory you should see a file called "read.log". That could be useful. Mine shows something like this for each attempt:

Attempting communication using COM1

```
0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.0471 RX <-- [08] 06 06 4B 47 36 36 39 56
----
```

The characters sent are "HiWOUXUN" + hex-02
The characters received are hex-06 hex-06 + "KG669V"

Yahoo! Groups Links

9. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:59:06 UTC
From: Rob
Topic: 4 Message: 9

```
On 02/05/11 16:22, David A. Behar wrote:
>
> My read.log file starts like this:
>
> Attempting communication using COM5
> 0.2549 TX --> [09] 48 69 57 4F 55 58 55 4E 02
> 0.2632 RX <-- [01] 06
> 0.2671 TX --> [01] 02
> 0.3291 RX <-- [08] 06 4B 47 36 36 39 56 F8
> Radio ID: KG669V
>

Curious, just different enough to be annoying.

I should also point out that both my adaptors work find with the Wouxun
software so I don't think it is my adaptors or the connectors on them.

--
Rob, VK6UFO, VK6RN
```

10. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 08:59:30 UTC
From: Bill Maxwell
Topic: 4 Message: 10

That might be the situation normally David and indeed, I bought my 5 KG-UV1P radios and the USB cable all from 409shop over some 18 months.

Sending the whole kit back to 409 might not have been appropriate in this instance.

This particular cable has interchangeable ends to suit various brands of radio. I use it for Vertex Standard, Yaesu, Icom, Alinco, Puxing, Quansheng and Kenwood, in addition to Wouxun. The only radios I have struck problems with are the Wouxuns but as I indicated, the problem could be in either the Wouxun jack or the 409 plug, although the fact that it programs Kenwood and Quanshengs satisfactorily, and they use the same double plug end, seems to suggest the problem may well lie in the Wouxun jack. That would be supported by the many instances of needing to ensure a very firm connection that have been reported on this group, using many different programing cables ....?

Bill

On 2/05/2011 6:46 PM, David A. Behar wrote:
>
>
> Hi Bill,
> You are implying a good reason to buy radios and accessories from one
> place, so in the case of a problem like yours you can send back the
> whole package and let the dealer sort it out.
> David
>
> ----- Original Message -----
> *From:* Bill Maxwell <mailto:wrmaxwell@...>
> *To:* KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander@yahoogroups.com>
> *Sent:* Monday, May 02, 2011 1:40 AM
> *Subject:* Re: [KG-UV_Commander] Not working for me
>
> or perhaps to be fair to all, the problem may lie with the
> component tploerances on the 409shop plug.
>
> Bill, VK7MX
>
> On 2/05/2011 6:32 PM, Bill Maxwell wrote:
>
>> I have been experimenting further with my set up, using an I-3
>> Windows 7, 32 bit laptop.
>>
>> I am now convinced the problem I was experiencing was entirely

>> due to the plug making inadequate contact with the appropriate
>> sections on the radio's jack. I was also getting a green LED on
>> the rig and seemingly partial communication before the error
>> message to the effect that the radio was not responding.
>>
>> I had been caught before by not having the plug fully inserted
>> but that did not seem to fix the problem this time around.
>> However, firmly holding it in while reading from the radio, as
>> suggested by another poster earlier today, produced the fix and
>> it is repeatable.
>>
>> If I am correct, the problem lies with component tolerances on
>> the Wouxon, rather than Jim.
>>
>> Bill, VK7MX
>>
>> On 2/05/2011 6:10 PM, notrobbage wrote:
>>> I've already fed this back to the author but hopefully we can find out why some setups
won't communicate successfully.
>>> Radio is KG-UVD1P
>>> I'm using the application on an XP Pro SPIII machine. I have run it as a regular user
and as admin with the same results. I have tried a real serial port with a level shifter
adaptor as well as with a Prolific USB adaptor with the same results - "no response from
radio". The radio reacts to the attempt to connect (the LED on top lights up and the LCD
display shows all segments momentarily)
>>> If you look in the application directory you should see a file called "read.log". That
could be useful. Mine shows something like this for each attempt:
>>> ____
>>> Attempting communication using COM1
>>> 0.0315 TX --> [09] 48 69 57 4F 55 58 55 4E 02
>>> 0.0471 RX<-- [08] 06 06 4B 47 36 36 39 56
>>> ____
>>>
>>> The characters sent are "HiWOUXUN" + hex-02
>>> The characters received are hex-06 hex-06 + "KG669V"
>>>
>>>
>>>
>>>
>>> ------------------------------------
>>>
>>> Yahoo! Groups Links
>>>
>>>
>>>
>>>
>
>
>
>

11. Re: [KG-UV_Commander] Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 09:05:07 UTC
From: Rob
Topic: 4 Message: 11

> Rob, VK6UFO, VK6RN
>

To save confusion, "notrobbage" is my yahoo account. Sorry about that.

--

Rob, VK6UFO, VK6RN

12. solid general basic question.

Yahoo group: KG-UV_Commander
Date: 2011-05-02 11:02:31 UTC
From: kb3hg
Topic: 12 Message: 12

What is the target radio that this was written for?There are the 1, 2 and 3 basic models and then the vhf/uhf and the vhf 220 model subsets.
As I went through the program and read the help file I did notice a few options that the original software did not have. Now I have a KG-UV2D model S/N:J1254XX which I received for Christmas, it is a 2010 model.

Am real curious as to what models memory map was used to develop this?
I ask this as not to try to do something that could corrupt my radio.

This is very a nice program at this level.

Thanks to all who contribute to the advancement of the program. This is the spirit of amateur radio.
73,
Tom Kb3hg

13. Does not work for me either

Yahoo group: KG-UV_Commander
Date: 2011-05-02 11:50:01 UTC
From: nicovrancken
Topic: 13 Message: 13

Hi,

Compliments for the programming that went into this new tool, and thanks for making available.

It does not work for me either :

Windows 7 Home Premium
Profilic USB to Serial Comm

KG-UVD1P
Serial J08-....

I'm getting Error 8020 : Error reading from comm device.

Reading from and writing to the radio works fine using Wouxun tool version 1.15

Any ideas what I could try to fix ?

Thanks in advance.
Grtz,
Nico

14. Re: Does not work for me either

Yahoo group: KG-UV_Commander
Date: 2011-05-02 14:09:26 UTC
From: jimbo_48393
Topic: 13 Message: 14

--- In KG-UV_Commander@yahoogroups.com, "nicovrancken" <nico.vrancken@...> wrote:
>
> Hi,
>
> Compliments for the programming that went into this new tool, and thanks for making available.
>
> It does not work for me either :
>
> Windows 7 Home Premium
> Profilic USB to Serial Comm
>
> KG-UVD1P
> Serial J08-....
>
> I'm getting Error 8020 : Error reading from comm device.
>
> Reading from and writing to the radio works fine using Wouxun tool version 1.15
>
> Any ideas what I could try to fix ?
>
> Thanks in advance.
> Grtz,
> Nico
>

There's a Microsoft Knowledge Base article that suggests this may be a problem with the driver:
http://support.microsoft.com/kb/318784

If your USB to Serial adapter is PL2303 or similar, try this driver and see if it works:

http://www.prolific.com.tw/support/files//IO%20Cable/PL-2303/Drivers%20-%20Generic/Windows/allinone/PL2303_Prolific_DriverInstaller_v110.zip

Jim
KC8UNJ

15. Re: Does not work for me either

Yahoo group: KG-UV_Commander
Date: 2011-05-02 14:49:14 UTC
From: Steve V
Topic: 13 Message: 15

Working great for me with Windows Vista SP2 and Prolific USB cable and drivers.

Steve Vogel
W4PSV

--- In KG-UV_Commander@yahoogroups.com, "nicovrancken" <nico.vrancken@...> wrote:
>
> Hi,
>
> Compliments for the programming that went into this new tool, and thanks for making available.
>
> It does not work for me either :
>
> Windows 7 Home Premium
> Profilic USB to Serial Comm
>
> KG-UVD1P
> Serial J08-....
>
> I'm getting Error 8020 : Error reading from comm device.
>
> Reading from and writing to the radio works fine using Wouxun tool version 1.15
>
> Any ideas what I could try to fix ?
>
> Thanks in advance.
> Grtz,
> Nico
>

16. Commander Software

Yahoo group: KG-UV_Commander
Date: 2011-05-02 14:58:54 UTC
From: Brad
Topic: 16 Message: 16

Worked first try. Prolific USB on Sony laptop, using Windows 7 Home Premium 32bit with SP1.
N8ABW

17. Re: Does not work for me either

Yahoo group: KG-UV_Commander
Date: 2011-05-02 15:19:00 UTC
From: nicovrancken
Topic: 13 Message: 17

Hi Jim

Txs for your fast reply.

I've tried with your suggestion but no luck.
I've ried with the latest version on the Profilic site, no luck.
I've tried a number of suggestions I've found here :
http://www.sevenforums.com/drivers/4476-prolific-usb-serial-driver.html

All above attempts resulted in the same, both in Wouxun tool and in your tool : Radio not found.

Restoring the driver I had (3.3.2.105 dated 27/10/2008) gave me back connectivity from within Wouxun tool but not from Commander.

Grtz,
Nico

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, "nicovrancken" <nico.vrancken@> wrote:
> >
> > Hi,
> >
> > Compliments for the programming that went into this new tool, and thanks for making available.
> >
> > It does not work for me either :
> >
> > Windows 7 Home Premium
> > Profilic USB to Serial Comm
> >
> > KG-UVD1P
> > Serial J08-....
> >
> > I'm getting Error 8020 : Error reading from comm device.
> >
> > Reading from and writing to the radio works fine using Wouxun tool version 1.15
> >
> > Any ideas what I could try to fix ?
> >
> > Thanks in advance.
> > Grtz,
> > Nico

> >
>
>
> There's a Microsoft Knowledge Base article that suggests this may be a problem with the driver:
> http://support.microsoft.com/kb/318784
>
> If your USB to Serial adapter is PL2303 or similar, try this driver and see if it works:
>
> http://www.prolific.com.tw/support/files//IO%20Cable/PL-2303/Drivers%20-%20Generic/Windows/allinone/PL2303_Prolific_DriverInstaller_v110.zip
>
> Jim
> KC8UNJ
>

18. Re: Not working for me

Yahoo group: KG-UV_Commander
Date: 2011-05-02 15:44:49 UTC
From: jimbo_48393
Topic: 4 Message: 18

Hmmm, I haven't seen that before, interesting difference though. I'll add some code to the next beta to recognise that, and we can see if it progresses further.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Rob <vk6ufo@...> wrote:
>
> On 02/05/11 16:22, David A. Behar wrote:
> >
> > My read.log file starts like this:
> >
> > Attempting communication using COM5
> > 0.2549 TX --> [09] 48 69 57 4F 55 58 55 4E 02
> > 0.2632 RX <-- [01] 06
> > 0.2671 TX --> [01] 02
> > 0.3291 RX <-- [08] 06 4B 47 36 36 39 56 F8
> > Radio ID: KG669V
> >
>
> Curious, just different enough to be annoying.
>
> I should also point out that both my adaptors work find with the Wouxun
> software so I don't think it is my adaptors or the connectors on them.
>
> --
> Rob, VK6UFO, VK6RN
>

19. Re: [KG-UV_Commander] KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-02 17:05:23 UTC
From: John Wilkerson
Topic: 1 Message: 19

On 5/2/2011 03:12, David A. Behar wrote:
>
>
> Hi friends,
>
> Have you used KG-UV Commander? Share your thoughts and experiences!
>
> David
>
>
>
Yes, I use it now and have experienced zero problems whatsoever. True, I haven't played with it real hard yet; but it seems stable, and reliable.

I use Windows 7 64 bit with the Wouxun USB cable.

The program found my commport and radio first try.

20. Re: [Wouxun_KG-UVD1] New Programming Software Available

Yahoo group: KG-UV_Commander
Date: 2011-05-02 17:17:00 UTC
From: B. Barawitzka
Topic: 20 Message: 20

Hi all,
I've installed the program;
connect the cable;
go to Transfer/Port;
deaktivated autodetect;
change to my known COM Port and it works on WIN7 Ultimate 64.

small problem with csv exporting; in Germany we use comma instead of a
dot ans so the delimitter should be a semicolumn.

Great program, thank you Jim.
73
de Barawitzka

Am 01.05.2011 01:23, schrieb wouxunus:
>
> KG-UV Commander
>
> Free programming software for the Wouxun KG-UVD1P, KG-UV2D, and
> similar radios.
>
> Jim Mitchell has been working on programming software for the Wouxun
> and has now released the first public beta version. His program is a
> great improvement so give it a try. I know how much time and effort
> he's put into this so please consider making a donation.
>
> Since this program may go through some additional improvements and
> since it's Jim's work, please don't place it in the files section.
> Just reference to Jim's site for downloading.
>
> http://www.kc8unj.com/kguv.html
>
> 73
> Ed Griffin
> www.wouxun.us
>
>

21. Re: [KG-UV_Commander] KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-02 17:33:22 UTC
From: n8zsa@aol.com
Topic: 1 Message: 21

Yes I have programmed 2 Wouxun KG-UV2D radios and in a word awesome !
Works with windows 7 and my IO gear 232 USB dongle without a hitch.

73 Ted
N8ZSA

On 5/2/2011 03:12, David A. Behar wrote:
>
>
> Hi friends,
>
> Have you used KG-UV Commander? Share your thoughts and experiences!
>
> David
>
>
>

22. Mulitiple open files

Yahoo group: KG-UV_Commander
Date: 2011-05-02 18:47:27 UTC
From: steve.vogel
Topic: 22 Message: 22

OK, maybe you just haven't gotten that far yet or maybe I just can't figure out how, but is it possible to have more than one file open at a time so you can copy and paste between them easily? I can do that just fine by opening them alternately, copying from one, opening the second and pasting in, but I haven't figured how to have two open concurrently in different windows, although I do see you have the option for cascading or tiled windows.

Thanks for a great job !

Steve Vogel
W4PSV

23. New software and connection

Yahoo group: KG-UV_Commander
Date: 2011-05-02 19:35:53 UTC
From: Jay Marcucci KC2YSK
Topic: 23 Message: 23

I have a prolific USB cable that I had used with the other software Chirp and wouxun's own . It worked flawlessly with this new software the very first time I plgged it in and read the radio. I did not try writing to the radio due to time issues, but so far so good!

24. Other programming software

Yahoo group: KG-UV_Commander
Date: 2011-05-02 20:07:57 UTC
From: David A. Behar
Topic: 24 Message: 24

Hi friends,

Although the focus of our group is the KG-UV Commander software, I have created a folder of links to other programming software for the Wouxun radios. In our group's Links section (http://groups.yahoo.com/group/KG-UV_Commander/links), click on the Other Wouxun programming resources link.

If you are aware of another link which belong in this Links folder, just add it in.

David

25. Re: [KG-UV_Commander] solid general basic question.

Yahoo group: KG-UV_Commander
Date: 2011-05-02 20:53:14 UTC
From: David A. Behar
Topic: 12 Message: 25

Hi Tom,

I know that the original memory map which I provided to Jim (KC8UNJ) was based on a KG-UVD1P radio purchased last summer. However, since then he and I both identified some information in newer models (like welcome message, the message which appears if the radio is not in dual-receive mode, whether the radio is in single-receive or dual-receive mode, and maybe some other things that I don't know or don't remember.)

David
----- Original Message -----
From: kb3hg
Sent: Monday, May 02, 2011 4:02 AM

What is the target radio that this was written for?There are the 1, 2 and 3 basic models and then the vhf/uhf and the vhf 220 model subsets.
As I went through the program and read the help file I did notice a few options that the original software did not have. Now I have a KG-UV2D model S/N:J1254XX which I received for Christmas, it is a 2010 model.

Am real curious as to what models memory map was used to develop this?
I ask this as not to try to do something that could corrupt my radio.

This is very a nice program at this level.

Thanks to all who contribute to the advancement of the program. This is the spirit of amateur radio.
73,
Tom Kb3hg

26. Help

Yahoo group: KG-UV_Commander
Date: 2011-05-02 23:59:50 UTC
From: David Fuller
Topic: 26 Message: 26
Attachments: 1 described; binary payloads are missing from this source WARC

Please forgive I posted this to the woxun group as well this one. but I am seeking help from any one. thanks

know I have still got some learning on the KG UV Commander program. But I am having trouble with the program.
Ok, I can get the program to read the radio and import the .tw files. But I can not get it to import the csv file that I have created. I have looked at it can not spot the error in the file. Here's the error I am getting from the program "Run time error 9: Subscript out of range.
I have attacthed the file. So please take a look at it and help me out with it. Its a csv file.

Greater love has no one than this,that he lays down his life for his friends. John 15:13 (NIV)
David Fuller, AC0RV
St Francois County Emergency Coordinator
Skywarn Spotter M187201
St Louis County RACES # 1150

27. Re: Mulitiple open files

Yahoo group: KG-UV_Commander
Date: 2011-05-03 00:42:08 UTC
From: steve.vogel
Topic: 22 Message: 27

OK, ignore the above - I figured it out.

Steve Vogel
W4PSV

--- In KG-UV_Commander@yahoogroups.com, "steve.vogel" <svdec@...> wrote:
>
> OK, maybe you just haven't gotten that far yet or maybe I just can't figure out how, but is it possible to have more than one file open at a time so you can copy and paste between them easily? I can do that just fine by opening them alternately, copying from one, opening the second and pasting in, but I haven't figured how to have two open concurrently in different windows, although I do see you have the option for cascading or tiled windows.
>
> Thanks for a great job !
>
> Steve Vogel
> W4PSV
>

28. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-03 01:31:09 UTC
From: kb7gp_dave
Topic: 1 Message: 28

I loaded the Commander software and it ran nearly flawlessly on my KG-UVD1P with its supplied programming cable. I had previously been using Wouxun software without problems as well on a Windows 7 system.

One item of note; if you move the "Write To KG-UV" window while write is in progress, you will receive "ERROR: No response from radio" message. You won't receive this message if you do the same thing while reading from the radio. This is a very minor bug I'm sure Jim will address soon.

I noticed as well, the three message lines under the Configuration Settings Tab, "Welcome Msg 1 & 2" and "Single Rcv Msg" don't change anything on my radio. This may be something available for programming on a model later than the KG-UVD1P.

Great work Jim. I will follow the work on the new "commander group".

Dave, KB7GP, East Olympia, WA

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi friends,
>
> Have you tried...
>
> David
>

30. Re: Does not work for me either

Yahoo group: KG-UV_Commander
Date: 2011-05-03 19:06:26 UTC
From: steve.vogel
Topic: 13 Message: 30

And, it works just fine on my netbook with Windows XP.

Steve Vogel
W4PSV

--- In KG-UV_Commander@yahoogroups.com, "Steve V" <svdec@...> wrote:
>
> Working great for me with Windows Vista SP2 and Prolific USB cable and drivers.
>
> Steve Vogel
> W4PSV
>
> --- In KG-UV_Commander@yahoogroups.com, "nicovrancken" <nico.vrancken@> wrote:
> >
> > Hi,
> >
> > Compliments for the programming that went into this new tool, and thanks for making
available.
> >
> > It does not work for me either :
> >
> > Windows 7 Home Premium
> > Profilic USB to Serial Comm
> >
> > KG-UVD1P
> > Serial J08-....
> >
> > I'm getting Error 8020 : Error reading from comm device.
> >
> > Reading from and writing to the radio works fine using Wouxun tool version 1.15
> >
> > Any ideas what I could try to fix ?
> >
> > Thanks in advance.
> > Grtz,
> > Nico
> >
>

31. KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-03 23:06:22 UTC
From: David A. Behar
Topic: 1 Message: 31

Welcome new members!

Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?

If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html.

David

32. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-04 04:06:21 UTC
From: jtmmain
Topic: 1 Message: 32

Installed and ran great on Windows 7 Pro, 32 bit. It also installed fine on my laptop running Win 7 Home Premium, 64 bit. I'll post upon more use.

Jon (Ty) Moody
Xenia, OH
KD8FOX
http://kd8fox.net/

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Welcome new members!
>
> Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?
>
> If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html.
>
> David
>

33. Re: KG-UV Commander experience and feedback - Followup

Yahoo group: KG-UV_Commander
Date: 2011-05-04 13:41:19 UTC
From: Jay Marcucci KC2YSK
Topic: 1 Message: 33

I had more time to try it with my UV2 - downloaded current config fine, I added a split CTCSS tone to a repeater memory and changed another repeater memory setting to encode and decode the same CTCSS , saved the file and then uploaded it - worked great! I am using Windows XP running on a Mac in Parallels Mode. Software worked as hoped for!

Jay
KC2YSK

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Welcome new members!
>
> Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?
>
> If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html.
>
> David
>

34. scrolling

Yahoo group: KG-UV_Commander
Date: 2011-05-04 19:14:38 UTC
From: holmebrian
Topic: 34 Message: 34

how bout adding mouse wheel scrolling would be helpfull

35. Re: scrolling

Yahoo group: KG-UV_Commander
Date: 2011-05-04 22:05:36 UTC
From: jimbo_48393
Topic: 34 Message: 35

Go to Settings -> Options, and check the "Enable Mouse Scroll Wheel" box. Then, close and re-open the software.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "holmebrian" <holmebrian@...> wrote:
>
> how bout adding mouse wheel scrolling would be helpfull
>

36. Re: scrolling

Yahoo group: KG-UV_Commander
Date: 2011-05-05 13:41:56 UTC
From: holmebrian
Topic: 34 Message: 36

kk thanks ive noticed with that enabled after scrolling all the way down when you scroll back up it only goes to 3 not all the way back to 1

Brian
n4ade
--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> Go to Settings -> Options, and check the "Enable Mouse Scroll Wheel" box. Then, close and re-open the software.
>
> Jim
> KC8UNJ
>
> --- In KG-UV_Commander@yahoogroups.com, "holmebrian" <holmebrian@> wrote:
> >
> > how bout adding mouse wheel scrolling would be helpfull
> >
>

37. KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-05 17:09:46 UTC
From: David A. Behar
Topic: 1 Message: 37

Welcome new members!

Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?

If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html.

David

38. RE: [KG-UV_Commander] KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-05 17:20:52 UTC
From: Ron Spatafora
Topic: 1 Message: 38

David,

After hounding China for a Excel spreadsheet program or at least a utility to convert TW files, I was very pleasanlyt surprised to find Commander. Special thanks for the prompt reply from Ed. Yes, it made the 80+ channels, I hadn't programmed, easy (because of the cumbersome basic program that accompanied the HT). I did have to figure out that it requires exporting, fixing, and importing back to the HT, but that's OK. I'm one happy camper. Now if we could get them to build an HF rig and an amp at their great prices...

73 de Ron AI5L

40. Re: [KG-UV_Commander] KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-05 18:11:41 UTC
From: Jay Rutherford
Topic: 1 Message: 40

Issues I've found so far:

1. When I try to put in values for Welcome 1 & 2 messages, I get a fatal error (30010) that abruptly closes the program. Something about an invalid column value. It's not consistent, though; sometimes I can put in the Welcome messages and sometimes not. I haven't discovered the key yet for consistent results either way. I have tried a number of things, including changing the opening screen to WELCOM.

2. After selecting a group of adjacent channels (e.g., to move them somewhere else) and clicking on CUT, only the top channel is actually cut and movable. The blue highlights indicating the selected channels goes away after clicking on CUT. To move a bunch of channels, I had to move them one by one.

I don't much care about #1 above as I like to see battery voltage on start up, but #2 would be a good one to get fixed.

Jay K3BH

41. Re: [KG-UV_Commander] The welcome message

Yahoo group: KG-UV_Commander
Date: 2011-05-05 18:33:38 UTC
From: John Wilkerson
Topic: 39 Message: 41

On 5/5/2011 13:36, KE5EOT wrote:
> Has anyone found out why changing the welcome message works for some and
> not others? I'm in the "doesn't" group.
>

Because your radio has to be the kg-uvd3 or one of the newest kg-uvd2s
The option to edit your welcome message was only intruduced recently.

42. KG-UV Commander: My experiences so far.

Yahoo group: KG-UV_Commander
Date: 2011-05-05 18:36:31 UTC
From: windigofer
Topic: 42 Message: 42

Having had a chance finally to stress-test this program properly, I'm pleased--much nicer, IMHO, than the stock Wouxun program, better even than CHIRP (which I've also been experimenting with--I like to try all alternatives).

It is CERTAINLY nicer than what I'd been doing so far (creating a stock .tw file, importing this into an Excel file floating on the Wouxun Yahoogroups list, massaging, exporting out into a new .tw, then importing THAT into the radio).

Info on what I'm using to test/program: Radio is "Powerwerx version" KG-UV3D; programming PC is an Acer Aspire One that I use as my "radio laptop" (it's small, cute, and does the job wonderfully); programming cable is a USB programming cable purchased from Ebay seller "happyhamshop" that--if it's not an actual Wouxun cable--is a close enough clone to do the job (uses the Prolific chipset, etc.).

What works:

Import/export of .tw files works wonderfully.

One thing I desperately missed on the Wouxun app (and why I used the whole "let's massage from Excel" route)--one can organise frequencies up/down, which is pretty much precisely what I've been looking for in an app. :D

Interestingly, I am able to change the welcome message using KG-UV Commander but *not* in the default Wouxun app for the KG-UV3D! :D

(For those curious, whether or not you can change the welcome message IS dependent on firmware. Some KG-UVxx radios that aren't KG-UV3Ds *have* been updated with the KG-UV3D firmware (Cheapham.com, if I recall, is one of the places doing this) and will behave like a KG-UV3D; if you've not got that firmware, you won't be able to change the welcome message.)

What "quirks" (works with some massaging):

At first the radio failed to read, checked Device Manager, found the Prolific cable was on COM7. I've messed around with programming tools for other stuff (Atmel devices in particular, but also AVR Butterfly boxes and the like) to know that there are a fair number of programming tools that don't really like COM ports above COM5 or so. (Yes, I *do* use this box a lot for programming.)

Nuked the extra com-port devices for other serial-to-USB adapters and the Prolific adapter in Device Manager (using the instructions on how to show devices not hooked up in Device Manager at http://support.microsoft.com/kb/315539), re-hooked the Prolific cable up (which detected at COM3), all worked blissfully well.

CSV import works *as long as it's in the specific format that KG-UV Commander is expecting*, otherwise it dies with errors. (I would recommend that if you use CSV import/export that one specifically make an export from a blank .UVD file to a .CSV file as a template.)

What doesn't work:

TPE files generated from K5EHX's website (http://k5ehx.net/repeaters/qrepeater.php) fail rather spectacularly when imported; I suspect strongly that this is because the website's TPE files include listings outside of the transceiver's range, particularly 10m/6m/23cm frequencies. (I'll play with this a bit more with some massaged TPE files, as well as some TPE files generated via a different program (RFinder, an Android repeater-locator app, can export to TPE format).)

All in all, wonderful little app so far.

-KI4QGJ

43. Puzzling out TPE troubles

Yahoo group: KG-UV_Commander
Date: 2011-05-05 19:22:24 UTC
From: windigofer
Topic: 43 Message: 43

OK, so far, the behaviour of import of TravelPlus files is bizarre:

a) With known good files generated by RFinder, it...doesn't error out, but doesn't import them either; it's a total blank.

b) With a *non massaged* TPE file generated by K5EHX's website (which includes out-of-range frequencies) it throws up an error about "run-time error 13: type mismatch" and ungracefully dies.

c) With a *massaged* TPE file generated by K5EHX's website (where I've manually removed the out-of-range frequencies), it still throws up the type-mismatch error.

If you like, I can send the three example TPE files I'm using--I'm completely gobsmacked as to what's misbehaving. :P

-KI4QGJ

44. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-05 21:05:00 UTC
From: jimbo_48393
Topic: 1 Message: 44

Yep, these are both bugs. I believe #1 is related to a bug wher the software crashes when using the TAB key anywhere other than the main memories grid. #2 is something I broke recently. Both are fixed and will be in the next beta.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Jay Rutherford <k3bh@...> wrote:
>
> Issues I've found so far:
>
> 1. When I try to put in values for Welcome 1 & 2 messages, I get a fatal
> error (30010) that abruptly closes the program. Something about an
> invalid column value. It's not consistent, though; sometimes I can put
> in the Welcome messages and sometimes not. I haven't discovered the key
> yet for consistent results either way. I have tried a number of things,
> including changing the opening screen to WELCOM.
>
> 2. After selecting a group of adjacent channels (e.g., to move them
> somewhere else) and clicking on CUT, only the top channel is actually
> cut and movable. The blue highlights indicating the selected channels
> goes away after clicking on CUT. To move a bunch of channels, I had to
> move them one by one.
>
> I don't much care about #1 above as I like to see battery voltage on
> start up, but #2 would be a good one to get fixed.
>
> Jay K3BH
>

45. Re: Puzzling out TPE troubles

Yahoo group: KG-UV_Commander
Date: 2011-05-05 21:06:43 UTC
From: jimbo_48393
Topic: 43 Message: 45

Yes: please email them to me directly, my email address is at the bottom of the ReadMe file (Help -> ReadMe)

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "windigofer" <windigo@...> wrote:
>
> OK, so far, the behaviour of import of TravelPlus files is bizarre:
>
> a) With known good files generated by RFinder, it...doesn't error out, but doesn't import them either; it's a total blank.
>
> b) With a *non massaged* TPE file generated by K5EHX's website (which includes out-of-range frequencies) it throws up an error about "run-time error 13: type mismatch" and ungracefully dies.
>
> c) With a *massaged* TPE file generated by K5EHX's website (where I've manually removed the out-of-range frequencies), it still throws up the type-mismatch error.
>
> If you like, I can send the three example TPE files I'm using--I'm completely gobsmacked as to what's misbehaving. :P
>
> -KI4QGJ
>

46. Re: [KG-UV_Commander] KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-05 23:29:51 UTC
From: Derek Turner
Topic: 1 Message: 46

Dear Jim

  Subject: Re: [Wouxun_KG-UVD1] Help

I posted these messages in the other group, so far they have been unacknowledged.

I think that Subscript out of Bounds requires you to count commas, and Type Mismatch on null may only need a quick on error resume next, but the double decimal point needs more ingenuity.

Maybe a textbox containing progress would be helpful ?

:-

Further observations on using the CSV File Import option in Commander :-

1. If you have blanked the TX frequency to make a channel RX only then the import will fail with Type Mismatch Error 13.

2. If a channel frequency is outside the Band Limits then the data for that channel is ignored and no warning of this is given.

3. Using New as a way of clearing the screen adds confusion to the above because New resets the Band Limits.

73 de G4SWY, Del +++

From: Derek Turner <g4swy@...>
To: "Wouxun_KG-UVD1@yahoogroups.com" <Wouxun_KG-UVD1@yahoogroups.com>
Sent: Tuesday, 3 May 2011, 18:59
Subject: Re: [Wouxun_KG-UVD1] Help

David

This is interesting.

There are three things in this file that Commander does not like.

1. The number of commas per line (excluding those embedded in quotes) has to be the same in all lines. The fix for this is to open the file in Excel and then to save (as CSV) after deleting columns L to Z to clear all data to the right of the last used column.
2. Channel 39 (W9XO) has a field containing two decimal points.
3. This does not stop the import. In the Name field, Commander ignores all characters that Wouxun will not accept. i.e. lower case (etc), so the imported names look strange - so for example 'Van Buren' comes in as 'V B'. Additionally the Name field may only contain six characters, so the inputs are truncated.

73 de G4SWY, Del +++

47. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-06 01:47:40 UTC
From: jimbo_48393
Topic: 1 Message: 47

Sorry for the lack of reply, all feedback is appreciated. I did see the messages in the other group, and I believe I have this all taken care of for the next beta.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Derek Turner <g4swy@...> wrote:
>
> Dear Jim
>
> Subject: Re: [Wouxun_KG-UVD1] Help
>
>
> I posted these messages in the other group, so far they have been unacknowledged.
>
> I think that Subscript out of Bounds requires you to count commas, and Type Mismatch on null may only need a quick on error resume next, but the double decimal point needs more ingenuity.
>
> Maybe a textbox containing progress would be helpful ?
>
>
>
> :-
>
> Further observations on using the CSV File Import option in Commander :-
>
> 1. If you have blanked the TX frequency to make a channel RX only then the import will fail with Type Mismatch Error 13.
>
> 2. If a channel frequency is outside the Band Limits then the data for that channel is ignored and no warning of this is given.
>
> 3. Using New as a way of clearing the screen adds confusion to the above because New resets the Band Limits.
>
>
> 73 de G4SWY, Del +++
>
>
>
> _____
> From: Derek Turner <g4swy@...>
> To: "Wouxun_KG-UVD1@yahoogroups.com" <Wouxun_KG-UVD1@yahoogroups.com>
> Sent: Tuesday, 3 May 2011, 18:59

> Subject: Re: [Wouxun_KG-UVD1] Help
>
>
> David
>
> This is interesting.
>
> There are three things in this file that Commander does not like.
>
> 1. The number of commas per line (excluding those embedded in quotes) has to be the same in all lines. The fix for this is to open the file in Excel and then to save (as CSV) after deleting columns L to Z to clear all data to the right of the last used column.
> 2. Channel 39 (W9XO) has a field containing two decimal points.
> 3. This does not stop the import. In the Name field, Commander ignores all characters that Wouxun will not accept. i.e. lower case (etc), so the imported names look strange - so for example 'Van Buren' comes in as 'V B'. Additionally the Name field may only contain six characters, so the inputs are truncated.
>
> 73 de G4SWY, Del +++
>

48. KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-07 04:52:45 UTC
From: jimbo_48393
Topic: 48 Message: 48

KG-UV Commander 0.1.1 beta is now availbale for download from my page:

http://www.kc8unj.com/kguv.html

Changes:
- Fixed crash when using TAB key on Config/VFO/FM tabs
- Fixed crash when deleting RX frequency
- Fixed crash when deleting VFO frequency
- Fixed crash when pasting blank line over blank TX frequency
- Fixed CSV import crash bug where it didn't properly handle blank TX field
- Fixed CSV import when CSV file contains no line feeds
- CSV import no longer requires placeholders for all fields
- CSV import now converts imported fields to uppercase characters
- Updated TPE import based on provided files
- Tweak for cut-off line on some printers in Landscape mode
- Fixed bug where mouse scroll wheel did not scroll to channel 1
- Fixed bug where multi-select didn't work for Cut operations
- Changed communication to continue if radio responds to HiWouxun with ID
- Workaround to try and get writing to work without error in WINE
- Small tweaks to communication

If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!

Jim
KC8UNJ

49. Re: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-07 06:55:16 UTC
From: Rob
Topic: 48 Message: 49

On 07/05/11 12:52, jimbo_48393 wrote:
>
> KG-UV Commander 0.1.1 beta is now availbale for download from my page:
> ....
> - Changed communication to continue if radio responds to HiWouxun with ID
> - Workaround to try and get writing to work without error in WINE
> - Small tweaks to communication
>

Hi Jim, comms still no go here for XP Pro SPIII and KG-UVD1P.

```
------------------------
Attempting communication using COM1
0.0001 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.0157 RX <-- [08] 06 06 4B 47 36 36 39 56
Radio ID: KG669V
0.0157 TX --> [01] 02
ERROR: No response from radio.
BUFFER DUMP <-- [01] F8
----------------------------
```

For what it's worth, the radio always responds with "KG669V" _followed
by the 0xF8_. I have confirmed this by writing my own routine to
converse with the radio (using the same comm port and adaptor) and have
successfully got the radio to send its memory map to me.
Odd that it works for others OK.

The other thing I am doing is this for establishing the link:

```
Send: 48 69 57 4F 55 58 55 4E
Receive: 06
Send: 02
Receive: 06 4B 47 36 36 39 56 F8
Send: 'R' + other stuff for requesting memory blocks
Receive: 'W' + other stuff + memory block
Rinse, repeat last two lines.
```

Hope that sheds some light on a possible cause.

--
Rob, VK6UFO, VK6RN

50. Re: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-07 12:09:27 UTC
From: Derek Turner
Topic: 48 Message: 50

Hi Jim

Looking better.

I tested CSV Import and it works OK with empty TX frequency and does not fall over on double decimal point.

However on re-importing exported CSV file with saved channel numbers I get misleading message 'Memory not imported - RX frequency not a valid number:' for every empty channel.

Nice to have by the way if you can do it would be the channel number where the exception occurred.

Also, and I have in the past as a developer suffered from this big time, have you considered what happens when the PC regional settings are such that the so called CSV format is set to semi-colon for field separator and comma for decimal separator, like in most of the European countries except the UK ? Just a thought.

Possible enhancement ? - flag non standard repeater shifts.

Well done it's looking good.

73 de G4SWY, Del +++

From: jimbo_48393 <jimbo_48393@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, 7 May 2011, 5:52
Subject: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available

KG-UV Commander 0.1.1 beta is now availbale for download from my page:

http://www.kc8unj.com/kguv.html

Changes:
- Fixed crash when using TAB key on Config/VFO/FM tabs
- Fixed crash when deleting RX frequency
- Fixed crash when deleting VFO frequency
- Fixed crash when pasting blank line over blank TX frequency
- Fixed CSV import crash bug where it didn't properly handle blank TX field
- Fixed CSV import when CSV file contains no line feeds
- CSV import no longer requires placeholders for all fields
- CSV import now converts imported fields to uppercase characters
- Updated TPE import based on provided files
- Tweak for cut-off line on some printers in Landscape mode
- Fixed bug where mouse scroll wheel did not scroll to channel 1
- Fixed bug where multi-select didn't work for Cut operations
- Changed communication to continue if radio responds to HiWouxun with ID

- Workaround to try and get writing to work without error in WINE
- Small tweaks to communication

If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!

Jim
KC8UNJ

51. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-07 13:11:30 UTC
From: Metradio
Topic: 1 Message: 51

Most impressed with the program Jim..

Missing line at the bottom of a landscape printout SORTED thanks..

A wish, can you increase the usable space in the GROUP/NOTES column from 32 to 40 characters please??

Mike

52. Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-08 01:50:51 UTC
From: jimbo_48393
Topic: 48 Message: 52

Thanks! I'll update the log window based on your suggestions.

Currently, CSV import/export should fucntion properly in locations with comma for the decimal separator, provided the CSV being imported uses quotes for all fields.

Is the use of a semi-colon for the delimiter pretty standard in locations which use a comma decimal separator? Is the file extesion still CSV? If so, I could change it to import/export using semi-colon delimiters for these locations.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Derek Turner <g4swy@...> wrote:
>
> Hi Jim
>
> Looking better.
>
> I tested CSV Import and it works OK with empty TX frequency and does not fall over on double decimal point.
>
> However on re-importing exported CSV file with saved channel numbers I get misleading message 'Memory not imported - RX frequency not a valid number:' for every empty channel.
>
> Nice to have by the way if you can do it would be the channel number where the exception occurred.
>
> Also, and I have in the past as a developer suffered from this big time, have you considered what happens when the PC regional settings are such that the so called CSV format is set to semi-colon for field separator and comma for decimal separator, like in most of the European countries except the UK ? Just a thought.Â
>
> Possible enhancement Â ? - flag non standard repeater shifts.Â
>
> Well done it's looking good.
>
> 73 de G4SWY, Del +++
>
>
> _____
> From: jimbo_48393 <jimbo_48393@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, 7 May 2011, 5:52
> Subject: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available
>
>

> Â
> KG-UV Commander 0.1.1 beta is now availbale for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
> Changes:
> - Fixed crash when using TAB key on Config/VFO/FM tabs
> - Fixed crash when deleting RX frequency
> - Fixed crash when deleting VFO frequency
> - Fixed crash when pasting blank line over blank TX frequency
> - Fixed CSV import crash bug where it didn't properly handle blank TX field
> - Fixed CSV import when CSV file contains no line feeds
> - CSV import no longer requires placeholders for all fields
> - CSV import now converts imported fields to uppercase characters
> - Updated TPE import based on provided files
> - Tweak for cut-off line on some printers in Landscape mode
> - Fixed bug where mouse scroll wheel did not scroll to channel 1
> - Fixed bug where multi-select didn't work for Cut operations
> - Changed communication to continue if radio responds to HiWouxun with ID
> - Workaround to try and get writing to work without error in WINE
> - Small tweaks to communication
>
> If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!
>
> Jim
> KC8UNJ
>

53. RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-08 02:18:11 UTC
From: David Fuller
Topic: 48 Message: 53

I recently had problems with the csv file subscripts being out of range. the new 0.1.1 beta verison solved them for them . I wish to thank all who assisted me with it.

Greater love has no one than this,that he lays down his life for his friends. John 15:13 (NIV)
David Fuller, AC0RV
St Francois County Emergency Coordinator
Skywarn Spotter M187201
St Louis County RACES # 1150

To: KG-UV_Commander@yahoogroups.com
From: jimbo_48393@...m
Date: Sun, 8 May 2011 01:50:51 +0000
Subject: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Thanks! I'll update the log window based on your suggestions.

Currently, CSV import/export should fucntion properly in locations with comma for the decimal separator, provided the CSV being imported uses quotes for all fields.

Is the use of a semi-colon for the delimiter pretty standard in locations which use a comma decimal separator? Is the file extesion still CSV? If so, I could change it to import/export using semi-colon delimiters for these locations.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Derek Turner <g4swy@...> wrote:
>
> Hi Jim
>
> Looking better.
>
> I tested CSV Import and it works OK with empty TX frequency and does not fall over on double decimal point.
>
> However on re-importing exported CSV file with saved channel numbers I get misleading message 'Memory not imported - RX frequency not a valid number:' for every empty channel.
>
> Nice to have by the way if you can do it would be the channel number where the exception occurred.
>
> Also, and I have in the past as a developer suffered from this big time, have you considered what happens when the PC regional settings are such that the so called CSV format is set to semi-colon for field separator and comma for decimal separator, like in most of the European countries except the UK ? Just a thought.Â
>

> Possible enhancement Â ? - flag non standard repeater shifts.Â
>
> Well done it's looking good.
>
> 73 de G4SWY, Del +++
>
>
> _____
> From: jimbo_48393 <jimbo_48393@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, 7 May 2011, 5:52
> Subject: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available
>
>
> Â
> KG-UV Commander 0.1.1 beta is now availbale for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
> Changes:
> - Fixed crash when using TAB key on Config/VFO/FM tabs
> - Fixed crash when deleting RX frequency
> - Fixed crash when deleting VFO frequency
> - Fixed crash when pasting blank line over blank TX frequency
> - Fixed CSV import crash bug where it didn't properly handle blank TX field
> - Fixed CSV import when CSV file contains no line feeds
> - CSV import no longer requires placeholders for all fields
> - CSV import now converts imported fields to uppercase characters
> - Updated TPE import based on provided files
> - Tweak for cut-off line on some printers in Landscape mode
> - Fixed bug where mouse scroll wheel did not scroll to channel 1
> - Fixed bug where multi-select didn't work for Cut operations
> - Changed communication to continue if radio responds to HiWouxun with ID
> - Workaround to try and get writing to work without error in WINE
> - Small tweaks to communication
>
> If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!
>
> Jim
> KC8UNJ
>

54. Decimal separator and list separator

Yahoo group: KG-UV_Commander
Date: 2011-05-08 02:26:24 UTC
From: David A. Behar
Topic: 48 Message: 54

Hi friends,

Regarding the decimal character and list character...

The following Windows Registry key contains the decimal separator:
HKEY_CURRENT_USER\Control Panel\International\sDecimal

And the following Windows Registry key contains the list separator:
HKEY_CURRENT_USER\Control Panel\International\sList

Although I think it won't apply for use of the KG-UV Commander program, the registry key for the thousands separator is:
HKEY_CURRENT_USER\Control Panel\International\sThousand
(Sure enough, if I change the sList parameter to the pipe symbol (|), that is what I get as a separator when I save an Excel file in format CSV.)

So a good idea might be to retrieve the values from these two registry entries to use as a default. And a very nice feature would be to let the user override the defaults retrieved from the registry.

For example, look in Excel under Tools / Options / International, and see how the decimal and thousand symbols are handled.

Note that all three of the cited registry keys (above) can be changed in Control Panel under Regional and Language Options / Formats / Customize this format / Numbers.

David

----- Original Message -----
From: jimbo_48393
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, May 07, 2011 6:50 PM
Subject: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Thanks! I'll update the log window based on your suggestions.

Currently, CSV import/export should fucntion properly in locations with comma for the decimal separator, provided the CSV being imported uses quotes for all fields.

Is the use of a semi-colon for the delimiter pretty standard in locations which use a comma decimal separator? Is the file extesion still CSV? If so, I could change it to import/export using semi-colon delimiters for these locations.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, Derek Turner <g4swy@...> wrote:
>

> Hi Jim
>
> Looking better.
>
> I tested CSV Import and it works OK with empty TX frequency and does not fall over on double decimal point.
>
> However on re-importing exported CSV file with saved channel numbers I get misleading message 'Memory not imported - RX frequency not a valid number:' for every empty channel.
>
> Nice to have by the way if you can do it would be the channel number where the exception occurred.
>
> Also, and I have in the past as a developer suffered from this big time, have you considered what happens when the PC regional settings are such that the so called CSV format is set to semi-colon for field separator and comma for decimal separator, like in most of the European countries except the UK ? Just a thought.Â
>
> Possible enhancement Â ? - flag non standard repeater shifts.Â
>
> Well done it's looking good.
>
> 73 de G4SWY, Del +++
>
>
> _____
> From: jimbo_48393 <jimbo_48393@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, 7 May 2011, 5:52
> Subject: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available
>
>
> Â
> KG-UV Commander 0.1.1 beta is now availbale for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
> Changes:
> - Fixed crash when using TAB key on Config/VFO/FM tabs
> - Fixed crash when deleting RX frequency
> - Fixed crash when deleting VFO frequency
> - Fixed crash when pasting blank line over blank TX frequency
> - Fixed CSV import crash bug where it didn't properly handle blank TX field
> - Fixed CSV import when CSV file contains no line feeds
> - CSV import no longer requires placeholders for all fields
> - CSV import now converts imported fields to uppercase characters
> - Updated TPE import based on provided files
> - Tweak for cut-off line on some printers in Landscape mode
> - Fixed bug where mouse scroll wheel did not scroll to channel 1
> - Fixed bug where multi-select didn't work for Cut operations

> - Changed communication to continue if radio responds to HiWouxun with ID
> - Workaround to try and get writing to work without error in WINE
> - Small tweaks to communication
>
> If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!
>
> Jim
> KC8UNJ
>

55. Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-08 12:59:37 UTC
From: john_kb0ne
Topic: 48 Message: 55

Hi,
Found a bug in 0.1.1: I accidentally typed in a double decimal and the program crashed after issuing an error message.

Even with any bugs or without further enhancements this software is a couple orders of magnitude better than the factory software.

THANKS Jimbo!!!!!

John KB0NE

--- In KG-UV_Commander@yahoogroups.com, Derek Turner <g4swy@...> wrote:
> I tested CSV Import and it works OK with empty TX frequency and does not fall over on double decimal point.

56. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-08 16:07:44 UTC
From: B. Barawitzka
Topic: 48 Message: 56

Hi Jim,
the use of a semi-colon for the delimiter pretty standard in locations
which use a comma decimal separator.

Best regards Boris

Am 08.05.2011 03:50, schrieb jimbo_48393:
>
> Thanks! I'll update the log window based on your suggestions.
>
> Currently, CSV import/export should fucntion properly in locations
> with comma for the decimal separator, provided the CSV being imported
> uses quotes for all fields.
>
> Is the use of a semi-colon for the delimiter pretty standard in
> locations which use a comma decimal separator? Is the file extesion
> still CSV? If so, I could change it to import/export using semi-colon
> delimiters for these locations.
>
> Jim
> KC8UNJ
>
> --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>, Derek Turner <g4swy@...>
> wrote:
> >
> > Hi Jim
> >
> > Looking better.
> >
> > I tested CSV Import and it works OK with empty TX frequency and does
> not fall over on double decimal point.
> >
> > However on re-importing exported CSV file with saved channel numbers
> I get misleading message 'Memory not imported - RX frequency not a
> valid number:' for every empty channel.
> >
> > Nice to have by the way if you can do it would be the channel number
> where the exception occurred.
> >
> > Also, and I have in the past as a developer suffered from this big
> time, have you considered what happens when the PC regional settings
> are such that the so called CSV format is set to semi-colon for field
> separator and comma for decimal separator, like in most of the
> European countries except the UK ? Just a thought.?

> >
> > Possible enhancement ? ? - flag non standard repeater shifts.?
> >
> > Well done it's looking good.
> >
> > 73 de G4SWY, Del +++
> >
> >
> > _____
> > From: jimbo_48393 <jimbo_48393@...>
> > To: KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>
> > Sent: Saturday, 7 May 2011, 5:52
> > Subject: [KG-UV_Commander] KG-UV Commander 0.1.1 beta available
> >
> >
> > ?
> > KG-UV Commander 0.1.1 beta is now availbale for download from my page:
> >
> > http://www.kc8unj.com/kguv.html
> >
> > Changes:
> > - Fixed crash when using TAB key on Config/VFO/FM tabs
> > - Fixed crash when deleting RX frequency
> > - Fixed crash when deleting VFO frequency
> > - Fixed crash when pasting blank line over blank TX frequency
> > - Fixed CSV import crash bug where it didn't properly handle blank
> TX field
> > - Fixed CSV import when CSV file contains no line feeds
> > - CSV import no longer requires placeholders for all fields
> > - CSV import now converts imported fields to uppercase characters
> > - Updated TPE import based on provided files
> > - Tweak for cut-off line on some printers in Landscape mode
> > - Fixed bug where mouse scroll wheel did not scroll to channel 1
> > - Fixed bug where multi-select didn't work for Cut operations
> > - Changed communication to continue if radio responds to HiWouxun
> with ID
> > - Workaround to try and get writing to work without error in WINE
> > - Small tweaks to communication
> >
> > If you experienced one of these problems, try the new beta. I look
> forward to everyone's feedback!
> >
> > Jim
> > KC8UNJ
> >
>
>

57. KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-05-08 18:26:21 UTC
From: David A. Behar
Topic: 1 Message: 57

Welcome new members!

Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?

Have you downloaded the latest update (Version 0.1.1 BETA)?

If you don't have KG-UV Commander yet, download it at http://www.kc8unj.com/kguv.html.

David

58. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-08 18:32:18 UTC
From: Thomas Carpenter
Topic: 48 Message: 58

Comma Separated Variable CVS.. Now replace the comma with a semicolon. Semicolon Separated Variable, now is it called SSV? A little George Carlin goes a long way.

-----Original Message-----
From: B. Barawitzka <barawitzka@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Sun, May 8, 2011 12:07 pm
Subject: Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Hi Jim,
the use of a semi-colon for the delimiter pretty standard in locations which use a comma decimal separator.

Best regards Boris

59. Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-08 18:38:53 UTC
From: intensem1dh
Topic: 59 Message: 59

I have the UVD1P WIN XP using a serial cable from a Puxing I can read and write with the wouxun software but not this I checked the com port and it is correct when I try to read the light on the radio lights up the display also does some thing but I get an error can't read from radio.

60. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2011-05-09 08:20:08 UTC
From: Rob
Topic: 48 Message: 60

On 09/05/11 02:32, Thomas Carpenter wrote:
>
> Comma Separated Variable CVS.. Now replace the comma with a semicolon.
>
I'm glad I wasn't the first to point that out :-)

--
Rob, VK6UFO, VK6RN

61. Congratulations!

Yahoo group: KG-UV_Commander
Date: 2011-05-10 16:15:01 UTC
From: David A. Behar
Topic: 61 Message: 61

Congratulations to KG-UV Commander group members, now 100 strong!

David

62. Re: Congratulations!

Yahoo group: KG-UV_Commander
Date: 2011-05-11 16:11:32 UTC
From: windigofer
Topic: 61 Message: 62

Good news re a good product spreads fast :D

BTW, with the latest beta, the issues I have had re import of TPE files have completely resolved (to my happiness).

-KI4QGJ

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Congratulations to KG-UV Commander group members, now 100 strong!
>
> David
>

63. Problems with kg-uvd1p and commander

Yahoo group: KG-UV_Commander
Date: 2011-05-11 19:01:04 UTC
From: John
Topic: 63 Message: 63

Now, when I upload a file to my radio, the radio becomes "locked" so that only the first 10 memory locations are accessable. It writes ALL memories; but you cannot access them. You cannot in any way tune the radio past channel 9.

It takes reloading the original file from my Wouxun software to get the radio to work again.

64. Re: KG UV Commander

Yahoo group: KG-UV_Commander
Date: 2011-05-11 20:32:55 UTC
From: David A. Behar
Topic: 64 Message: 64

Hi Matt,

I'm just curious, does Wouxun provide programming software for the KG-UVA1 (which I understand is similar to the KG-UV dual-band radios, but without the display)? If so, is it the same program which works with the KG-UVD1P? Can you provide me with a "TW" programming file?

And if you can try reading info from the radio using KG-UV Commander and then provide the read.log files in the C:\Program Files\KG-UV Commander folder to me, that might let me see what's going on. If there is just a simple protocol difference, it could be possible for the software developer (Jim KC8UNJ) to update the software to handle your radio.

David
----- Original Message -----
From: Matt Patterson
To: Wouxun_KG-UVD1@yahoogroups.com
Sent: Wednesday, May 11, 2011 11:18 AM

FYI everyone.... the KG-UVA1 doesn't seem to work with the KG UV
Commander software. Just thought I'd pass that info along.

73 Matt
W5LL

65. Re: KG UV Commander

Yahoo group: KG-UV_Commander
Date: 2011-05-11 20:52:56 UTC
From: David A. Behar
Topic: 64 Message: 65

Hi Matt,

First, I just want to be sure I understand...

The Wouxun programming application will read from the KG-UVA1 successfully, but will not write to the KG-UVA1 successfully. Is that correct?

Will the KG-UV Commander software read successfully from the KG-UVA1?

Have you tried writing with the KG-UV commander software? If so, what happened?

Regardless of whether the KG-UV Commander software will read successfully from the KG-UVA1, can you perform a read attempt and then supply the C:\Program Files\KG-UV Commander\read.log file?

And yes, can you provide a TW file filled with misc info (e.g., several or most channels programmed)?

I'll take a quick look when I'm able and and see what I can figure out.

The fact that the KG-UVD1 Wouxun programming application can read the TW files from your radio would indicate that the two radios operate very similarly, but not identically. It would be interesting if I can figure out what the difference is.

David
----- Original Message -----
From: Matt Patterson
To: Wouxun_KG-UVD1@yahoogroups.com
Sent: Wednesday, May 11, 2011 1:41 PM

Hi David,

It's not the same program. They look similar but the KG-UVD1P software isn't compatible with the UVA1. It will read the radio fine but will give errors when you try to write to it. The two main differences in the UVA1 and the UVD1P are the lack of display and UVA1 only has 16 channels. Otherwise I believe they are the same. The UVA1 software will not work with a .TW file that has been made with the UVD1P software either. I can provide you with my .TW file if that will help. I can also upload the software to the group if that will help as well.

Matt
W5LL

66. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-14 02:30:01 UTC
From: intensem1dh
Topic: 59 Message: 66

--- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@...> wrote:
>
> I have the UVD1P WIN XP using a serial cable from a Puxing I can read and write with the wouxun software but not this I checked the com port and it is correct when I try to read the light on the radio lights up the display also does some thing but I get an error can't read from radio.
>

Anyone?

67. Re: [KG-UV_Commander] Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-14 02:47:10 UTC
From: Bill Maxwell
Topic: 59 Message: 67

This problem has been reported when using a USB cable several times since Jim released Commander for the Wouxun, including at least once by myself. In my case, the situation seemed to resolve itself after trying to get it to work for a day or so. I put it down to wear on the audio jacks on the radio, or maybe slightly out of specification plugs on my USB cable. I don't recall it being reported with a serial cable though. By serial I assume you mean a DB15 RS232 style cable.

On 14/05/2011 12:30 PM, intensem1dh wrote:
>
> --- In KG-UV_Commander@yahoogroups.com, "intensem1dh"<intensem1dh@...> wrote:
>> I have the UVD1P WIN XP using a serial cable from a Puxing I can read and write with the wouxun software but not this I checked the com port and it is correct when I try to read the light on the radio lights up the display also does some thing but I get an error can't read from radio.
>>
> Anyone?
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

68. Question regarding how the programming software works.....

Yahoo group: KG-UV_Commander
Date: 2011-05-14 11:46:59 UTC
From: dcarros
Topic: 68 Message: 68

I have been quietly watching several of the Wouxun groups and have a simple question. Can programming software be modified to operate/control the radio in real time? For example could it be possible to operate the radio (via the same programming cable) to run PSK31? How does the radio know a computer and not a microphone is connected?

69. Re: Question regarding how the programming software works.....

Yahoo group: KG-UV_Commander
Date: 2011-05-14 12:49:29 UTC
From: jwheatleyus
Topic: 68 Message: 69

Tx data is on Tip and Rx on Sleeve of Large Pin (Mic). For PSK31 type connection, you would use a different cable to connect Rx audio to PSK31 In and Tx audio to PSK output. Argentdata.com sells a 2' cable with the mic connector on one end and tinned leads on the other end for connection to data sources.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "dcarros" <dcarros@...> wrote:
>
> I have been quietly watching several of the Wouxun groups and have a simple question. Can programming software be modified to operate/control the radio in real time? For example could it be possible to operate the radio (via the same programming cable) to run PSK31? How does the radio know a computer and not a microphone is connected?
>

70. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-14 19:39:17 UTC
From: g7hrq
Topic: 59 Message: 70

I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't read or write with either the Wouxun software, or Commander. I have recently purchased a usb cable from 409 shop, Hong Kong, which works perfectly with Commander. I haven't used the Wouxun software to try it, as I have no need to. I already had the Prolific driver installed and working, to use Ham Radio De Luxe, so I haven't needed to reinstall the driver.

--- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@...> wrote:
>
> I have the UVD1P WIN XP using a serial cable from a Puxing I can read and write with the wouxun software but not this I checked the com port and it is correct when I try to read the light on the radio lights up the display also does some thing but I get an error can't read from radio.
>

71. Insert your call sign on KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2011-05-14 19:54:10 UTC
From: g7hrq
Topic: 71 Message: 71

I recall seeing a previous post which indicated that you could not insert your call sign, using Commander software.

I have just got my setup working using a usb cable with Windows 7.

I discovered that if you go to "configuration settings" in Commander, the default Welcome Msg line was something like UVD2. Alter Welcome msg line 1, to your call sign and Welcome Msg line 2, to the model of your radio, i.e. UVD1P (in my case).

Then insert your call sign again on the line below; "Single Receive Msg". Once you have written it to your radio, it should display your call sign on the bottom line when you are in memory mode (channel mode)

Apologies if this has already been covered by anyone else.

72. Re: [KG-UV_Commander] Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-14 20:19:34 UTC
From: Larry Worthington
Topic: 59 Message: 72

I have the Ken wood serial cable on windows XP Woks well with Wouxum software never had an error. With the KG-UV Commander it will not read or write the radio. When I try to read or write the radio I get a failed message and during the process of reading or writing to the radio I see the radio power cycle one time just before the failed message. I also see the restart on the Wouxun software just before I get a completed message.

Larry
KC9HDP

On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@...> wrote:

>
>
> I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> read or write with either the Wouxun software, or Commander. I have recently
> purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> Commander. I haven't used the Wouxun software to try it, as I have no need
> to. I already had the Prolific driver installed and working, to use Ham
> Radio De Luxe, so I haven't needed to reinstall the driver.
>
>
> --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@...>
> wrote:
> >
> > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> write with the wouxun software but not this I checked the com port and it is
> correct when I try to read the light on the radio lights up the display also
> does some thing but I get an error can't read from radio.
> >
>
>
>

73. Re: [KG-UV_Commander] Question regarding how the programming software works.....

Yahoo group: KG-UV_Commander
Date: 2011-05-15 09:33:44 UTC
From: Terry
Topic: 68 Message: 73

Don't know, but it would be nice if the Wouxun's could be used as
PC Controllable Radios with software such as UniTrunker,
TrunkView, TRUNK88, etc.

--
Terry

> I have been quietly watching several of the Wouxun groups and have a simple question. Can programming software be modified to operate/control the radio in real time? For example could it be possible to operate the radio (via the same programming cable) to run PSK31? How does the radio know a computer and not a microphone is connected?
>

74. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-15 15:27:55 UTC
From: intensem1dh
Topic: 59 Message: 74

--- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@...> wrote:
>
> I have the Ken wood serial cable on windows XP Woks well with Wouxum
> software never had an error. With the KG-UV Commander it will not read or
> write the radio. When I try to read or write the radio I get a failed
> message and during the process of reading or writing to the radio I see the
> radio power cycle one time just before the failed message. I also see the
> restart on the Wouxun software just before I get a completed message.
>
> Larry
> KC9HDP
>
> On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@...> wrote:
>
> >
> >
> > I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> > read or write with either the Wouxun software, or Commander. I have recently
> > purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> > Commander. I haven't used the Wouxun software to try it, as I have no need
> > to. I already had the Prolific driver installed and working, to use Ham
> > Radio De Luxe, so I haven't needed to reinstall the driver.
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> > wrote:
> > >
> > > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> > write with the wouxun software but not this I checked the com port and it is
> > correct when I try to read the light on the radio lights up the display also
> > does some thing but I get an error can't read from radio.
> > >
> >
> >
> >
>
Mine with Commander software does the exact same.

75. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-15 18:53:35 UTC
From: jimbo_48393
Topic: 59 Message: 75

Hi guys, what does the error message say?

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@...> wrote:
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@> wrote:
> >
> > I have the Ken wood serial cable on windows XP Woks well with Wouxum
> > software never had an error. With the KG-UV Commander it will not read or
> > write the radio. When I try to read or write the radio I get a failed
> > message and during the process of reading or writing to the radio I see the
> > radio power cycle one time just before the failed message. I also see the
> > restart on the Wouxun software just before I get a completed message.
> >
> > Larry
> > KC9HDP
> >
> > On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@> wrote:
> >
> > >
> > >
> > > I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> > > read or write with either the Wouxun software, or Commander. I have recently
> > > purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> > > Commander. I haven't used the Wouxun software to try it, as I have no need
> > > to. I already had the Prolific driver installed and working, to use Ham
> > > Radio De Luxe, so I haven't needed to reinstall the driver.
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> > > wrote:
> > > >
> > > > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> > > write with the wouxun software but not this I checked the com port and it is
> > > correct when I try to read the light on the radio lights up the display also
> > > does some thing but I get an error can't read from radio.
> > > >
> > >
> > >
> > >
> >

> Mine with Commander software does the exact same.
>

76. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-15 19:22:49 UTC
From: g7hrq
Topic: 59 Message: 76

Hi Jim

Using the Kenwood PG-4Y serial cable, the Commander message says;
ERROR: Radio not found. As I previously stated, it works perfectly now I have received my usb cable.

73 from Dave. G7HRQ

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> Hi guys, what does the error message say?
>
> Jim
> KC8UNJ
>
> --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@> wrote:
> >
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@> wrote:
> > >
> > > I have the Ken wood serial cable on windows XP Woks well with Wouxum
> > > software never had an error. With the KG-UV Commander it will not read or
> > > write the radio. When I try to read or write the radio I get a failed
> > > message and during the process of reading or writing to the radio I see the
> > > radio power cycle one time just before the failed message. I also see the
> > > restart on the Wouxun software just before I get a completed message.
> > >
> > > Larry
> > > KC9HDP
> > >
> > > On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@> wrote:
> > >
> > > >
> > > >
> > > > I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> > > > read or write with either the Wouxun software, or Commander. I have recently
> > > > purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> > > > Commander. I haven't used the Wouxun software to try it, as I have no need
> > > > to. I already had the Prolific driver installed and working, to use Ham
> > > > Radio De Luxe, so I haven't needed to reinstall the driver.
> > > >
> > > >
> > > > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> > > > wrote:
> > > > >

> > > > > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> > > > write with the wouxun software but not this I checked the com port and it is
> > > > correct when I try to read the light on the radio lights up the display also
> > > > does some thing but I get an error can't read from radio.
> > > > >
> > > >
> > > >
> > > >
> > >
> > Mine with Commander software does the exact same.
> >
>

77. Re: [KG-UV_Commander] Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-05-16 03:48:25 UTC
From: Larry Worthington
Topic: 59 Message: 77

ERROR: Radio not found

Larry
KC9HDP

On Sun, May 15, 2011 at 2:22 PM, g7hrq <dave.gorse@...> wrote:

>
>
> Hi Jim
>
> Using the Kenwood PG-4Y serial cable, the Commander message says;
> ERROR: Radio not found. As I previously stated, it works perfectly now I
> have received my usb cable.
>
> 73 from Dave. G7HRQ
>
>
> --- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...>
> wrote:
> >
> > Hi guys, what does the error message say?
> >
> > Jim
> > KC8UNJ
> >
> > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> wrote:
> > >
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@>
> wrote:
> > > >
> > > > I have the Ken wood serial cable on windows XP Woks well with Wouxum
> > > > software never had an error. With the KG-UV Commander it will not
> read or
> > > > write the radio. When I try to read or write the radio I get a failed
> > > > message and during the process of reading or writing to the radio I
> see the
> > > > radio power cycle one time just before the failed message. I also see
> the
> > > > restart on the Wouxun software just before I get a completed message.
> > > >
> > > > Larry
> > > > KC9HDP

> > > >
> > > > On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@> wrote:
> > > >
> > > > >
> > > > >
> > > > > I had the a problem using a Kenwood serial cable and Windows 7. It
> wouldn't
> > > > > read or write with either the Wouxun software, or Commander. I have
> recently
> > > > > purchased a usb cable from 409 shop, Hong Kong, which works
> perfectly with
> > > > > Commander. I haven't used the Wouxun software to try it, as I have
> no need
> > > > > to. I already had the Prolific driver installed and working, to use
> Ham
> > > > > Radio De Luxe, so I haven't needed to reinstall the driver.
> > > > > >
> > > > > >
> > > > > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh"
> <intensem1dh@>
> > > > > wrote:
> > > > > >
> > > > > > I have the UVD1P WIN XP using a serial cable from a Puxing I can
> read and
> > > > > write with the wouxun software but not this I checked the com port
> and it is
> > > > > correct when I try to read the light on the radio lights up the
> display also
> > > > > does some thing but I get an error can't read from radio.
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > >
> > > Mine with Commander software does the exact same.
> > >
> >
>
>
>

78. Re: [KG-UV_Commander] Digest Number 12

Yahoo group: KG-UV_Commander
Date: 2011-05-15 13:40:25 UTC
From: johnhenrydavisjr
Topic: 78 Message: 78
Attachments: 2 described; binary payloads are missing from this source WARC

```
[ Attachment content not displayed ]
```

79. Re: Insert your call sign on KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2011-05-20 16:23:28 UTC
From: K6LCS
Topic: 71 Message: 79

PowerWerx was the first distributor to have their units' firmware allow us to do this. Then Wouxun decided to violate that agreement and, in most units shipped to the U.S. beginning this year, other imported units allow that capability.

SO ... If you have a non-Powerwerx radio manufactured the past six months, you should be able to program alphanumerics on that line of the display.

Clint Bradford, K6LCS

80. Re: [KG-UV_Commander] Re: Insert your call sign on KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2011-05-20 23:37:47 UTC
From: David A. Behar
Topic: 71 Message: 80

What agreement did Wouxun decide to violate (and how do you know)? Just wondering.

(Nosy) David
----- Original Message -----
From: K6LCS
Sent: Friday, May 20, 2011 9:23 AM
... Then Wouxun decided to violate that agreement and, in most units shipped to the U.S. beginning this year, other imported units allow that capability.

Clint Bradford, K6LCS

81. Re: Insert your call sign on KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2011-05-21 16:08:16 UTC
From: K6LCS
Topic: 71 Message: 81

I just replied to you off-list.

Clint, K6LCS
909-241-7666

82. Re: [KG-UV_Commander] Re: Insert your call sign on KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2011-05-22 06:07:06 UTC
From: David A. Behar
Topic: 71 Message: 82

Regarding "Wouxun decided to violate their agreement"... Although I am not privy to any agreement between PowerWerx and Wouxun, I would not expect that an order for a special version of a radio would include a guarantee that the manufacturer wouldn't incorporate a feature such as a power-on message in future versions of its radio. On the contrary, in general manufacturers are looking to better meet the needs of consumers (as they should be) by incorporating into their products features which are or may be desired by their customers. So -- unless we were to somehow see an agreement to the contrary -- it would be unwise to assume that Wouxun violated any agreement.

And it is also unfair and probably unwise to state something of this sort as a fact, unless someone has first-hand knowledge that it is true.

David
----- Original Message -----
From: *****
Sent: Friday, May 20, 2011 9:23 AM
PowerWerx was the first distributor to have their units' firmware allow us to do this. Then Wouxun decided to violate that agreement and, in most units shipped to the U.S. beginning this year, other imported units allow that capability.

SO ... If you have a non-Powerwerx radio manufactured the past six months, you should be able to program alphanumerics on that line of the display.

84. KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-23 15:40:32 UTC
From: kb7gp_dave
Topic: 84 Message: 84

Anyone know of or have access to firmware upgrades for the Wouxun portable (KG-UVD) radios? Is this something that is or will become available?

Dave KB7GP

85. Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-23 16:02:23 UTC
From: jwheatleyus
Topic: 84 Message: 85

Firmware upgrade would require a chip change- not likely. More expert folks will be able to tell you why. Better yet, browse through some of the older posts.
JohnW
W5jhw

--- In KG-UV_Commander@yahoogroups.com, "kb7gp_dave" <kb7gp@...> wrote:
>
> Anyone know of or have access to firmware upgrades for the Wouxun portable (KG-UVD) radios? Is this something that is or will become available?
>
> Dave KB7GP
>

86. Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-24 15:37:11 UTC
From: kb7gp_dave
Topic: 84 Message: 86

Ah.. That pretty much answers it. Firmware is in ROM and not programmable. Sad but that's the way it is.

Some manufacturers have service parts and manuals available. Is this the case with Wouxun? I may consider servicing these little gems.

Dave KB7GP

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> Firmware upgrade would require a chip change- not likely. More expert folks will be able to tell you why. Better yet, browse through some of the older posts.
> JohnW
> W5jhw
>
> --- In KG-UV_Commander@yahoogroups.com, "kb7gp_dave" <kb7gp@> wrote:
> >
> > Anyone know of or have access to firmware upgrades for the Wouxun portable (KG-UVD) radios? Is this something that is or will become available?
> >
> > Dave KB7GP
> >
>

87. Re: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-24 15:42:40 UTC
From: Thomas Carpenter
Topic: 84 Message: 87

http://groups.yahoo.com/group/Wouxun_KG-UVD1/files/Manuals/
your manual is here

Tom Kb3hg

-----Original Message-----
From: kb7gp_dave <kb7gp@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Tue, May 24, 2011 11:37 am
Subject: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Ah.. That pretty much answers it. Firmware is in ROM and not programmable. Sad
but that's the way it is.

Some manufacturers have service parts and manuals available. Is this the case
with Wouxun? I may consider servicing these little gems.

Dave KB7GP

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> Firmware upgrade would require a chip change- not likely. More expert folks
will be able to tell you why. Better yet, browse through some of the older
posts.
> JohnW
> W5jhw
>
> --- In KG-UV_Commander@yahoogroups.com, "kb7gp_dave" <kb7gp@> wrote:
> >
> > Anyone know of or have access to firmware upgrades for the Wouxun portable
(KG-UVD) radios? Is this something that is or will become available?
> >
> > Dave KB7GP
> >
>

Yahoo! Groups Links

88. Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-25 14:18:56 UTC
From: Steve L.
Topic: 84 Message: 88

Not so, many devices have the ability to update firmware. Your computer, router and most of the current rigs have that ability.

HOW Wouxun does it is another matter. I don't know of too many cases these days where firmware is burnt into a u-processor.

There is probably a way but I expect it is very proprietary and may require factory equipment.

Steve VE6VS

>
>> Ah.. That pretty much answers it. Firmware is in ROM and not programmable. Sad
> but that's the way it is.
>

89. Re: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-25 15:36:43 UTC
From: David A. Behar
Topic: 84 Message: 89

Hi Steve,

You
----- Original Message -----
From: Steve L.
To: KG-UV_Commander@yahoogroups.com
Sent: Wednesday, May 25, 2011 7:18 AM
Subject: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Not so, many devices have the ability to update firmware. Your computer, router and most of the current rigs have that ability.

HOW Wouxun does it is another matter. I don't know of too many cases these days where firmware is burnt into a u-processor.

There is probably a way but I expect it is very proprietary and may require factory equipment.

Steve VE6VS

>
>> Ah.. That pretty much answers it. Firmware is in ROM and not programmable. Sad
> but that's the way it is.
>

90. Re: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-25 15:39:00 UTC
From: David A. Behar
Topic: 84 Message: 90

Hi Steve,

You can see info about the Wouxun radio CPU, including info about how the firmware is written, at http://www.emc.com.tw/eng/com_prod_dsc.asp?gid=&tid=000002&tt=com_frsm_ds&nn=FRS+MCU and at http://www.emc.com.tw/eng/database/Data_Sheet/COM/EM78P568.pdf.

David
----- Original Message -----
From: Steve L.
Sent: Wednesday, May 25, 2011 7:18 AM
Not so, many devices have the ability to update firmware. Your computer, router and most of the current rigs have that ability.

HOW Wouxun does it is another matter. I don't know of too many cases these days where firmware is burnt into a u-processor.

There is probably a way but I expect it is very proprietary and may require factory equipment.

Steve VE6VS

91. Re: [KG-UV_Commander] Re: KG-UVD1P FIRMWARE UPGRADES?

Yahoo group: KG-UV_Commander
Date: 2011-05-25 17:20:37 UTC
From: ssimek@cox.net
Topic: 84 Message: 91

Steve L, looks like David's right. Apparently they used a variant of ROM instead of (what we used to call in the old days) EPROM. Better for security, but not a choice I would have personally made. I did notice with interest that I could not find firmware updates on the Wouxun site either, just programming software and user manual. Usually that's a sure sign.

I can't say many devices use ROM in the computer industry, but seems like they did here...

Thanks to all for the replies and comments

Steve S WA2NNT

---- "David A. Behar" <david271@...> wrote:
> Hi Steve,
>
> You can see info about the Wouxun radio CPU, including info about how the firmware is written, at
http://www.emc.com.tw/eng/com_prod_dsc.asp?gid=&tid=000002&tt=com_frsm_ds&nn=FRS+MCU and at http://www.emc.com.tw/eng/database/Data_Sheet/COM/EM78P568.pdf.
>
> David
> ----- Original Message -----
> From: Steve L.
> Sent: Wednesday, May 25, 2011 7:18 AM
> Not so, many devices have the ability to update firmware. Your computer, router and most of the current rigs have that ability.
>
> HOW Wouxun does it is another matter. I don't know of too many cases these days where firmware is burnt into a u-processor.
>
> There is probably a way but I expect it is very proprietary and may require factory equipment.
>
> Steve VE6VS

92. Commander on Ubuntu Linux

Yahoo group: KG-UV_Commander
Date: 2011-05-26 03:40:31 UTC
From: Erik Njorl, son of Frothgar
Topic: 92 Message: 92

I'm attempting to use KGC on a eeePC Netbook running Ubuntu Linux 10 (Netbook remix). The program runs just fine, and I've also installed the USB driver for XP under Wine. However, KGC cannot seem to detect my radio when it's plugged in, and I attempt to Read it.

Any suggestions from the cognoscenti?

93. Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-28 05:33:44 UTC
From: Dave Knapp
Topic: 93 Message: 93

I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.

94. Re: [KG-UV_Commander] Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-28 06:35:04 UTC
From: David A. Behar
Topic: 93 Message: 94

Hi Dave,

I believe (from reading the service manual for the KG-UVD1 radios) that these radios can handle only frequencies which are exact multiples of 5.00 kHz or 6.25 kHz.
The list of the part of the frequency (in mHz) to the right of the decimal for frequencies which can be accommodated by the Wouxun radios follows. Note that many frequencies based on the new 7.5 kHz spacing can't be accommodated.
I don't know whether new firmware could accommodate different spacing, but in any case the firmware is burned into the CPU chip and is not upgradeable.

David

.000 00	.100 00	.200 00	.300 00	.400 00	.500 00	.600 00	.700 00	.800 00	.900 00
.005 00	.105 00	.205 00	.305 00	.405 00	.505 00	.605 00	.705 00	.805 00	.905 00
.006 25	.106 25	.206 25	.306 25	.406 25	.506 25	.606 25	.706 25	.806 25	.906 25
.010 00	.110 00	.210 00	.310 00	.410 00	.510 00	.610 00	.710 00	.810 00	.910 00
.012 50	.112 50	.212 50	.312 50	.412 50	.512 50	.612 50	.712 50	.812 50	.912 50
.015 00	.115 00	.215 00	.315 00	.415 00	.515 00	.615 00	.715 00	.815 00	.915 00
.018 75	.118 75	.218 75	.318 75	.418 75	.518 75	.618 75	.718 75	.818 75	.918 75
.020 00	.120 00	.220 00	.320 00	.420 00	.520 00	.620 00	.720 00	.820 00	.920 00
.025 00	.125 00	.225 00	.325 00	.425 00	.525 00	.625 00	.725 00	.825 00	.925 00
.030 00	.130 00	.230 00	.330 00	.430 00	.530 00	.630 00	.730 00	.830 00	.930 00
.031 25	.131 25	.231 25	.331 25	.431 25	.531 25	.631 25	.731 25	.831 25	.931 25
.035 00	.135 00	.235 00	.335 00	.435 00	.535 00	.635 00	.735 00	.835 00	.935 00
.037 50	.137 50	.237 50	.337 50	.437 50	.537 50	.637 50	.737 50	.837 50	.937 50
.040 00	.140 00	.240 00	.340 00	.440 00	.540 00	.640 00	.740 00	.840 00	.940 00
.043 75	.143 75	.243 75	.343 75	.443 75	.543 75	.643 75	.743 75	.843 75	.943 75
.045 00	.145 00	.245 00	.345 00	.445 00	.545 00	.645 00	.745 00	.845 00	.945 00
.050 00	.150 00	.250 00	.350 00	.450 00	.550 00	.650 00	.750 00	.850 00	.950 00
.055 00	.155 00	.255 00	.355 00	.455 00	.555 00	.655 00	.755 00	.855 00	.955 00
.056 25	.156 25	.256 25	.356 25	.456 25	.556 25	.656 25	.756 25	.856 25	.956 25
.060 00	.160 00	.260 00	.360 00	.460 00	.560 00	.660 00	.760 00	.860 00	.960 00
.062 50	.162 50	.262 50	.362 50	.462 50	.562 50	.662 50	.762 50	.862 50	.962 50
.065 00	.165 00	.265 00	.365 00	.465 00	.565 00	.665 00	.765 00	.865 00	.965 00
.068 75	.168 75	.268 75	.368 75	.468 75	.568 75	.668 75	.768 75	.868 75	.968 75
.070 00	.170 00	.270 00	.370 00	.470 00	.570 00	.670 00	.770 00	.870 00	.970 00
.075 00	.175 00	.275 00	.375 00	.475 00	.575 00	.675 00	.775 00	.875 00	.975 00
.080 00	.180 00	.280 00	.380 00	.480 00	.580 00	.680 00	.780 00	.880 00	.980 00
.081 25	.181 25	.281 25	.381 25	.481 25	.581 25	.681 25	.781 25	.881 25	.981 25
.085 00	.185 00	.285 00	.385 00	.485 00	.585 00	.685 00	.785 00	.885 00	.985 00
.087 50	.187 50	.287 50	.387 50	.487 50	.587 50	.687 50	.787 50	.887 50	.987 50
.090 00	.190 00	.290 00	.390 00	.490 00	.590 00	.690 00	.790 00	.890 00	.990 00
.093 75	.193 75	.293 75	.393 75	.493 75	.593 75	.693 75	.793 75	.893 75	.993 75
.095 00	.195 00	.295 00	.395 00	.495 00	.595 00	.695 00	.795 00	.895 00	.995 00

----- Original Message -----
From: Dave Knapp
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, May 27, 2011 10:33 PM
Subject: [KG-UV_Commander] Narrow band programming

I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.

95. Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-28 06:30:25 UTC
From: Steve Simek
Topic: 93 Message: 95

Dave, I asked this same question last week in another forum. The frequency you are trying to enter is a multiple of 7.5KHz. Apparently, the Wouxuns (at least the KG 1/2/3) only accept multiples of 5KHz and 6.25KHz. Commander software apparently is aware of this design element because it mimics the possible frequencies perfectly (as it should). The stock programming software also exhibits this behavior.

There were rumors of a firmware upgrade, but I also received a reply that this was coded into ROM (not programmable) and is therefore not modifiable.

Hope that helps!

I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.

96. CSV

Yahoo group: KG-UV_Commander
Date: 2011-05-28 13:37:53 UTC
From: Irv
Topic: 96 Message: 96

Using Commander with my XP netbook and Win 7 desktop and found it easy to use for this OM. How might I save as a CSV file

Irv/N0NOB

97. Re: CSV

Yahoo group: KG-UV_Commander
Date: 2011-05-28 13:52:23 UTC
From: Steve K
Topic: 96 Message: 97

```
File - Export to .csv
```

98. Re: CSV

Yahoo group: KG-UV_Commander
Date: 2011-05-28 13:58:51 UTC
From: Irv
Topic: 96 Message: 98

Steve:

Appreciate quick response. Afraid executing commands

--- In KG-UV_Commander@yahoogroups.com, Steve K <stkamm@...> wrote:
>
> File - Export to .csv
>

99. Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-28 15:05:39 UTC
From: Dave Knapp
Topic: 93 Message: 99

Thanks for the help guys! I working in emergency management in NY and PA , and many of my agencies have gotten themselves Interops compliant already (a very good thing: 1/2013 isn't that far off). And of course, a big part of this is narrow banding which some are already using. So this all means that this radio is, at this point, limited use for our purposes. I wasn't planning on using these radios for full day-to-day operations, but more like reserve radios during incidents. Thanks again, at least now I know that I am not loosing mind (all the way, yet!)
Dave

--- In KG-UV_Commander@yahoogroups.com, "Steve Simek" <ssimek@...> wrote:
>
> Dave, I asked this same question last week in another forum. The frequency
> you are trying to enter is a multiple of 7.5KHz. Apparently, the Wouxuns
> (at least the KG 1/2/3) only accept multiples of 5KHz and 6.25KHz. Commander
> software apparently is aware of this design element because it mimics the
> possible frequencies perfectly (as it should). The stock programming
> software also exhibits this behavior.
>
>
>
> There were rumors of a firmware upgrade, but I also received a reply that
> this was coded into ROM (not programmable) and is therefore not modifiable.
>
>
>
> Hope that helps!
>
>
>
> I don't know if anyone has encountered the same situation (yet), but when I
> attempt to program some VHF narrow band channels I encounter the Commander
> software rounding the FX off (e.g. 155.25750 is changed to 155.270). It
> doesn't happen every time or on every narrow band channel I try to program,
> just some of them. The radio is set to narrow band (12.5). If it would be
> helpful, I can provide exactly what fx's this occurring on (just let me
> know). Like I said, some of these narrow back fx's are programming with no
> problem. Any ideas? Thanks for your help.
>

100. Re: [KG-UV_Commander] Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-29 03:02:43 UTC
From: John Wilkerson
Topic: 93 Message: 100

-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

In some cases, not gonna work. Not a software issue... The Wouxuns cannot handle some of the proper channel spacing. They need a 2.5 khz spacing. You probably can get "close enough" in some cases; but this is a firmware issue in the radio's design.. No software can fix it. We have to wait for a totally NEW radio...

On 5/28/2011 01:33, Dave Knapp wrote:
> I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.
>

-----BEGIN PGP SIGNATURE-----
Version: GnuPG v2.0.17 (MingW32)
Comment: Using GnuPG with Mozilla - http://enigmail.mozdev.org/

iQEcBAEBAgAGBQJN4bdTAAoJEB4+DVbN7faDpIIH/ilt0mMDjuG6AWSGNvKwF+ok
BfFQtkz9XPyVxs1SpAne2tEuUqewt6Qan9kZ1fQCeOD5B1pkpd4vZwsRKsaySC27
UqTvgbfP7d0lkzWLhYrjs5+haT3PT+3IRG4nM+dbR+eQemkwi4U1YqhmgYWVrWKs
7WtlAZBodK409pBYOZ6YgJx4P+hkqzBnAtzv0Q/83gi0AmNAFe6H8BqkKNNDDouy
HoAMJB0pJlffWvRmDrwHvEljUnAQJ3ZH3rp25XSDgw0W2XJx3ksSicgCbuF4bY0l
BzQPkbo1erja2wAPTCi47SQFLAPAOi3kP6X8MX/gDg/ghFo2EI9YjA9FjDWIFJ0=
=/e9Q
-----END PGP SIGNATURE-----

101. KG-3 ???

Yahoo group: KG-UV_Commander
Date: 2011-05-29 14:10:06 UTC
From: Kuby
Topic: 101 Message: 101

You program worked great right out of the box, in part, due to the simplicity Wouxun has made programming (no special funky mode setting to get the Ht to program)!

But I have a few questions and suggestions:
1. My mouse/trackball scroll wheel does not work with pgm?
2. In Config setup; why not all menus settable/shown?
3. Need Menu 21 (for each band); if there is one 'con' to KG-# it is the start mode of the radio and changing the displayed modes is a pain. I want to both my bands to start in CHFREQ (default is FREQ).

FYI, to all I've confirmed on the KG-3 the radio is "SAT Friendly"!
That means that you can program a single memory to listen to the SAT (AO-51 or others) downlink RX (425.300) and set the SAT uplink-TX (145.920) then when you PTT the KG-3 it will go from 430 RX to 145 TX requiring NO sub-band flip flopping (like IC-91, TH-F6, DJ-G7, etc).

This is the cheapest 'SAT Friendly' HT/radio on the market & 5W too!

Kuby, N6JSX/8, MS-EET
Owner of http://groups.yahoo.com/group/HAM-SATs

102. Re: KG-3 ???

Yahoo group: KG-UV_Commander
Date: 2011-05-29 14:59:48 UTC
From: K6LCS
Topic: 101 Message: 102

>> ... "SAT Friendly" ... AO-51 ... RX (425.300) ... TX (145.920) ...

Expect that neither of those freqs are currently valid, of course. "425.300" has never been used on a ham sat, and AO-51's uplink is currently 145.880 ...

And AO-51 crashed again last Friday ...

Clint, K6LCS
http://www.work-sat.com

103. Re: KG-3 ???

Yahoo group: KG-UV_Commander
Date: 2011-05-30 18:37:26 UTC
From: Kuby
Topic: 101 Message: 103

Menu #21 is discovered.... It is under 'VFO Settings' tab, 'Display Mode'.....

Sure could use a Commander F1 file/button to clear up these hidden secrets since the HELP pull-down has nothing!

Sure are some quirks in pressing various KG-3 buttons, some are obvious while others are really hidden.

Some KG-3 guru has an opportunity to make a KG-3 brief cheat sheet.

Like I do not want to button toggle into FM broadcast band - but cannot find how to kill this function.

I finally found that 'LOW' power is QRP 1W on both 2m/430-440.

Kuby

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> You program worked great right out of the box, in part, due to the simplicity Wouxun has made programming (no special funky mode setting to get the Ht to program)!
>
> But I have a few questions and suggestions:
> 1. My mouse/trackball scroll wheel does not work with pgm?
> 2. In Config setup; why not all menus settable/shown?
> 3. Need Menu 21 (for each band); if there is one 'con' to KG-# it is the start mode of the radio and changing the displayed modes is a pain. I want to both my bands to start in CHFREQ (default is FREQ).
>
> FYI, to all I've confirmed on the KG-3 the radio is "SAT Friendly"!
> That means that you can program a single memory to listen to the SAT (AO-51 or others) downlink RX (435.300) and set the SAT uplink-TX (145.920) then when you PTT the KG-3 it will go from 430 RX to 145 TX requiring NO sub-band flip flopping (like IC-91, TH-F6, DJ-G7, etc).
>
> This is the cheapest 'SAT Friendly' HT/radio on the market & 5W too!
>
> Kuby, N6JSX/8, MS-EET
> Owner of http://groups.yahoo.com/group/HAM-SATs
>

104. Re: KG-3 ???

Yahoo group: KG-UV_Commander
Date: 2011-05-30 19:57:37 UTC
From: jwheatleyus
Topic: 101 Message: 104

To kill FM- look at Configuration Settings, Side Key 1- Set it to something other than Radio.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> Menu #21 is discovered.... It is under 'VFO Settings' tab, 'Display Mode'.....
>
> Sure could use a Commander F1 file/button to clear up these hidden secrets since the HELP pull-down has nothing!
>
> Sure are some quirks in pressing various KG-3 buttons, some are obvious while others are really hidden.
>
> Some KG-3 guru has an opportunity to make a KG-3 brief cheat sheet.
>
> Like I do not want to button toggle into FM broadcast band - but cannot find how to kill this function.
>
> I finally found that 'LOW' power is QRP 1W on both 2m/430-440.
>
> Kuby
>
> --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> >
> > You program worked great right out of the box, in part, due to the simplicity Wouxun has made programming (no special funky mode setting to get the Ht to program)!
> >
> > But I have a few questions and suggestions:
> > 1. My mouse/trackball scroll wheel does not work with pgm?
> > 2. In Config setup; why not all menus settable/shown?
> > 3. Need Menu 21 (for each band); if there is one 'con' to KG-# it is the start mode of the radio and changing the displayed modes is a pain. I want to both my bands to start in CHFREQ (default is FREQ).
> >
> > FYI, to all I've confirmed on the KG-3 the radio is "SAT Friendly"!
> > That means that you can program a single memory to listen to the SAT (AO-51 or others) downlink RX (435.300) and set the SAT uplink-TX (145.920) then when you PTT the KG-3 it will go from 430 RX to 145 TX requiring NO sub-band flip flopping (like IC-91, TH-F6, DJ-G7, etc).
> >
> > This is the cheapest 'SAT Friendly' HT/radio on the market & 5W too!
> >
> > Kuby, N6JSX/8, MS-EET

> > Owner of http://groups.yahoo.com/group/HAM-SATs
> >
>

105. Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-05-31 23:53:55 UTC
From: Dave Knapp
Topic: 93 Message: 105

One more question: Is this narrow band situation in only the KG-UVD1
or is it the same in the KG-UV2D/UV3D etc. as well?
Thanks.

--- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@...> wrote:
>
> -----BEGIN PGP SIGNED MESSAGE-----
> Hash: SHA1
>
> In some cases, not gonna work. Not a software issue... The Wouxuns
> cannot handle some of the proper channel spacing. They need a 2.5 khz
> spacing. You probably can get "close enough" in some cases; but this is
> a firmware issue in the radio's design.. No software can fix it. We
> have to wait for a totally NEW radio...
>
> On 5/28/2011 01:33, Dave Knapp wrote:
> > I don't know if anyone has encountered the same situation (yet), but when I attempt to
program some VHF narrow band channels I encounter the Commander software rounding the FX
off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow
band channel I try to program, just some of them. The radio is set to narrow band (12.5).
If it would be helpful, I can provide exactly what fx's this occurring on (just let me
know). Like I said, some of these narrow back fx's are programming with no problem. Any
ideas? Thanks for your help.
> >
> -----BEGIN PGP SIGNATURE-----
> Version: GnuPG v2.0.17 (MingW32)
> Comment: Using GnuPG with Mozilla - http://enigmail.mozdev.org/
>
> iQEcBAEBAgAGBQJN4bdTAAoJEB4+DVbN7faDpIIH/ilt0mMDjuG6AWSGNvKwF+ok
> BfFQtkz9XPyVxs1SpAne2tEuUqewt6Qan9kZ1fQCeOD5B1pkpd4vZwsRKsaySC27
> UqTvgbfP7d0lkzWLhYrjs5+haT3PT+3IRG4nM+dbR+eQemkwi4U1YqhmgYWVrWKs
> 7WtlAZBodK409pBYOZ6YgJx4P+hkqzBnAtzv0Q/83gi0AmNAFe6H8BqkKNNDDouy
> HoAMJB0pJlffWvRmDrwHvEljUnAQJ3ZH3rp25XSDgw0W2XJx3ksSicgCbuF4bY0l
> BzQPkbo1erja2wAPTCi47SQFLAPAOi3kP6X8MX/gDg/ghFo2EI9YjA9FjDWIFJ0=
> =/e9Q
> -----END PGP SIGNATURE-----
>

106. Re: [KG-UV_Commander] Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-06-01 00:16:17 UTC
From: KB5ILY - Travis W. Burton
Topic: 93 Message: 106

Yes, the problem is in all 3 radios. Checking the FCC ID# on all three, it is the same number, indicating that there is really only one radio. So a frequency step issue in one will be in all.
There are several model numbers KG-UV1D/1DP/2D/3D, however the only diferences are minor software tweeks and minor case mods, based on how the destributor ordered the changable features.

On Tue, 31 May 2011, Dave Knapp wrote:

> One more question: Is this narrow band situation in only the KG-UVD1
> or is it the same in the KG-UV2D/UV3D etc. as well?
> Thanks.
>
> --- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@...> wrote:
>>
>> -----BEGIN PGP SIGNED MESSAGE-----
>> Hash: SHA1
>>
>> In some cases, not gonna work. Not a software issue... The Wouxuns
>> cannot handle some of the proper channel spacing. They need a 2.5 khz
>> spacing. You probably can get "close enough" in some cases; but this is
>> a firmware issue in the radio's design.. No software can fix it. We
>> have to wait for a totally NEW radio...
>>
>> On 5/28/2011 01:33, Dave Knapp wrote:
>>> I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.
>>>
>> -----BEGIN PGP SIGNATURE-----
>> Version: GnuPG v2.0.17 (MingW32)
>> Comment: Using GnuPG with Mozilla - http://enigmail.mozdev.org/
>>
>> iQEcBAEBAgAGBQJN4bdTAAoJEB4+DVbN7faDpIIH/ilt0mMDjuG6AWSGNvKwF+ok
>> BfFQtkz9XPyVxs1SpAne2tEuUqewt6Qan9kZ1fQCeOD5B1pkpd4vZwsRKsaySC27
>> UqTvgbfP7d0lkzWLhYrjs5+haT3PT+3IRG4nM+dbR+eQemkwi4U1YqhmgYWVrWKs
>> 7WtlAZBodK409pBYOZ6YgJx4P+hkqzBnAtzv0Q/83gi0AmNAFe6H8BqkKNNDDouy
>> HoAMJB0pJlffWvRmDrwHvEljUnAQJ3ZH3rp25XSDgw0W2XJx3ksSicgCbuF4bY0l
>> BzQPkbo1erja2wAPTCi47SQFLAPAOi3kP6X8MX/gDg/ghFo2EI9YjA9FjDWIFJ0=
>> =/e9Q
>> -----END PGP SIGNATURE-----

>>
>
>
>

73 de Travis KB5ILY
870-260-6068 (Phone)
--
Travis W. Burton, NP, ESQ., KB5ILY / Arkadelphia AR
President, DeGray Amateur Radio club, Inc.
EC - Clark County AR / Assist. District Emergency Coord., SW District
SATERN, ARRL Instructor & VE, AREC I, II & III
W5YI Instructor
Internet: mailto:kb5ily@...
WWW: http://www.kb5ily.org
GOD BLESS THE UNITED STATES of AMERICA
Only he who Attempts the Ridiculous can Achieve the Impossible. (WILL HENRY)
Linux is my operating system of choice.

Computers are like Air Conditioners,
they stop working correctly when you open windows.

107. Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-06-02 23:09:03 UTC
From: Dave Knapp
Topic: 93 Message: 107

Does anyone know if China is aware of this? It would be nice if they could fix this in future shipments/models, so emergency services could use these here in the USA- they are a great little radio!

--- In KG-UV_Commander@yahoogroups.com, "KB5ILY - Travis W. Burton" <kb5ily@...> wrote:
>
> Yes, the problem is in all 3 radios. Checking the FCC ID# on all three,
> it is the same number, indicating that there is really only one radio. So
> a frequency step issue in one will be in all.
> There are several model numbers KG-UV1D/1DP/2D/3D, however the only
> diferences are minor software tweeks and minor case mods, based on how the
> destributor ordered the changable features.
>
> On Tue, 31 May 2011, Dave Knapp wrote:
>
> > One more question: Is this narrow band situation in only the KG-UVD1
> > or is it the same in the KG-UV2D/UV3D etc. as well?
> > Thanks.
> >
> > --- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@> wrote:
> >>
> >> -----BEGIN PGP SIGNED MESSAGE-----
> >> Hash: SHA1
> >>
> >> In some cases, not gonna work. Not a software issue... The Wouxuns
> >> cannot handle some of the proper channel spacing. They need a 2.5 khz
> >> spacing. You probably can get "close enough" in some cases; but this is
> >> a firmware issue in the radio's design.. No software can fix it. We
> >> have to wait for a totally NEW radio...
> >>
> >> On 5/28/2011 01:33, Dave Knapp wrote:
> >>> I don't know if anyone has encountered the same situation (yet), but when I attempt to program some VHF narrow band channels I encounter the Commander software rounding the FX off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow band channel I try to program, just some of them. The radio is set to narrow band (12.5). If it would be helpful, I can provide exactly what fx's this occurring on (just let me know). Like I said, some of these narrow back fx's are programming with no problem. Any ideas? Thanks for your help.
> >>>
> >> -----BEGIN PGP SIGNATURE-----
> >> Version: GnuPG v2.0.17 (MingW32)
> >> Comment: Using GnuPG with Mozilla - http://enigmail.mozdev.org/
> >>
> >> iQEcBAEBAgAGBQJN4bdTAAoJEB4+DVbN7faDpIIH/ilt0mMDjuG6AWSGNvKwF+ok
> >> BfFQtkz9XPyVxs1SpAne2tEuUqewt6Qan9kZ1fQCeOD5B1pkpd4vZwsRKsaySC27

> >> UqTvgbfP7d0lkzWLhYrjs5+haT3PT+3IRG4nM+dbR+eQemkwi4U1YqhmgYWVrWKs
> >> 7WtlAZBodK409pBYOZ6YgJx4P+hkqzBnAtzv0Q/83gi0AmNAFe6H8BqkKNNDDouy
> >> HoAMJB0pJlffWvRmDrwHvEljUnAQJ3ZH3rp25XSDgw0W2XJx3ksSicgCbuF4bY0l
> >> BzQPkbo1erja2wAPTCi47SQFLAPAOi3kP6X8MX/gDg/ghFo2EI9YjA9FjDWIFJ0=
> >> =/e9Q
> >> -----END PGP SIGNATURE-----
> >>
> >
> >
> >
>
> 73 de Travis KB5ILY
> 870-260-6068 (Phone)
> --
> Travis W. Burton, NP, ESQ., KB5ILY / Arkadelphia AR
> President, DeGray Amateur Radio club, Inc.
> EC - Clark County AR / Assist. District Emergency Coord., SW District
> SATERN, ARRL Instructor & VE, AREC I, II & III
> W5YI Instructor
> Internet: mailto:kb5ily@...
> WWW: http://www.kb5ily.org
> GOD BLESS THE UNITED STATES of AMERICA
> Only he who Attempts the Ridiculous can Achieve the Impossible. (WILL HENRY)
> Linux is my operating system of choice.
>
> Computers are like Air Conditioners,
> they stop working correctly when you open windows.
>

108. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-03 23:40:08 UTC
From: david2718281828
Topic: 1 Message: 108

Welcome new members!

Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?

If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html

David

109. Re: Commander on Ubuntu Linux

Yahoo group: KG-UV_Commander
Date: 2011-06-04 01:39:10 UTC
From: charles_boling
Topic: 92 Message: 109

I don't know, but thanks for saving me the trouble of trying that approach! :-) I'd never even thought of trying to install a special Windows driver for it; The USB cables automatically shows up as a standard serial port in Linux (e.g. /dev/ttyUSB0), so I just told WINE to use that device as COM1:

```
~/.wine/dosdevices$ ln -s /dev/ttyUSB0 com1
```

Unfortunately, I didn't have any more success than you; when I attempted to read from the radio, the green LED lit indicating communication, but the application likewise didn't recognize the radio. (I've also tried the official app from a VM running Windows attached to the Linux-provided serial port, with the same results.)

110. Re: [KG-UV_Commander] Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-04 03:20:10 UTC
From: Larry Worthington
Topic: 1 Message: 110

Using the DB9 cable does not work do not know much else about the software
as have been unable to use because does not work with my cable.

Larry
KC9HDP

On Fri, Jun 3, 2011 at 6:40 PM, david2718281828 <david271@...> wrote:

>
>
> Welcome new members!
>
> Have you tried the KG-UV Commander software? What do you think? What have
> you tried? What is working for you? What isn't working as you think it
> should?
>
> If you don't have the software yet, download it at
> http://www.kc8unj.com/kguv.html
>
> David
>
>
>

111. Flow/Buffering problem when using USB/Linux?

Yahoo group: KG-UV_Commander
Date: 2011-06-04 05:27:00 UTC
From: charles_boling
Topic: 92 Message: 111

I looked at the read.log file produced and found a clue as to *why* the radio isn't being detected.

Here's a sample data stream from http://groups.yahoo.com/group/Wouxun_KG-UVD1/message/6586:

```
Attempting communication using COM5
0.2472 TX --> [09] 48 69 57 4F 55 58 55 4E 02
0.2551 RX <-- [01] 06
0.2601 TX --> [01] 02
0.3142 RX <-- [08] 06 4B 47 36 36 39 56 F8
Radio ID: KG669V
```

Now here's what I got:

```
Attempting communication using COM1

0.0151 TX --> [09] 48 69 57 4F 55 58 55 4E 02

1.0151 RX --> [00] No Response

Attempting communication using COM1

3.7885 TX --> [09] 48 69 57 4F 55 58 55 4E 02

3.8041 RX <-- [06] 06 06 4B 47 36 36
```

Invalid response - not the radio.

After the init string is sent, a single 06 is expected back. After 1 second, I got nothing, and re-sent the request. What comes back? A "06" followed by the "06 4B 47..." that we see in the sample stream after sending a second command. Of course, if the software's trying to match an exact response, it's only expecting a single 06 not two.

I don't know any more about the protocol than what you now know, but it's very informative (and encouraging) that it *is* communicating with the radio -- it's not garbage coming back -- it's just not *quite* right.

I shall have to play with the Linux command-line tool and/or a custom little Linux program to see if it can communicate properly or not.

112. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-04 12:50:41 UTC
From: Kuby
Topic: 1 Message: 112

I'm a new KG-UV3 owner, primarily for SAT Ops..... I'm a HAM (w/MS-EET) of +35yrs (my first HT being a IC-2AT/thumbwheels).

I find Commander a ghod-send over the Wouxun free program!
The simplicity of Commander is a breath of fresh air!

The program is simple and easy to use, PLUS worked the first time. But in part due to KG3 OS does not require any special mode setup to comm with a PC. The hardest part of Commander was discovering my Windows Comm port assignment to config Commander.

However, there is one problem with the Commander - no F1 Help file. Some of Commander field labels are not the same as KG#'s manual names. Commander needs a help file to define & tie the fields to the manual/radio. Some Commander functions are numbered to match the KG#'s manual, but not all functions are either present or numbered in Commander - confusing.

One thing I found out is you need to look in every pull-down menu nook-n-cranny location as Commander has much more then at first glance (like the MARS unlock feature) just it's not obvious, and again a F1 help file would help.

A few small quirks that I'd like changed:
1. My trackball scroll wheel does not functional in Commander.
2. I could not 'copy & paste' into Commander from an Excel (cell-to-cell) to the Freq cells in Commander.
3. 'F2' as a 'change' key does not function to edit.
4. 'Delete' key does not clear a cell.

Commander is a keeper!

Kuby, N6JSX/8

--- In KG-UV_Commander@yahoogroups.com, "david2718281828" <david271@...> wrote:
>
> Welcome new members!
>
> Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?
>
> If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html
>
> David
>

113. Re: [KG-UV_Commander] Flow/Buffering problem when using USB/Linux?

Yahoo group: KG-UV_Commander
Date: 2011-06-04 13:13:38 UTC
From: Mark Scriven
Topic: 92 Message: 113

That sounds like a buffering problem. The serial port is commonly set up to hold on to characters and transfer them to the processor as a group. This is designed to reduce the processing overhead but can cause havoc in a program that is relying on a full duplex connections and has rigid timing requirements.

In Win-XP you can disable the buffering. From the device manager expand the "Ports (COM & LPT)". Double click on the com port you are using. That should bring up the properties window. Select the port setup tab and click on the advanced button. That should bring up a page that allows you to disable the buffering.

Hope that helps...
Mark - WQ9M

On Sat, 2011-06-04 at 05:27 +0000, charles_boling wrote:

> After the init string is sent, a single 06 is expected back. After 1
> second, I got nothing, and re-sent the request. What comes back? A
> "06" followed by the "06 4B 47..." that we see in the sample stream
> after sending a second command. Of course, if the software's trying to
> match an exact response, it's only expecting a single 06 not two.

114. Re: [KG-UV_Commander] Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-04 14:53:33 UTC
From: Thomas Carpenter
Topic: 1 Message: 114

Kuby,
KG-UV Commander, is has its merits, But the Wouxon software was simple compared with the software I have for my Icoms. Once I got the Icom software down, everything else is simple. The Commander is easy to massage where you need to to jump thru a few hoops with the stock Wouxon software.
73,
Tom Kb3hg

-----Original Message-----
From: Kuby <n6jsx@yahoo.com>
To: KG-UV_Commander@yahoogroups.com
Sent: Sat, Jun 4, 2011 8:50 am
Subject: [KG-UV_Commander] Re: KG-UV Commander experience and feedback

I'm a new KG-UV3 owner, primarily for SAT Ops..... I'm a HAM (w/MS-EET) of +35yrs (my first HT being a IC-2AT/thumbwheels).

I find Commander a ghod-send over the Wouxun free program!
The simplicity of Commander is a breath of fresh air!

The program is simple and easy to use, PLUS worked the first time. But in part due to KG3 OS does not require any special mode setup to comm with a PC. The hardest part of Commander was discovering my Windows Comm port assignment to config Commander.

However, there is one problem with the Commander - no F1 Help file. Some of Commander field labels are not the same as KG#'s manual names. Commander needs a help file to define & tie the fields to the manual/radio. Some Commander functions are numbered to match the KG#'s manual, but not all functions are either present or numbered in Commander - confusing.

One thing I found out is you need to look in every pull-down menu nook-n-cranny location as Commander has much more then at first glance (like the MARS unlock feature) just it's not obvious, and again a F1 help file would help.

A few small quirks that I'd like changed:
1. My trackball scroll wheel does not functional in Commander.
2. I could not 'copy & paste' into Commander from an Excel (cell-to-cell) to the Freq cells in Commander.
3. 'F2' as a 'change' key does not function to edit.
4. 'Delete' key does not clear a cell.

Commander is a keeper!

Kuby, N6JSX/8

--- In KG-UV_Commander@yahoogroups.com, "david2718281828" <david271@...> wrote:
>
> Welcome new members!
>
> Have you tried the KG-UV Commander software? What do you think? What have
you tried? What is working for you? What isn't working as you think it should?
>
> If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html
>
> David
>

Yahoo! Groups Links

115. Re: Narrow band programming

Yahoo group: KG-UV_Commander
Date: 2011-06-04 19:19:08 UTC
From: Kuby
Topic: 93 Message: 115

Does anyone know the measured KG-3 Deviation on a long "4" is on:
Narrow band
Wide band
DTMF

It is not listed in any spec's I can find.....

N6JSX/8

--- In KG-UV_Commander@yahoogroups.com, "Dave Knapp" <paems13@...> wrote:
>
> One more question: Is this narrow band situation in only the KG-UVD1
> or is it the same in the KG-UV2D/UV3D etc. as well?
> Thanks.
>
> --- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@> wrote:
> >
> > -----BEGIN PGP SIGNED MESSAGE-----
> > Hash: SHA1
> >
> > In some cases, not gonna work. Not a software issue... The Wouxuns
> > cannot handle some of the proper channel spacing. They need a 2.5 khz
> > spacing. You probably can get "close enough" in some cases; but this is
> > a firmware issue in the radio's design.. No software can fix it. We
> > have to wait for a totally NEW radio...
> >
> > On 5/28/2011 01:33, Dave Knapp wrote:
> > > I don't know if anyone has encountered the same situation (yet), but when I attempt
to program some VHF narrow band channels I encounter the Commander software rounding the FX
off (e.g. 155.25750 is changed to 155.270). It doesn't happen every time or on every narrow
band channel I try to program, just some of them. The radio is set to narrow band (12.5).
If it would be helpful, I can provide exactly what fx's this occurring on (just let me
know). Like I said, some of these narrow back fx's are programming with no problem. Any
ideas? Thanks for your help.
> > >
> > -----BEGIN PGP SIGNATURE-----
> > Version: GnuPG v2.0.17 (MingW32)
> > Comment: Using GnuPG with Mozilla - http://enigmail.mozdev.org/
> >
> > iQEcBAEBAgAGBQJN4bdTAAoJEB4+DVbN7faDpIIH/ilt0mMDjuG6AWSGNvKwF+ok
> > BfFQtkz9XPyVxs1SpAne2tEuUqewt6Qan9kZ1fQCeOD5B1pkpd4vZwsRKsaySC27
> > UqTvgbfP7d0lkzWLhYrjs5+haT3PT+3IRG4nM+dbR+eQemkwi4U1YqhmgYWVrWKs
> > 7WtlAZBodK409pBYOZ6YgJx4P+hkqzBnAtzv0Q/83gi0AmNAFe6H8BqkKNNDDouy
> > HoAMJB0pJlffWvRmDrwHvEljUnAQJ3ZH3rp25XSDgw0W2XJx3ksSicgCbuF4bY0l
> > BzQPkbo1erja2wAPTCi47SQFLAPAOi3kP6X8MX/gDg/ghFo2EI9YjA9FjDWIFJ0=
> > =/e9Q

> > -----END PGP SIGNATURE-----
> >
>

116. Re: Flow/Buffering problem when using USB/Linux?

Yahoo group: KG-UV_Commander
Date: 2011-06-04 23:57:18 UTC
From: charles_boling
Topic: 92 Message: 116

> I shall have to play with the Linux command-line tool

owx works fine 100% of the time. Just for grins, I tried Commander after performing an operation in owx, in case it set some port parameter or something, and...it read the radio!!! But...I tried it again, and it didn't. :-(Seems that it's a crap shoot and I just got lucky. Running owx first *may* improve the odds, but I'm not going to go through the whole process 1000 times to get something statistically relevant! If I play with it, I can get it to read maybe 20% of the time.

Part of the problem seems to be that it first tries to read it, and the radio immediately resets, then the timeout is too short and it starts trying again while it's still coming back up.

Anyway, with a good read, I tried writing (I know, pretty bold/stupid, considering the read problems and the fact that I don't know if the radio offers any protection at all against comm corruption), but it doesn't appear to even get to the comm; it always gives you this error:
Error 10: This array is fixed or temporarily locked
the first time you try a write, and this one:
Error 13: Type mismatch
every time after that.
(I wondered if it had to do with the data coming out of my KG-UVD1P, but I tried it on a different machine running [non-virtualized] WinXP, and writing the same data worked fine.)

I also just tried the program in VMWare (W2k) with COM1 assigned to /dev/ttyUSB0 and got the same poor results. Attaching the PL-2303 USB device to the VM and installing the Wouxun-provided Windows driver works fine. (Beats my Icom software!)

117. Re: Flow/Buffering problem when using USB/Linux?

Yahoo group: KG-UV_Commander
Date: 2011-06-05 00:11:34 UTC
From: charles_boling
Topic: 92 Message: 117

I forgot to mention: every time it tries to read (3 attempts per button press), WINE generates this:
fixme:comm:set_queue_size insize 4096 outsize 1024 unimplemented stub
I doubt that failure to set a buffer size (as I assume this is trying to do) will cause this problem, but I thought I'd mention it for the sake of completeness.

118. Wouxun 2 meter 220 for Sale

Yahoo group: KG-UV_Commander
Date: 2011-06-05 23:57:10 UTC
From: theodore davis
Topic: 118 Message: 118

Hi All,
I have a wouxun 2 meter 220 Ht for sale.
There was one inquiry alonG time ago and I went to contact the individual and lost there info.
However the radio only transmitted on 3 or 4 times and has extra battery. This is one of the radios with the dark copper colored face plate asking $125.00 buyer pays shipping. Not big on pay pal do not know how it works but contact me if you want to pay that way.

248-628-2747
248-842-4077
Keeping my 2 meter 440 though just do not use the 2 220 rnough to keep it.

Ted N8ZSA

119. Re: KG-UV Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-06 20:52:34 UTC
From: Brian
Topic: 1 Message: 119

for no1 you have to go into options and enable scrolling via scroll wheel i know i had that problem at the beginning also

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> I'm a new KG-UV3 owner, primarily for SAT Ops..... I'm a HAM (w/MS-EET) of +35yrs (my first HT being a IC-2AT/thumbwheels).
>
> I find Commander a ghod-send over the Wouxun free program!
> The simplicity of Commander is a breath of fresh air!
>
> The program is simple and easy to use, PLUS worked the first time. But in part due to KG3 OS does not require any special mode setup to comm with a PC. The hardest part of Commander was discovering my Windows Comm port assignment to config Commander.
>
> However, there is one problem with the Commander - no F1 Help file. Some of Commander field labels are not the same as KG#'s manual names. Commander needs a help file to define & tie the fields to the manual/radio. Some Commander functions are numbered to match the KG#'s manual, but not all functions are either present or numbered in Commander - confusing.
>
> One thing I found out is you need to look in every pull-down menu nook-n-cranny location as Commander has much more then at first glance (like the MARS unlock feature) just it's not obvious, and again a F1 help file would help.
>
> A few small quirks that I'd like changed:
> 1. My trackball scroll wheel does not functional in Commander.
> 2. I could not 'copy & paste' into Commander from an Excel (cell-to-cell) to the Freq cells in Commander.
> 3. 'F2' as a 'change' key does not function to edit.
> 4. 'Delete' key does not clear a cell.
>
> Commander is a keeper!
>
> Kuby, N6JSX/8
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, "david2718281828" <david271@> wrote:
> >
> > Welcome new members!
> >
> > Have you tried the KG-UV Commander software? What do you think? What have you tried? What is working for you? What isn't working as you think it should?
> >

> > If you don't have the software yet, download it at http://www.kc8unj.com/kguv.html
> >
> > David
> >
>

120. A SugestionA Suggestion for an improvement (SW feedback)

Yahoo group: KG-UV_Commander
Date: 2011-06-07 01:57:35 UTC
From: Paul
Topic: 120 Message: 120

I love the software; I love The VX-7 commander software as well.
This is just a few suggestions for subtle improvements.

When searching for duplicate memories. The result list is ordered "alphabetical" not "numerical"!

For example it shows Duplicates in this order
1, 21
105, 35
108, 36
110, 37
112, 38
127, 41, 42
128, 44, 45
39, 96
40, 97
True numerical order would be nice.
VX-7 commander does it in numerical order.

Also I would love to be able to search for duplicate TX frequency, not just RX frequencies.

Currently the following entries are all classed as duplicates.
RX TX
460.1 460.1 i.e. simplex
460.1 465.1 i.e. repeater
460.1 TX is empty to prevent transmissions.

Also as TX and RX have independent PL/DCS capability, so the option of picking RX, or TX, or both, tones to be used when selecting "do not flag different tones as duplicates" would be nice.....

Sorry to be so picky ..

121. cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-07 18:22:57 UTC
From: Brian
Topic: 121 Message: 121

the configuration settings tab wont let you scroll up and down with or without scroll wheel enabled.

122. Re: [KG-UV_Commander] cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-07 22:36:13 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 122

Strange I read your message and tried it on my ht works on both my /440 and /220 radios. ????

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/7/2011 2:23:06 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] cannot scroll in config settings tab

the configuration settings tab wont let you scroll up and down with or without scroll wheel enabled.

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11 02:35:00

123. Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-08 14:12:10 UTC
From: Brian
Topic: 121 Message: 123

im talking about in the program not on the radio?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Strange I read your message and tried it on my ht works on both my /440 and
> /220 radios. ????
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/7/2011 2:23:06 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] cannot scroll in config settings tab
>
> the configuration settings tab wont let you scroll up and down with or
> without scroll wheel enabled.
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> 02:35:00
>

124. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-08 14:18:09 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 124
Attachments: 1 described; binary payloads are missing from this source WARC

That's what I meant

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/8/2011 10:13:09 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

im talking about in the program not on the radio?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Strange I read your message and tried it on my ht works on both my /440
and
> /220 radios. ????
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/7/2011 2:23:06 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] cannot scroll in config settings tab
>
> the configuration settings tab wont let you scroll up and down with or
> without scroll wheel enabled.
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____

>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> 02:35:00
>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
02:34:00

125. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-08 14:22:43 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 125
Attachments: 1 described; binary payloads are missing from this source WARC

I just tried it again .try clicking on any box in the data baseit needs to
know where to start

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/8/2011 10:13:09 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

im talking about in the program not on the radio?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Strange I read your message and tried it on my ht works on both my /440
and
> /220 radios. ????
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/7/2011 2:23:06 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] cannot scroll in config settings tab
>
> the configuration settings tab wont let you scroll up and down with or
> without scroll wheel enabled.
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>

> _____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> 02:35:00
>

Yahoo! Groups Links

_____

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
02:34:00

126. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-08 17:32:26 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 126
Attachments: 1 described; binary payloads are missing from this source WARC

Did my last reply help?

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/8/2011 10:13:09 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

im talking about in the program not on the radio?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Strange I read your message and tried it on my ht works on both my /440
and
> /220 radios. ????
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/7/2011 2:23:06 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] cannot scroll in config settings tab
>
> the configuration settings tab wont let you scroll up and down with or
> without scroll wheel enabled.
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____

>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> 02:35:00
>

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
02:34:00

127. Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-09 19:46:11 UTC
From: Brian
Topic: 121 Message: 127

thats what im talking about it wont do that you are trying this in the second tab not the first one right? the first one works fine im not talking about where you set the frequencies.

it is the one where you put the welcome message and othere stuff like channel mode

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> I just tried it again .try clicking on any box in the data baseit needs to
> know where to start
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/8/2011 10:13:09 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
>
> im talking about in the program not on the radio?
>
> --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> >
> > Strange I read your message and tried it on my ht works on both my /440
> and
> > /220 radios. ????
> >
> >
> >
> >
> > jerry walker
> > aka N1HAT
> > -------Original Message-------
> >
> > From: Brian
> > Date: 6/7/2011 2:23:06 PM
> > To: KG-UV_Commander@yahoogroups.com
> > Subject: [KG-UV_Commander] cannot scroll in config settings tab
> >
> > the configuration settings tab wont let you scroll up and down with or
> > without scroll wheel enabled.
> >
> >

> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > _____
> >
> >
> > No virus found in this incoming message.
> > Checked by AVG - www.avg.com
> > Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> > 02:35:00
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> _____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
> 02:34:00
>

128. Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-09 19:50:52 UTC
From: Brian
Topic: 121 Message: 128

it dosent work in any of the other tabs either just the main memory tab.

--- In KG-UV_Commander@yahoogroups.com, "Brian" <holmebrian@...> wrote:
>
> thats what im talking about it wont do that you are trying this in the second tab not the first one right? the first one works fine im not talking about where you set the frequencies.
>
> it is the one where you put the welcome message and othere stuff like channel mode
>
> --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> >
> > I just tried it again .try clicking on any box in the data baseit needs to
> > know where to start
> >
> >
> > jerry walker
> > aka N1HAT
> > -------Original Message-------
> >
> > From: Brian
> > Date: 6/8/2011 10:13:09 AM
> > To: KG-UV_Commander@yahoogroups.com
> > Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
> >
> > im talking about in the program not on the radio?
> >
> > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > >
> > > Strange I read your message and tried it on my ht works on both my /440
> > and
> > > /220 radios. ????
> > >
> > >
> > >
> > >
> > > jerry walker
> > > aka N1HAT
> > > -------Original Message-------
> > >
> > > From: Brian
> > > Date: 6/7/2011 2:23:06 PM
> > > To: KG-UV_Commander@yahoogroups.com
> > > Subject: [KG-UV_Commander] cannot scroll in config settings tab
> > >

> > > the configuration settings tab wont let you scroll up and down with or
> > > without scroll wheel enabled.
> > >
> > >
> > >
> > > ------------------------------------
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > > ____
> > >
> > >
> > > No virus found in this incoming message.
> > > Checked by AVG - www.avg.com
> > > Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date: 06/07/11
> > > 02:35:00
> > >
> >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > ____
> >
> >
> > No virus found in this incoming message.
> > Checked by AVG - www.avg.com
> > Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
> > 02:34:00
> >
>

129. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-10 12:59:51 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 129
Attachments: 1 described; binary payloads are missing from this source WARC

RUTLND 147.045 146.445 100.0 100.0 HIGH ON WIDE OFF
EQNOX 145.390 144.790 100.0 100.0 HIGH ON WIDE OFF
EQNOX 444.050 449.050 100.0 100.0 HIGH ON WIDE OFF
4RUTLN 409.025 408.425 100.0 100.0 HIGH ON WIDE OFF
FIRE 154.160 OFF OFF HIGH ON WIDE OFF
STPOLH 460.375 460.375 OFF OFF HIGH ON WIDE OFF
STPOLC 470.995 470.995 OFF OFF HIGH ON WIDE OFF
WEATHE 162.400 OFF OFF HIGH OFF WIDE OFF

You are aware that you have to double click in any given box to open it
right

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/9/2011 3:51:08 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

it dosent work in any of the other tabs either just the main memory tab.

--- In KG-UV_Commander@yahoogroups.com, "Brian" <holmebrian@...> wrote:
>
> thats what im talking about it wont do that you are trying this in the
second tab not the first one right? the first one works fine im not talking
about where you set the frequencies.
>
> it is the one where you put the welcome message and othere stuff like
channel mode
>
> --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> >
> > I just tried it again .try clicking on any box in the data baseit needs
to
> > know where to start
> >
> >
> > jerry walker
> > aka N1HAT
> > -------Original Message-------
> >
> > From: Brian
> > Date: 6/8/2011 10:13:09 AM

> > To: KG-UV_Commander@yahoogroups.com
> > Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
> >
> > im talking about in the program not on the radio?
> >
> > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > >
> > > Strange I read your message and tried it on my ht works on both my
/440
> > and
> > > /220 radios. ????
> > >
> > >
> > >
> > >
> > > jerry walker
> > > aka N1HAT
> > > -------Original Message-------
> > >
> > > From: Brian
> > > Date: 6/7/2011 2:23:06 PM
> > > To: KG-UV_Commander@yahoogroups.com
> > > Subject: [KG-UV_Commander] cannot scroll in config settings tab
> > >
> > > the configuration settings tab wont let you scroll up and down with or
> > > without scroll wheel enabled.
> > >
> > >
> > >
> > > ------------------------------------
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > > ____
> > >
> > >
> > > No virus found in this incoming message.
> > > Checked by AVG - www.avg.com
> > > Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date:
06/07/11
> > > 02:35:00
> > >
> >
> >
> >
> >

> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> > _____
> >
> >
> > No virus found in this incoming message.
> > Checked by AVG - www.avg.com
> > Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
> > 02:34:00
> >
>

Yahoo! Groups Links

_____

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3692 - Release Date: 06/10/11
02:34:00

130. new dual bander

Yahoo group: KG-UV_Commander
Date: 2011-06-11 15:39:50 UTC
From: cellphones_99
Topic: 130 Message: 130

received my new kg-uvd1p today, and really like it. i loaded the
commander software on my windows 7 laptop, and it functioned flawlessly. it found com 5
without my intervention and
reading and writing was a breeze. i really enjoy this forum for information and
tips.
thanks to the moderators of the group.
73
larry wb9yoi

131. KG-UV# : Speaker/Mic

Yahoo group: KG-UV_Commander
Date: 2011-06-11 19:17:11 UTC
From: n6jsx
Topic: 131 Message: 131

Does anyone know for certain (means you've actually did a fit physical check) if the KG-UC 1 & 2 & 3 speaker/mics the same.

Can a KG1/2 operate in a KG-3 HT?

132. RE: [KG-UV_Commander] KG-UV# : Speaker/Mic

Yahoo group: KG-UV_Commander
Date: 2011-06-11 20:31:25 UTC
From: steve smith
Topic: 131 Message: 132

I see reason why it wouldn't. From what I have read and was told, all three have identical boards - the main difference was the firmware in them differed slightly and they did some modifications to the cases.

To: KG-UV_Commander@yahoogroups.com
From: n6jsx@...
Date: Sat, 11 Jun 2011 19:17:11 +0000
Subject: [KG-UV_Commander] KG-UV# : Speaker/Mic

Does anyone know for certain (means you've actually did a fit physical check) if the KG-UC 1 & 2 & 3 speaker/mics the same.

Can a KG1/2 operate in a KG-3 HT?

133. RE: [KG-UV_Commander] KG-UV# : Speaker/Mic

Yahoo group: KG-UV_Commander
Date: 2011-06-11 20:42:44 UTC
From: Ed Greany
Topic: 131 Message: 133

The speaker / mic all have the same stock numbers and are the same for all dual band UVD versions.

Ed Greany

--- On Sat, 6/11/11, steve smith <niceguyinfl@...> wrote:

From: steve smith <niceguyinfl@hotmail.com>
Subject: RE: [KG-UV_Commander] KG-UV# : Speaker/Mic
To: kg-uv_commander@yahoogroups.com
Date: Saturday, June 11, 2011, 1:31 PM

I see reason why it wouldn't. From what I have read and was told, all three have identical boards - the main difference was the firmware in them differed slightly and they did some modifications to the cases.

To: KG-UV_Commander@yahoogroups.com
From: n6jsx@...
Date: Sat, 11 Jun 2011 19:17:11 +0000
Subject: [KG-UV_Commander] KG-UV# : Speaker/Mic

Does anyone know for certain (means you've actually did a fit physical check) if the KG-UC 1 & 2 & 3 speaker/mics the same.

Can a KG1/2 operate in a KG-3 HT?

134. Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-13 14:47:09 UTC
From: Brian
Topic: 121 Message: 134

you are obviously not understanding what i am saying that stuff is in the memory tab that one works fine.
when you have the program open you have 4 tabs. like this
Main Memories, Configuration Settings, VFO Settings, and FM Broadcast Memories. and it is the last 3 that wont let you scroll. Configuration Settings, VFO Settings, and FM Broadcast Memories do you understand now?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> RUTLND 147.045 146.445 100.0 100.0 HIGH ON WIDE OFF
> EQNOX 145.390 144.790 100.0 100.0 HIGH ON WIDE OFF
> EQNOX 444.050 449.050 100.0 100.0 HIGH ON WIDE OFF
> 4RUTLN 409.025 408.425 100.0 100.0 HIGH ON WIDE OFF
> FIRE 154.160 OFF OFF HIGH ON WIDE OFF
> STPOLH 460.375 460.375 OFF OFF HIGH ON WIDE OFF
> STPOLC 470.995 470.995 OFF OFF HIGH ON WIDE OFF
> WEATHE 162.400 OFF OFF HIGH OFF WIDE OFF
>
> You are aware that you have to double click in any given box to open it
> right
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Brian
> Date: 6/9/2011 3:51:08 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
>
> it dosent work in any of the other tabs either just the main memory tab.
>
> --- In KG-UV_Commander@yahoogroups.com, "Brian" <holmebrian@> wrote:
> >
> > thats what im talking about it wont do that you are trying this in the
> second tab not the first one right? the first one works fine im not talking
> about where you set the frequencies.
> >
> > it is the one where you put the welcome message and othere stuff like
> channel mode
> >
> > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > >

> > > I just tried it again .try clicking on any box in the data baseit needs
> to
> > > know where to start
> > >
> > >
> > > jerry walker
> > > aka N1HAT
> > > -------Original Message-------
> > >
> > > From: Brian
> > > Date: 6/8/2011 10:13:09 AM
> > > To: KG-UV_Commander@yahoogroups.com
> > > Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
> > >
> > > im talking about in the program not on the radio?
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > > >
> > > > Strange I read your message and tried it on my ht works on both my
> /440
> > > and
> > > > /220 radios. ????
> > > >
> > > >
> > > >
> > > >
> > > > jerry walker
> > > > aka N1HAT
> > > > -------Original Message-------
> > > >
> > > > From: Brian
> > > > Date: 6/7/2011 2:23:06 PM
> > > > To: KG-UV_Commander@yahoogroups.com
> > > > Subject: [KG-UV_Commander] cannot scroll in config settings tab
> > > >
> > > > the configuration settings tab wont let you scroll up and down with or
> > > > without scroll wheel enabled.
> > > >
> > > >
> > > >
> > > > ------------------------------------
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > ____
> > > >

> > > >
> > > > No virus found in this incoming message.
> > > > Checked by AVG - www.avg.com
> > > > Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date:
> 06/07/11
> > > > 02:35:00
> > > >
> > >
> > >
> > >
> > >
> > > ------------------------------------
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > > ____
> > >
> > >
> > > No virus found in this incoming message.
> > > Checked by AVG - www.avg.com
> > > Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date: 06/08/11
> > > 02:34:00
> > >
> >
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3692 - Release Date: 06/10/11
> 02:34:00
>

135. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-13 15:14:35 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 135
Attachments: 1 described; binary payloads are missing from this source WARC

Actually I understood what you said the first time but I had a stroke and sometime do not communicate my thoughts correctly. Bear with me for a second-------- if you as you say go to configuration settings you have to double click on each line you wish to change. For instance if you double click on [VOICE PROMPT] you have the option of [None\ Chinese\ English.] Next section [VFO settings] there are 4 possible choices [CHANNEL\CHANNEL+FREQ\CHANNEL +NAME\VFO]--------please let me know if this helps

=

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/13/2011 10:47:25 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

you are obviously not understanding what i am saying that stuff is in the memory tab that one works fine.
when you have the program open you have 4 tabs. like this
Main Memories, Configuration Settings, VFO Settings, and FM Broadcast Memories. and it is the last 3 that wont let you scroll. Configuration Settings, VFO Settings, and FM Broadcast Memories do you understand now?

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> RUTLND 147.045 146.445 100.0 100.0 HIGH ON WIDE OFF
> EQNOX 145.390 144.790 100.0 100.0 HIGH ON WIDE OFF
> EQNOX 444.050 449.050 100.0 100.0 HIGH ON WIDE OFF
> 4RUTLN 409.025 408.425 100.0 100.0 HIGH ON WIDE OFF
> FIRE 154.160 OFF OFF HIGH ON WIDE OFF
> STPOLH 460.375 460.375 OFF OFF HIGH ON WIDE OFF
> STPOLC 470.995 470.995 OFF OFF HIGH ON WIDE OFF
> WEATHE 162.400 OFF OFF HIGH OFF WIDE OFF
>
> You are aware that you have to double click in any given box to open it
> right
>
>
>
> jerry walker
> aka N1HAT

> -------Original Message-------
>
> From: Brian
> Date: 6/9/2011 3:51:08 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
>
> it dosent work in any of the other tabs either just the main memory tab.
>
> --- In KG-UV_Commander@yahoogroups.com, "Brian" <holmebrian@> wrote:
> >
> > thats what im talking about it wont do that you are trying this in the
> second tab not the first one right? the first one works fine im not
talking
> about where you set the frequencies.
> >
> > it is the one where you put the welcome message and othere stuff like
> channel mode
> >
> > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > >
> > > I just tried it again .try clicking on any box in the data baseit
needs
> to
> > > know where to start
> > >
> > >
> > > jerry walker
> > > aka N1HAT
> > > -------Original Message-------
> > >
> > > From: Brian
> > > Date: 6/8/2011 10:13:09 AM
> > > To: KG-UV_Commander@yahoogroups.com
> > > Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab
> > >
> > > im talking about in the program not on the radio?
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "cubby149@" <cubby149@> wrote:
> > > >
> > > > Strange I read your message and tried it on my ht works on both my
> /440
> > > and
> > > > /220 radios. ????
> > > >
> > > >
> > > >
> > > >
> > > > jerry walker
> > > > aka N1HAT

> > > > -------Original Message-------
> > > >
> > > > From: Brian
> > > > Date: 6/7/2011 2:23:06 PM
> > > > To: KG-UV_Commander@yahoogroups.com
> > > > Subject: [KG-UV_Commander] cannot scroll in config settings tab
> > > >
> > > > the configuration settings tab wont let you scroll up and down with
or
> > > > without scroll wheel enabled.
> > > >
> > > >
> > > >
> > > > ------------------------------------
> > > >
> > > > Yahoo! Groups Links
> > > >
> > > >
> > > >
> > > >
> > > >
> > > > ____
> > > >
> > > >
> > > > No virus found in this incoming message.
> > > > Checked by AVG - www.avg.com
> > > > Version: 9.0.901 / Virus Database: 271.1.1/3686 - Release Date:
> 06/07/11
> > > > 02:35:00
> > > >
> > >
> > >
> > >
> > >
> > > ------------------------------------
> > >
> > > Yahoo! Groups Links
> > >
> > >
> > >
> > >
> > >
> > > ____
> > >
> > >
> > > No virus found in this incoming message.
> > > Checked by AVG - www.avg.com
> > > Version: 9.0.901 / Virus Database: 271.1.1/3688 - Release Date:
06/08/11
> > > 02:34:00

> > >
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3692 - Release Date: 06/10/11
> 02:34:00
>

Yahoo! Groups Links

____

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3701 - Release Date: 06/13/11
03:32:00

136. Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-13 20:53:26 UTC
From: Brian
Topic: 121 Message: 136

actually not at all im not talking about the drop downs in each of the settings im talking about the list as a whole.
the channel list has dropdown settings also and that list can be scrolled up or down i was just asking him to add the ability to scroll in the other tabs as well as the first one. i just dont like having to use the scroll bar at the right.

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Actually I understood what you said the first time but I had a stroke and
> sometime do not communicate my thoughts correctly. Bear with me for a
> second-------- if you as you say go to configuration settings you have to
> double click on each line you wish to change. For instance if you double
> click on [VOICE PROMPT] you have the option of [None\ Chinese\ English.]
> Next section [VFO settings] there are 4 possible choices
> [CHANNEL\CHANNEL+FREQ\CHANNEL +NAME\VFO]--------please let me know if this
> helps
>
>
>
>
> =
>
> jerry walker
> aka N1HAT

137. Re: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-13 21:28:19 UTC
From: cubby149@vermontel.net
Topic: 121 Message: 137
Attachments: 1 described; binary payloads are missing from this source WARC

Suggest you buy a mouse with a scroll wheel built in

jerry walker
aka N1HAT
-------Original Message-------

From: Brian
Date: 6/13/2011 4:53:32 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

actually not at all im not talking about the drop downs in each of the
settings im talking about the list as a whole.
the channel list has dropdown settings also and that list can be scrolled up
or down i was just asking him to add the ability to scroll in the other tabs
as well as the first one. i just dont like having to use the scroll bar at
the right.

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> Actually I understood what you said the first time but I had a stroke and
> sometime do not communicate my thoughts correctly. Bear with me for a
> second-------- if you as you say go to configuration settings you have to
> double click on each line you wish to change. For instance if you double
> click on [VOICE PROMPT] you have the option of [None\ Chinese\ English.]
> Next section [VFO settings] there are 4 possible choices
> [CHANNEL\CHANNEL+FREQ\CHANNEL +NAME\VFO]--------please let me know if this
> helps
>
>
>
>
> =
>
> jerry walker
> aka N1HAT

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3701 - Release Date: 06/13/11

03:32:00

138. RE: [KG-UV_Commander] Re: cannot scroll in config settings tab

Yahoo group: KG-UV_Commander
Date: 2011-06-13 22:57:17 UTC
From: steve smith
Topic: 121 Message: 138

The software is free, I'm not sure you are being reasonable with your request. There is always the one from Wouxon which you could use. I think the program is great the way it is.

To: KG-UV_Commander@yahoogroups.com
From: holmebrian@...
Date: Mon, 13 Jun 2011 20:53:26 +0000
Subject: [KG-UV_Commander] Re: cannot scroll in config settings tab

actually not at all im not talking about the drop downs in each of the settings im talking about the list as a whole.

the channel list has dropdown settings also and that list can be scrolled up or down i was just asking him to add the ability to scroll in the other tabs as well as the first one. i just dont like having to use the scroll bar at the right.

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:

>

> Actually I understood what you said the first time but I had a stroke and

> sometime do not communicate my thoughts correctly. Bear with me for a

> second-------- if you as you say go to configuration settings you have to

> double click on each line you wish to change. For instance if you double

> click on [VOICE PROMPT] you have the option of [None\ Chinese\ English.]

> Next section [VFO settings] there are 4 possible choices

> [CHANNEL\CHANNEL+FREQ\CHANNEL +NAME\VFO]--------please let me know if this

> helps

>

>

>

>

> =

>

> jerry walker

> aka N1HAT

139. Are KG-2/3 OS reprogram-able via PC???

Yahoo group: KG-UV_Commander
Date: 2011-06-16 00:10:35 UTC
From: Kuby
Topic: 139 Message: 139

One serious shortcoming of the KG HT's for HAMs is a quick way to flip from memory to VFO modes and back. Next would be the on the fly saving to memory from the front key pad. The setup #22 select is for the birds!

One thing I'll never need is to control the "Roger" beep (key #5), gee we are HAMs not CB'ers. Someone needs to educate Wouxon about USA/World HAMdom if they want to sell more into HAM market!

I have a Alinco DJ-G7 that allows PC reprogramming of the HT OS, I'm hoping Wouxon is as capable. If the KG's are then I'd like to ask Wouxon to reprogram key #5 to flip between memory&VFO mode. I don't care the key says "Roger" I want the V/M function!.....

140. Re: Are KG-2/3 OS reprogram-able via PC???

Yahoo group: KG-UV_Commander
Date: 2011-06-16 00:31:01 UTC
From: wouxunus
Topic: 139 Message: 140

For the foreseeable future, Wouxuns will not be able to be upgraded.

MENU + TDR will switch between Frequency and Channel modes.

73
Ed

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> One serious shortcoming of the KG HT's for HAMs is a quick way to flip from memory to VFO modes and back. Next would be the on the fly saving to memory from the front key pad. The setup #22 select is for the birds!
>
> One thing I'll never need is to control the "Roger" beep (key #5), gee we are HAMs not CB'ers. Someone needs to educate Wouxon about USA/World HAMdom if they want to sell more into HAM market!
>
> I have a Alinco DJ-G7 that allows PC reprogramming of the HT OS, I'm hoping Wouxon is as capable. If the KG's are then I'd like to ask Wouxon to reprogram key #5 to flip between memory&VFO mode. I don't care the key says "Roger" I want the V/M function!.....
>

141. Re: [KG-UV_Commander] Are KG-2/3 OS reprogram-able via PC???

Yahoo group: KG-UV_Commander
Date: 2011-06-16 01:50:18 UTC
From: Thomas Carpenter
Topic: 139 Message: 141

First and foremost, this is a basic commercial radio, not just a ham radio. The ham market is icing on the cake for them. It is what it is a commercial radio. most job radios are setup by the "company using them" the operators are just that, operators. For the price I won't complain that it does not have Bluetooth, DSTAR, P25, a TNC built in or the GPS. I just enjoy what I have. It sure is leaps and bounds ahead of my first new Drake 2m radio.

73,
Tom Kb3hg

-----Original Message-----
From: Kuby <n6jsx@yahoo.com>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Jun 15, 2011 8:10 pm
Subject: [KG-UV_Commander] Are KG-2/3 OS reprogram-able via PC???

One serious shortcoming of the KG HT's for HAMs is a quick way to flip from memory to VFO modes and back. Next would be the on the fly saving to memory from the front key pad. The setup #22 select is for the birds!

One thing I'll never need is to control the "Roger" beep (key #5), gee we are HAMs not CB'ers. Someone needs to educate Wouxon about USA/World HAMdom if they want to sell more into HAM market!

I have a Alinco DJ-G7 that allows PC reprogramming of the HT OS, I'm hoping Wouxon is as capable. If the KG's are then I'd like to ask Wouxon to reprogram key #5 to flip between memory&VFO mode. I don't care the key says "Roger" I want the V/M function!.....

142. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-06-17 04:12:57 UTC
From: tech4evr
Topic: 59 Message: 142

Mine says "Error 8020: Error reading comm device". I'm using Windows Vista. The Wouxun software can read and write without any issues.

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> Hi guys, what does the error message say?
>
> Jim
> KC8UNJ
>
> --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@> wrote:
> >
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@> wrote:
> > >
> > > I have the Ken wood serial cable on windows XP Woks well with Wouxum
> > > software never had an error. With the KG-UV Commander it will not read or
> > > write the radio. When I try to read or write the radio I get a failed
> > > message and during the process of reading or writing to the radio I see the
> > > radio power cycle one time just before the failed message. I also see the
> > > restart on the Wouxun software just before I get a completed message.
> > >
> > > Larry
> > > KC9HDP
> > >
> > > On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@> wrote:
> > >
> > > >
> > > >
> > > > I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> > > > read or write with either the Wouxun software, or Commander. I have recently
> > > > purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> > > > Commander. I haven't used the Wouxun software to try it, as I have no need
> > > > to. I already had the Prolific driver installed and working, to use Ham
> > > > Radio De Luxe, so I haven't needed to reinstall the driver.
> > > >
> > > >
> > > > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> > > > wrote:
> > > > >
> > > > > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> > > > write with the wouxun software but not this I checked the com port and it is
> > > > correct when I try to read the light on the radio lights up the display also
> > > > does some thing but I get an error can't read from radio.

> > > > >
> > > >
> > > >
> > > >
> > >
> > Mine with Commander software does the exact same.
> >
>

143. Re: Can't read radio

Yahoo group: KG-UV_Commander
Date: 2011-06-17 04:14:35 UTC
From: tech4evr
Topic: 59 Message: 143

Forgot to mention that mine too seems to respond slightly before giving the error. The light on the top of the radio lights of for a second and then the radio power cycles.

--- In KG-UV_Commander@yahoogroups.com, "tech4evr" <tech4evr@...> wrote:
>
> Mine says "Error 8020: Error reading comm device". I'm using Windows Vista. The Wouxun software can read and write without any issues.
>
> --- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@> wrote:
> >
> > Hi guys, what does the error message say?
> >
> > Jim
> > KC8UNJ
> >
> > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@> wrote:
> > >
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@> wrote:
> > > >
> > > > I have the Ken wood serial cable on windows XP Woks well with Wouxum
> > > > software never had an error. With the KG-UV Commander it will not read or
> > > > write the radio. When I try to read or write the radio I get a failed
> > > > message and during the process of reading or writing to the radio I see the
> > > > radio power cycle one time just before the failed message. I also see the
> > > > restart on the Wouxun software just before I get a completed message.
> > > >
> > > > Larry
> > > > KC9HDP
> > > >
> > > > On Sat, May 14, 2011 at 2:39 PM, g7hrq <dave.gorse@> wrote:
> > > >
> > > > >
> > > > >
> > > > > I had the a problem using a Kenwood serial cable and Windows 7. It wouldn't
> > > > > read or write with either the Wouxun software, or Commander. I have recently
> > > > > purchased a usb cable from 409 shop, Hong Kong, which works perfectly with
> > > > > Commander. I haven't used the Wouxun software to try it, as I have no need
> > > > > to. I already had the Prolific driver installed and working, to use Ham
> > > > > Radio De Luxe, so I haven't needed to reinstall the driver.
> > > > >
> > > > >
> > > > > --- In KG-UV_Commander@yahoogroups.com, "intensem1dh" <intensem1dh@>
> > > > > wrote:

> > > > > >
> > > > > > I have the UVD1P WIN XP using a serial cable from a Puxing I can read and
> > > > > write with the wouxun software but not this I checked the com port and it is
> > > > > correct when I try to read the light on the radio lights up the display also
> > > > > does some thing but I get an error can't read from radio.
> > > > > >
> > > > >
> > > > >
> > > > >
> > > >
> > > Mine with Commander software does the exact same.
> > >
> >
>

144. Re: Are KG-2/3 OS reprogram-able via PC???

Yahoo group: KG-UV_Commander
Date: 2011-06-18 14:21:51 UTC
From: Kuby
Topic: 139 Message: 144

Ed, this is good (undocumented) shortcut for getting around #22. Anymore shortcuts to make the radio more HAM friendly?

Also my question IF the KG's OS are PC programmable was not really answered. I read the answer that Wouxon will not be doing it any time soon, implying it could be done. With enough HAMdom pressure maybe we could get some OS changes....

How do we get our requests to Wouxun to push an OS change into consideration?

--- In KG-UV_Commander@yahoogroups.com, "wouxunus" <ed@...> wrote:
>
> For the foreseeable future, Wouxuns will not be able to be upgraded.
>
> MENU + TDR will switch between Frequency and Channel modes.
>
> 73
> Ed
>
> --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> >
> > One serious shortcoming of the KG HT's for HAMs is a quick way to flip from memory to VFO modes and back. Next would be the on the fly saving to memory from the front key pad. The setup #22 select is for the birds!
> >
> > One thing I'll never need is to control the "Roger" beep (key #5), gee we are HAMs not CB'ers. Someone needs to educate Wouxon about USA/World HAMdom if they want to sell more into HAM market!
> >
> > I have a Alinco DJ-G7 that allows PC reprogramming of the HT OS, I'm hoping Wouxon is as capable. If the KG's are then I'd like to ask Wouxon to reprogram key #5 to flip between memory&VFO mode. I don't care the key says "Roger" I want the V/M function!.....
> >
>

145. Re: Are KG-2/3 OS reprogram-able via PC???

Yahoo group: KG-UV_Commander
Date: 2011-06-18 14:49:38 UTC
From: wouxunus
Topic: 139 Message: 145

These radios can not be flash upgraded and likely never will. This particular group is just for the Commander software. I suggest you check out the group <http://groups.yahoo.com/group/Wouxun_KG-UVD1> for specific information on the radio. The group covers all versions of Wouxun's dual band HTs. I'd be surprised if there's some suggestion you have that hasn't already been requested of Wouxun. Reading through the archives will give you a lot of information.

Regards,
Ed

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> Ed, this is good (undocumented) shortcut for getting around #22. Anymore shortcuts to make the radio more HAM friendly?
>
>
> Also my question IF the KG's OS are PC programmable was not really answered. I read the answer that Wouxon will not be doing it any time soon, implying it could be done. With enough HAMdom pressure maybe we could get some OS changes....
>
> How do we get our requests to Wouxun to push an OS change into consideration?
>
> --- In KG-UV_Commander@yahoogroups.com, "wouxunus" <ed@> wrote:
> >
> > For the foreseeable future, Wouxuns will not be able to be upgraded.
> >
> > MENU + TDR will switch between Frequency and Channel modes.
> >
> > 73
> > Ed
> >
> > --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> > >
> > > One serious shortcoming of the KG HT's for HAMs is a quick way to flip from memory to VFO modes and back. Next would be the on the fly saving to memory from the front key pad. The setup #22 select is for the birds!
> > >
> > > One thing I'll never need is to control the "Roger" beep (key #5), gee we are HAMs not CB'ers. Someone needs to educate Wouxon about USA/World HAMdom if they want to sell more into HAM market!
> > >
> > > I have a Alinco DJ-G7 that allows PC reprogramming of the HT OS, I'm hoping Wouxon is as capable. If the KG's are then I'd like to ask Wouxon to reprogram key #5 to flip between memory&VFO mode. I don't care the key says "Roger" I want the V/M function!.....
> > >

> >
>

146. Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-20 05:12:08 UTC
From: Steve L.
Topic: 146 Message: 146

Is there a cookie I can lock so when I clean my computer the program will revert to where I keep my data files stored?

147. Re: [KG-UV_Commander] Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-20 14:14:28 UTC
From: cubby149@vermontel.net
Topic: 146 Message: 147
Attachments: 1 described; binary payloads are missing from this source WARC

If I understand your request you wish to store a good file so you can reload it when needed. Please confirm before I go on a length to explain

jerry walker
aka N1HAT
-------Original Message-------

From: Steve L.
Date: 6/20/2011 1:12:23 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Cookies

Is there a cookie I can lock so when I clean my computer the program will revert to where I keep my data files stored?

Yahoo! Groups Links

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3714 - Release Date: 06/19/11 14:33:00

148. Re: Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-20 14:34:22 UTC
From: jwheatleyus
Topic: 146 Message: 148

My Commander appears to remember where (subdir) I last saved a file.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> If I understand your request you wish to store a good file so you can reload
> it when needed. Please confirm before I go on a length to explain
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Steve L.
> Date: 6/20/2011 1:12:23 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Cookies
>
> Is there a cookie I can lock so when I clean my computer the program will
> revert to where I keep my data files stored?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3714 - Release Date: 06/19/11
> 14:33:00
>

149. Re: [KG-UV_Commander] Re: Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-20 15:30:08 UTC
From: cubby149@vermontel.net
Topic: 146 Message: 149
Attachments: 1 described; binary payloads are missing from this source WARC

This is so but the save directory can be selected each time also

jerry walker
aka N1HAT
-------Original Message-------

From: jwheatleyus
Date: 6/20/2011 10:34:35 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Cookies

My Commander appears to remember where (subdir) I last saved a file.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> If I understand your request you wish to store a good file so you can
reload
> it when needed. Please confirm before I go on a length to explain
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Steve L.
> Date: 6/20/2011 1:12:23 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Cookies
>
> Is there a cookie I can lock so when I clean my computer the program will
> revert to where I keep my data files stored?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

>
> _____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3714 - Release Date: 06/19/11
> 14:33:00
>

Yahoo! Groups Links

_____

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.901 / Virus Database: 271.1.1/3715 - Release Date: 06/20/11
02:35:00

150. Re: Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-21 14:29:29 UTC
From: steve.lenaghan
Topic: 146 Message: 150

Normally when I select where I am keeping my files ie >data the next time I use the program it will revert to the chosen directory.

I routinely clean out my cookies and have a program that will retain selected ones, like banking etc. Then when I go back the program wants to look in the default location. There does not appear to be an associated cookie. Is there an configuration file I can modify to force a chosen location? We also have 3 laptops set up so we can reprogram in the field and require them to be configured the same

73 Steve VE6VS

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> If I understand your request you wish to store a good file so you can reload
> it when needed. Please confirm before I go on a length to explain
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Steve L.
> Date: 6/20/2011 1:12:23 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Cookies
>
> Is there a cookie I can lock so when I clean my computer the program will
> revert to where I keep my data files stored?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com

```
> Version: 9.0.901 / Virus Database: 271.1.1/3714 - Release Date: 06/19/11
> 14:33:00
>
```

151. Re: [KG-UV_Commander] Re: Cookies

Yahoo group: KG-UV_Commander
Date: 2011-06-21 19:45:38 UTC
From: Derek Turner
Topic: 146 Message: 151

Hi All

The list of recent files used by commander is here in the registry :-

HKEY_CURRENT_USER\Software\VB and VBA Program Settings\KG-UV Commander\MRU

There is some other stuff in :-
HKEY_CURRENT_USER\Software\VB and VBA Program Settings\KG-UV Commander\Settings

The usual advice given is not to mess around with the registry if you don't know what you are doing, as you can damage the PC if you do something wrong.

73 de G4SWY, Del +++

From: steve.lenaghan <ve6vs@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Tuesday, 21 June 2011, 15:29
Subject: [KG-UV_Commander] Re: Cookies

Normally when I select where I am keeping my files ie >data the next time I use the program it will revert to the chosen directory.

I routinely clean out my cookies and have a program that will retain selected ones, like banking etc. Then when I go back the program wants to look in the default location. There does not appear to be an associated cookie. Is there an configuration file I can modify to force a chosen location? We also have 3 laptops set up so we can reprogram in the field and require them to be configured the same

73 Steve VE6VS

--- In KG-UV_Commander@yahoogroups.com, "cubby149@..." <cubby149@...> wrote:
>
> If I understand your request you wish to store a good file so you can reload
> it when needed. Please confirm before I go on a length to explain
>
>
>
>
> jerry walker
> aka N1HAT
> -------Original Message-------
>
> From: Steve L.
> Date: 6/20/2011 1:12:23 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Cookies

>
> Is there a cookie I can lock so when I clean my computer the program will
> revert to where I keep my data files stored?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>
>
> ____
>
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 9.0.901 / Virus Database: 271.1.1/3714 - Release Date: 06/19/11
> 14:33:00
>

152. Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 17:06:34 UTC
From: David A. Behar
Topic: 152 Message: 152

Welcome new members!

I encourage all group members to provide feedback on your use of the KG-UV Commander software. How are you using KG-UV Commander? Is it working well for you? What works as expected? What is not working as expected?

David

153. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 17:35:12 UTC
From: Larry Worthington
Topic: 152 Message: 153

I still can not get the program to work with the serial cable (DB9) to radio cord that is a Kenwood cord. Works very well with the Wouxon software.

73,
Larry
KC9HDP

On Fri, Jun 24, 2011 at 12:06 PM, David A. Behar <david271@...> wrote:

> **
>
>
> **
> Welcome new members!
>
> I encourage all group members to provide feedback on your use of the KG-UV
> Commander software. How are you using KG-UV Commander? Is it working well
> for you? What works as expected? What is not working as expected?
>
> David
>
>
>

154. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 20:01:31 UTC
From: David A. Behar
Topic: 152 Message: 154

Hi Larry,

I suspect that a comparison of the logs will identify what is going on, and could therefore provide guidance on what to do next. Note that the KG-UV Commander software automatically keeps a log of port traffic in the C:\Program Files\KG-UV Commander folder. File read.log is a log of attempts to read from the radio, and file write.log is a log of attempts to write to the radio.

And I use the program "Free Serial Port Monitor" (available at http://www.serial-port-monitor.com/index.html) to monitor port activity for any program; I used that program with the Wouxun programming application to figure out the serial protocol for communicating with the radio.

David

----- Original Message -----
From: Larry Worthington
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, June 24, 2011 10:35 AM
Subject: Re: [KG-UV_Commander] Experience and feedback

I still can not get the program to work with the serial cable (DB9) to radio cord that is a Kenwood cord. Works very well with the Wouxon software.

73,
Larry
KC9HDP

On Fri, Jun 24, 2011 at 12:06 PM, David A. Behar <david271@gmail.com> wrote:

Welcome new members!

I encourage all group members to provide feedback on your use of the KG-UV Commander software. How are you using KG-UV Commander? Is it working well for you? What works as expected? What is not working as expected?

David

155. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 21:34:41 UTC
From: Larry Worthington
Topic: 152 Message: 155
Attachments: 6 described; binary payloads are missing from this source WARC

Logs attached. The radio auto restarts abut 1/2 way through

73,
Larry
KC9HDP

On Fri, Jun 24, 2011 at 3:01 PM, David A. Behar <david271@...> wrote:

> **
>
>
> **
> Hi Larry,
>
> I suspect that a comparison of the logs will identify what is going on, and
> could therefore provide guidance on what to do next. Note that the KG-UV
> Commander software automatically keeps a log of port traffic in the
> C:\Program Files\KG-UV Commander folder. File read.log is a log of attempts
> to read from the radio, and file write.log is a log of attempts to write to
> the radio.
>
> And I use the program "Free Serial Port Monitor" (available at
> http://www.serial-port-monitor.com/index.html) to monitor port activity
> for any program; I used that program with the Wouxun programming application
> to figure out the serial protocol for communicating with the radio.
>
> David
>
>
> ----- Original Message -----
> *From:* Larry Worthington <kc9hdp@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Friday, June 24, 2011 10:35 AM
> *Subject:* Re: [KG-UV_Commander] Experience and feedback
>
>
>
> I still can not get the program to work with the serial cable (DB9) to
> radio cord that is a Kenwood cord. Works very well with the Wouxon
> software.
>
> 73,
> Larry
> KC9HDP
>

> On Fri, Jun 24, 2011 at 12:06 PM, David A. Behar <david271@gmail.com>wrote:
>
>> **
>>
>>
>> **
>> Welcome new members!
>>
>> I encourage all group members to provide feedback on your use of the KG-UV
>> Commander software. How are you using KG-UV Commander? Is it working well
>> for you? What works as expected? What is not working as expected?
>>
>> David
>>
>>
>
>
>

156. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 21:48:13 UTC
From: John Wilkerson
Topic: 152 Message: 156

I have never seen any such log in my commander files. I use Windows 7 64 bit.
Such logs would be useful, as I still have the problem where after programming
my radios with the commander software, the radio will only be able to access the
first ten channels.

>
>From: David A. Behar <david271@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Fri, June 24, 2011 4:01:31 PM
>Subject: Re: [KG-UV_Commander] Experience and feedback
>
>
>
>
>I suspect that a comparison of the logs will identify what is going on, and
>could therefore provide guidance on what to do next. Note that the KG-UV
>Commander software automatically keeps a log of port traffic in the C:\Program
>Files\KG-UV Commander folder. File read.log is a log of attempts to read from
>the radio, and file write.log is a log of attempts to write to the radio.
>
>And I use the program "Free Serial Port Monitor" (available at
>http://www.serial-port-monitor.com/index.html) to monitor port activity for any

>program; I used that program with the Wouxun programming application to figure
>out the serial protocol for communicating with the radio.
>
>David
>

157. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 22:25:44 UTC
From: Terry
Topic: 152 Message: 157

David

Nice program. Good to see that it handles both FM Broadcast banks.

A small oversight has crept into the Readme.

Under CSV Export, there is one instance where it mentions FT-60 Commander, instead of KG-UV Commander.

~~~~~

Under the Print Function, would it be possible to have at least the VFO Settings, and the FM Broadcast Memories, print out on the same page, to save paper.

Also, would it be possible to have the information in all the columns, except the Name and Comments columns, centered, rather than left justifed, at least on the Print out.

--
Terry

>
> Welcome new members!
> I encourage all group members to provide feedback on your use
> of the KG-UV Commander software. How are you using KG-UV
> Commander? Is it working well for you? What works as
> expected? What is not working as expected?
> David
~~~~~

158. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-24 23:07:24 UTC
From: Terry
Topic: 152 Message: 158

Probably sticking my neck out here.

Most "Level Converters" come in two flavours, either discrete components, or Max232 chips, and are meant to be powered by the Serial Port, which is actually a non-Standard use. Kenwood uses the RTS/CTS pins for this purpose, while others also use TX Data, and/or the DTR/DSR pins. The software needs to be written to accommodate the non-standard use of these pins. ie., to be regularly "toggled" between "High" and "Low", or held High for the duration of the session.

RS232C, as used on early computers, was plus and minus 12V. Later versions went to plus and minus 5V. And more recent Ports only swing between 5V and Zero. It is generally considered that these latter versions are not capable of reliably powering Max232 based "Level Converters".

--
Terry

>
> ----- Original Message -----
> From: Larry Worthington <mailto:kc9hdp@...>
> To: KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander@yahoogroups.com>
> Sent: Friday, June 24, 2011 10:35 AM
> Subject: Re: [KG-UV_Commander] Experience and feedback
>
> I still can not get the program to work with the serial cable
(DB9)
> to radio cord that is a Kenwood cord. Works very well with the
> Wouxon software.
>
> 73,
> Larry
> KC9HDP
>

>
>
> Hi Larry,
> I suspect that a comparison of the logs will identify what is
> going on, and could therefore provide guidance on what to do
> next. Note that the KG-UV Commander software automatically
> keeps a log of port traffic in the C:\Program Files\KG-UV
> Commander folder. File read.log is a log of attempts to read

> from the radio, and file write.log is a log of attempts to
> write to the radio.
> And I use the program "Free Serial Port Monitor" (available at
> http://www.serial-port-monitor.com/index.html) to monitor port
> activity for any program; I used that program with the Wouxun
> programming application to figure out the serial protocol for
> communicating with the radio.
> David
>
>

159. cant find radio

Yahoo group: KG-UV_Commander
Date: 2011-06-25 05:05:53 UTC
From: rngr2000
Topic: 159 Message: 159

I can get the Wouxoun KG-UVD1P software to work just fine, but when I try the KG-UV Commander software I keep getting an"ERROR:radio not found" message. I would rather use the commander software, it is a little more user friendly and I need to unlock some of the upper frequencies. Ive made sure im on the correct com port, tried making sure the cable is inserted all the way,uninstalled and reinstalled the driver, all with no luck. Any ideas? Im using a USB cable on a windows vista OS. I tried it on another computer and it works fine.

160. Re: [KG-UV_Commander] cant find radio

Yahoo group: KG-UV_Commander
Date: 2011-06-25 07:41:41 UTC
From: Thomas Carpenter
Topic: 159 Message: 160

You probably already did this :
Suggest you check your device manager and verify that conflicts do not exist.
Are you using the same usb physical port?

Tom Kb3hg

-----Original Message-----
From: rngr2000 <rngr2000@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jun 25, 2011 1:06 am
Subject: [KG-UV_Commander] cant find radio

I can get the Wouxoun KG-UVD1P software to work just fine, but when I try the KG-UV Commander software I keep getting an"ERROR:radio not found" message. I would rather use the commander software, it is a little more user friendly and I need to unlock some of the upper frequencies. Ive made sure im on the correct com port, tried making sure the cable is inserted all the way,uninstalled and reinstalled the driver, all with no luck. Any ideas? Im using a USB cable on a windows vista OS. I tried it on another computer and it works fine.

-

161. Re: [KG-UV_Commander] Experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-06-26 15:24:18 UTC
From: Larry Worthington
Topic: 152 Message: 161

I have uploded the logs to the file section as I see they were not sent out
with the messge. I have no idea what I am looking at on these so I do not
know how to tell what is wrong.

73,
KC9HDP

On Fri, Jun 24, 2011 at 4:34 PM, Larry Worthington <kc9hdp@...> wrote:

> Logs attached. The radio auto restarts abut 1/2 way through
>
> 73,
> Larry
> KC9HDP
>
>
> On Fri, Jun 24, 2011 at 3:01 PM, David A. Behar <david271@...>wrote:
>
>> **
>>
>>
>> **
>> Hi Larry,
>>
>> I suspect that a comparison of the logs will identify what is going on,
>> and could therefore provide guidance on what to do next. Note that the
>> KG-UV Commander software automatically keeps a log of port traffic in the
>> C:\Program Files\KG-UV Commander folder. File read.log is a log of attempts
>> to read from the radio, and file write.log is a log of attempts to write to
>> the radio.
>>
>> And I use the program "Free Serial Port Monitor" (available at
>> http://www.serial-port-monitor.com/index.html) to monitor port activity
>> for any program; I used that program with the Wouxun programming application
>> to figure out the serial protocol for communicating with the radio.
>>
>> David
>>
>>
>> ----- Original Message -----
>> *From:* Larry Worthington <kc9hdp@...>
>> *To:* KG-UV_Commander@yahoogroups.com
>> *Sent:* Friday, June 24, 2011 10:35 AM
>> *Subject:* Re: [KG-UV_Commander] Experience and feedback
>>
>>

>>
>> I still can not get the program to work with the serial cable (DB9) to
>> radio cord that is a Kenwood cord. Works very well with the Wouxon
>> software.
>>
>> 73,
>> Larry
>> KC9HDP
>>
>> On Fri, Jun 24, 2011 at 12:06 PM, David A. Behar <david271@...>wrote:
>>
>>> **
>>>
>>>
>>> **
>>> Welcome new members!
>>>
>>> I encourage all group members to provide feedback on your use of the
>>> KG-UV Commander software. How are you using KG-UV Commander? Is it working
>>> well for you? What works as expected? What is not working as expected?
>>>
>>> David
>>>
>>>
>>
>>
>>
>
>

162. Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-29 02:14:26 UTC
From: yrlesdude
Topic: 162 Message: 162

Hello,

I have searched and have not found a suitable forum so I apologize in advance if this is off topic. Please direct me to the correct group if applicable. Here goes:

I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little radio. Not perfect, but not very high expectations for a dual band transceiver that cost me $59 with USB programming cable and shipping from HK.

Anyway, I have used the manufacturer supplied software and it's a real kludge. I was wondering whether there would be any interest in supporting this radio for use with the Commander software.

73, -Kai(KB2TRW)

163. Re: [KG-UV_Commander] Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-29 03:38:28 UTC
From: John Wilkerson
Topic: 162 Message: 163

I really doubt it, since this radio has no FCC approval, and is thus illegal in the USA.

----- Original Message ----
> From: yrlesdude <yrlesdude@yahoo.com>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tue, June 28, 2011 10:14:26 PM
> Subject: [KG-UV_Commander] Support for other radios?
>
> Hello,
>
> I have searched and have not found a suitable forum so I apologize in advance
>if this is off topic. Please direct me to the correct group if applicable.
>Here goes:
>
> I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little
>radio. Not perfect, but not very high expectations for a dual band transceiver
>that cost me $59 with USB programming cable and shipping from HK.
>
> Anyway, I have used the manufacturer supplied software and it's a real kludge.
>I was wondering whether there would be any interest in supporting this radio for
>use with the Commander software.
>

164. RE: [KG-UV_Commander] Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-29 03:48:48 UTC
From: steve smith
Topic: 162 Message: 164

Ham radios do not need FCC approval. The FCC certification for the Wouxon radios is for part 90 not part 97. Just a thought on this subject.

To: KG-UV_Commander@yahoogroups.com
From: jl_wilkerson@...
Date: Tue, 28 Jun 2011 20:38:28 -0700
Subject: Re: [KG-UV_Commander] Support for other radios?

I really doubt it, since this radio has no FCC approval, and is thus illegal in

the USA.

----- Original Message ----

> From: yrlesdude <yrlesdude@...>

> To: KG-UV_Commander@yahoogroups.com

> Sent: Tue, June 28, 2011 10:14:26 PM

> Subject: [KG-UV_Commander] Support for other radios?

>

> Hello,

>

> I have searched and have not found a suitable forum so I apologize in advance

>if this is off topic. Please direct me to the correct group if applicable.

>Here goes:

>

> I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little

>radio. Not perfect, but not very high expectations for a dual band transceiver

>that cost me $59 with USB programming cable and shipping from HK.

>

> Anyway, I have used the manufacturer supplied software and it's a real kludge.

>I was wondering whether there would be any interest in supporting this radio for

>use with the Commander software.

>

165. Re: [KG-UV_Commander] Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-29 16:06:16 UTC
From: David A. Behar
Topic: 162 Message: 165

Hi friends,

Interestingly, as a practical matter most ham radios do need FCC equipment authorization under Part 15, because most ham radios have scanning receivers! However, Part 90 authorized equipment does not require a separate Part 15 authorization, because the unintentional transmitter specifications in Part 15 are also included in the Part 90 authorization procedure.

Certain equipment does require Part 97 equipment authorization, e.g., power amplifiers.

David
----- Original Message -----
From: steve smith
Sent: Tuesday, June 28, 2011 8:48 PM

Ham radios do not need FCC approval. The FCC certification for the Wouxon radios is for part 90 not part 97. Just a thought on this subject.

166. Re: [KG-UV_Commander] Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-29 16:15:42 UTC
From: John Wilkerson
Topic: 162 Message: 166

We have been over and over this. ALL *commercially manufactured* radios need at least a Part 15 approval I The wouxun part 90 automatically includes part 15 compliance. No fcc id.. not legal, even for a ham.

I really need to get this and the corresponding rules on my website so i can avoid all the typing every time this comes up.

>
>From: steve smith <niceguyinfl@...>
>To: kg-uv_commander@yahoogroups.com
>Sent: Tue, June 28, 2011 11:48:48 PM
>Subject: RE: [KG-UV_Commander] Support for other radios?
>
>
>
>
>Ham radios do not need FCC approval. The FCC certification for the Wouxon
>radios is for part 90 not part 97. Just a thought on this subject.
>
>
>
_____
To: KG-UV_Commander@yahoogroups.com
>From: jl_wilkerson@...
>Date: Tue, 28 Jun 2011 20:38:28 -0700
>Subject: Re: [KG-UV_Commander] Support for other radios?
>
>
>I really doubt it, since this radio has no FCC approval, and is thus illegal in

>the USA.
>
>----- Original Message ----
>> From: yrlesdude <yrlesdude@yahoo.com>
>> To: KG-UV_Commander@yahoogroups.com
>> Sent: Tue, June 28, 2011 10:14:26 PM
>> Subject: [KG-UV_Commander] Support for other radios?
>>
>> Hello,
>>
>> I have searched and have not found a suitable forum so I apologize in advance

>>if this is off topic. Please direct me to the correct group if applicable.
>>Here goes:
>>
>> I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little

167. Membership

Yahoo group: KG-UV_Commander
Date: 2011-06-29 19:19:22 UTC
From: david2718281828
Topic: 167 Message: 167

Welcome new members -- that brings us over 200!

I encourage all members to share their experience with the KG-UV Commander software. What works? What doesn't work? What have you learned?

David

168. Re: Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-06-30 12:23:58 UTC
From: yrlesdude
Topic: 162 Message: 168

Thanks for all the feedback.

It seems that as the radio does not have FCC cert it may not be operated in jurisdictions under FCC. The HT; however, does appear to have CE mark and claims compliance with various ETSI standards listed on the back page of the user manual. So unless there is evidence to indicate otherwise, it looks like I will bring this on my next trip to ETSI member jurisdictions and operate via CEPT.

What I have not heard is whether there is any interest in extending Commander support for the UV-3R as I suspect there may be subscribers outside FCC jurisdictions who may be interested in better programming software for this quickly popular HT. Just a thought.

73, -Kai(KB2TRW)

--- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@...> wrote:
>
>
> We have been over and over this. ALL *commercially manufactured* radios need at
> least a Part 15 approval I The wouxun part 90 automatically includes part 15
> compliance. No fcc id.. not legal, even for a ham.
>
>
> I really need to get this and the corresponding rules on my website so i can
> avoid all the typing every time this comes up.
>
>
> >
> >From: steve smith <niceguyinfl@...>
> >To: kg-uv_commander@yahoogroups.com
> >Sent: Tue, June 28, 2011 11:48:48 PM
> >Subject: RE: [KG-UV_Commander] Support for other radios?
> >
> >
> >
> >
> >Ham radios do not need FCC approval. The FCC certification for the Wouxon
> >radios is for part 90 not part 97. Just a thought on this subject.
> >
> >
> >
> _____
> To: KG-UV_Commander@yahoogroups.com
> >From: jl_wilkerson@...
> >Date: Tue, 28 Jun 2011 20:38:28 -0700
> >Subject: Re: [KG-UV_Commander] Support for other radios?
> >

> >
> >I really doubt it, since this radio has no FCC approval, and is thus illegal in
>
>
> >the USA.
> >
> >----- Original Message ----
> >> From: yrlesdude <yrlesdude@...>
> >> To: KG-UV_Commander@yahoogroups.com
> >> Sent: Tue, June 28, 2011 10:14:26 PM
> >> Subject: [KG-UV_Commander] Support for other radios?
> >>
> >> Hello,
> >>
> >> I have searched and have not found a suitable forum so I apologize in advance
>
>
> >>if this is off topic. Please direct me to the correct group if applicable.
> >>Here goes:
> >>
> >> I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little
>

169. NEW Icom IC-R6 receiver & software for sale

Yahoo group: KG-UV_Commander
Date: 2011-07-04 22:19:31 UTC
From: Jay Marcucci KC2YSK
Topic: 169 Message: 169

Hi All
I have a brand new Icom IC-R6 Communications Receiver/Scanner for sale

I am asking $260 for the complete package worth over $400

ICOM IC-R6 - Wide Band Receiver 0.100 to 13099.995Mhz (AM, FM, WFM, Modes) 1300 Alphanumeric Memories, LCD Display, 150mW Audio Output Power

Comes with :

Original box,

Instruction manual,

BC-196SA wall charger/AC adapter,

Factory supplied rubber antenna,

Belt clip

Two"AA" NiMh rechargeable batteries.

Plus All the following New Sealed Accessories:

CS-R6 Windows programming software CD
OPC-478UC USB programming cable
LC-146A carrying case (sealed)
CP-18A mobile DC adapter/charger
BC-194 charging base/stand.

Contact Jay Marcucci

jaymarc@...

KC2YSK

170. RE: [KG-UV_Commander] Topic

Yahoo group: KG-UV_Commander
Date: 2011-07-04 22:37:12 UTC
From: Chuck Graham
Topic: 169 Message: 170

I seem to be receiving more message that should be going to other groups than I care too. Here is our mission let's try and stay on topic. Thanks.

Our group shares information and guidance about KC8UNJ's KG-UV Commander programming software for Wouxun handheld radios.

Chuck KI6DCD

171. software

Yahoo group: KG-UV_Commander
Date: 2011-07-07 02:58:08 UTC
From: hinkeydo
Topic: 171 Message: 171

i downloaded the commander software a few weeks ago, and was going to put it on my laptop, but the only one i can find is called VX-2 software, which wont work. anyone had this problem? my original version works great, and i even tried to copy it to a CD, with no luck.

172. RE: [KG-UV_Commander] software

Yahoo group: KG-UV_Commander
Date: 2011-07-07 09:53:00 UTC
From: W4KRR
Topic: 171 Message: 172

Yes, the same thing happened to me. Somehow Jim has his VX-2 Commander Software link mixed up with his KG-UV link. Hopefully he will see this and fix it, or someone will contact him and have him fix it.

Ken, W4KRR

-----Original Message-----
From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of hinkeydo
Sent: Wednesday, July 06, 2011 10:58 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] software

i downloaded the commander software a few weeks ago, and was going to put it on my laptop, but the only one i can find is called VX-2 software, which wont work. anyone had this problem? my original version works great, and i even tried to copy it to a CD, with no luck.

Yahoo! Groups Links

173. Re: [KG-UV_Commander] software

Yahoo group: KG-UV_Commander
Date: 2011-07-08 06:14:51 UTC
From: David A. Behar
Topic: 171 Message: 173

Hi friends,

Jim (KC8UNJ), the developer of the Commander software series, reports that the link problem for downloading KG-UV Commander software has been fixed.

David
----- Original Message -----
From: W4KRR
Sent: Thursday, July 07, 2011 2:53 AM

Yes, the same thing happened to me. Somehow Jim has his VX-2 Commander Software link mixed up with his KG-UV link. Hopefully he will see this and fix it, or someone will contact him and have him fix it.

Ken, W4KRR

174. Re: software

Yahoo group: KG-UV_Commander
Date: 2011-07-09 21:51:40 UTC
From: swlinva
Topic: 171 Message: 174

Thanks Jim (& David for letting us know). Now the KG-UV version downloads without a hitch.

Steve, KI4SA

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi friends,
>
> Jim (KC8UNJ), the developer of the Commander software series, reports that the link problem for downloading KG-UV Commander software has been fixed.
>
> David
> ----- Original Message -----
> From: W4KRR
> Sent: Thursday, July 07, 2011 2:53 AM
>
>
> Yes, the same thing happened to me. Somehow Jim has his VX-2 Commander
> Software link mixed up with his KG-UV link. Hopefully he will see this and
> fix it, or someone will contact him and have him fix it.
>
> Ken, W4KRR
>

175. cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 17:29:54 UTC
From: hinkeydo
Topic: 175 Message: 175

every time i load the commander software on a computer, it wont talk to te radio. i think its the cable giving me teh problem. is there something you have to do to get the cable to talk to the radio?

176. Re: cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 17:37:28 UTC
From: jwheatleyus
Topic: 175 Message: 176

Use Control Panel to verify what port is assigned to the cable and then use that port. Just a starter idea.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "hinkeydo" <hinkeydo@...> wrote:
>
> every time i load the commander software on a computer, it wont talk to te radio. i think its the cable giving me teh problem. is there something you have to do to get the cable to talk to the radio?
>

177. Re: [KG-UV_Commander] cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 17:55:26 UTC
From: cubby149@vermontel.net
Topic: 175 Message: 177
Attachments: 2 described; binary payloads are missing from this source WARC

Load the driver for the cable interface it is buried there somewhere

jerry walker
aka N1HAT
-------Original Message-------

From: hinkeydo
Date: 7/10/2011 1:30:12 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] cable

every time i load the commander software on a computer, it wont talk to te
radio. i think its the cable giving me the problem. is there something you
have to do to get the cable to talk to the radio?

Yahoo! Groups Links

178. Re: [KG-UV_Commander] Re: cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 17:56:48 UTC
From: hinkeydo@aol.com
Topic: 175 Message: 178

been there, done that. evidently, the cable needs software to install and work properly

In a message dated 7/10/2011 12:37:30 P.M. Central Daylight Time, taoswheat@... writes:

Use Control Panel to verify what port is assigned to the cable and then use that port. Just a starter idea.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "hinkeydo" <hinkeydo@...> wrote:
>
> every time i load the commander software on a computer, it wont talk to te radio. i think its the cable giving me teh problem. is there something you have to do to get the cable to talk to the radio?
>

Yahoo! Groups Links

179. Re: [KG-UV_Commander] Re: cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 18:20:46 UTC
From: Thomas Carpenter
Topic: 175 Message: 179

You need the driver software and the comport locator software, i got mine from WOUXUN.US
http://www.wouxun.us/item.php?item_id=222&category_id=50

USB Drivers

FindComPort.exe

How to use FindComPort.txt

USB Driver for Vista & Win7

USB Driver for XP

73,
Tom Kb3hg

-----Original Message-----
From: hinkeydo <hinkeydo@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sun, Jul 10, 2011 1:56 pm
Subject: Re: [KG-UV_Commander] Re: cable

been there, done that. evidently, the cable needs software to install and work properly

In a message dated 7/10/2011 12:37:30 P.M. Central Daylight Time, taoswheat@... writes:
Use Control Panel to verify what port is assigned to the cable and then use that port. Just a starter idea.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "hinkeydo" <hinkeydo@...> wrote:
>
> every time i load the commander software on a computer, it wont talk to te radio. i think its the cable giving me teh problem. is there something you have to do to get the cable to talk to the radio?
>

Yahoo! Groups Links

180. Re: [KG-UV_Commander] cable

Yahoo group: KG-UV_Commander
Date: 2011-07-10 18:51:50 UTC
From: Paul Linkous
Topic: 175 Message: 180

make sure you push it in all the way.
I even have to hold mine to get it to read/write to all of my uvd radios.
For me it is just part of life.

N8PHL.
On Jul 10, 2011 1:30 PM, "hinkeydo" <hinkeydo@...> wrote:
> every time i load the commander software on a computer, it wont talk to te
radio. i think its the cable giving me teh problem. is there something you
have to do to get the cable to talk to the radio?
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

181. Welcome Messages

Yahoo group: KG-UV_Commander
Date: 2011-07-14 16:54:57 UTC
From: K6LCS
Topic: 181 Message: 181

I have received an email from a ham with a Powerwerx '3D 2m/220 HT. Says he cannot get the entered Welcome Messages in Commander to show.

Menu Item 12 is set to MSG.

What might he be doing incorrectly?

Clint, K6LCS

182. Re: [KG-UV_Commander] Welcome Messages

Yahoo group: KG-UV_Commander
Date: 2011-07-14 21:55:30 UTC
From: Steve K
Topic: 181 Message: 182

Also change the Welcome Msg Line 1 and 2 maybe?

On Thu, Jul 14, 2011 at 12:54 PM, K6LCS <clint@...> wrote:

> **
>
>
> I have received an email from a ham with a Powerwerx '3D 2m/220 HT. Says he
> cannot get the entered Welcome Messages in Commander to show.
>
> Menu Item 12 is set to MSG.
>
> What might he be doing incorrectly?
>
> Clint, K6LCS
>
>
>

183. Key Lock v. Auto Lock

Yahoo group: KG-UV_Commander
Date: 2011-07-16 08:42:28 UTC
From: David A. Behar
Topic: 183 Message: 183

Hi friends,

There are two different functions on the Wouxun dual-band radios regarding keyboard locking.

The "Key Lock" status is indicated by a little icon on the screen; when the icon appears the keyboard is locked. Status can be toggled by pressing and holding the # key.

The Autolock function is enabled with MENU 14. When enabled, an unlocked keyboard will automatically lock after 15 seconds.

The Wouxun application software lets the user program both values. But I think Commander software only enables programming of the Autolock function -- even though the title of the function is "Keypad Lock" (even though the function is correctly identified as MENU 14).

David

184. Re: Support for other radios?

Yahoo group: KG-UV_Commander
Date: 2011-07-22 01:15:03 UTC
From: yrlesdude
Topic: 162 Message: 184

Hi,

The UV-3R's FCCID is ZP5BF-3R. According to documents posted with the commission, the radio is part 90 certified.

Documents filed with the FCC can be found here:

https://fjallfoss.fcc.gov/oetcf/eas/reports/ViewExhibitReport.cfm?mode=Exhibits&RequestTimeout=500&calledFromFrame=N&application_id=186528&fcc_id=%27ZP5BF-3R%27

73, Kai(KB2TRW)

--- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@...> wrote:
>
>
> We have been over and over this. ALL *commercially manufactured* radios need at
> least a Part 15 approval I The wouxun part 90 automatically includes part 15
> compliance. No fcc id.. not legal, even for a ham.
>
>
> I really need to get this and the corresponding rules on my website so i can
> avoid all the typing every time this comes up.
>
>
> >
> >From: steve smith <niceguyinfl@...>
> >To: kg-uv_commander@yahoogroups.com
> >Sent: Tue, June 28, 2011 11:48:48 PM
> >Subject: RE: [KG-UV_Commander] Support for other radios?
> >
> >
> >
> >
> >Ham radios do not need FCC approval. The FCC certification for the Wouxon
> >radios is for part 90 not part 97. Just a thought on this subject.
> >
> >
> >
> _____
> To: KG-UV_Commander@yahoogroups.com
> >From: jl_wilkerson@...
> >Date: Tue, 28 Jun 2011 20:38:28 -0700
> >Subject: Re: [KG-UV_Commander] Support for other radios?
> >
> >
> >I really doubt it, since this radio has no FCC approval, and is thus illegal in

>
>
> >the USA.
> >
> >----- Original Message ----
> >> From: yrlesdude <yrlesdude@...>
> >> To: KG-UV_Commander@yahoogroups.com
> >> Sent: Tue, June 28, 2011 10:14:26 PM
> >> Subject: [KG-UV_Commander] Support for other radios?
> >>
> >> Hello,
> >>
> >> I have searched and have not found a suitable forum so I apologize in advance
>
>
> >>if this is off topic. Please direct me to the correct group if applicable.
> >>Here goes:
> >>
> >> I have been using a Baofeng UV-3R for a couple of weeks. It's a nifty little
>

185. KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2011-07-26 04:22:35 UTC
From: jimbo_48393
Topic: 185 Message: 185

KG-UV Commander 0.1.2 beta is now availbale for download from my page:

http://www.kc8unj.com/kguv.html

0.1.2 beta

- Fixed crash when multiple decimals inadvertently entered in freq field
- Prevent entry of invalid Encode field
- Errors on CSV import reported with line number
- CSV header detection non-case sensitive
- Fixed mouse scroll wheel scrolling on settings tabs
- Fixed problems with welcome message ("black boxes" and problems in Wouxun software)
- Opened up welcome msg and single receive msg to whole ascii character set
- Fixed problem importing some TW files which imposed maximum tunable memory channel

If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!

Jim
KC8UNJ

186. RE: KG-UV Commander 0.1.2 beta

Yahoo group: KG-UV_Commander
Date: 2011-07-26 18:45:57 UTC
From: byron
Topic: 186 Message: 186

Hi
It worked ok for me.

I did notice that when importing a exported CSV file which included blank channels,

that the blank channels imported as blank but indicated an error of an invalid receive frequency for that channel.

Byron
NJ7J

KG-UV Commander 0.1.2 beta available
Posted by: "jimbo_48393" jimbo_48393@... jimbo_48393
Date: Mon Jul 25, 2011 9:24 pm ((PDT))

KG-UV Commander 0.1.2 beta is now availbale for download from my page:

http://www.kc8unj.com/kguv.html

0.1.2 beta

- Fixed crash when multiple decimals inadvertently entered in freq field
- Prevent entry of invalid Encode field
- Errors on CSV import reported with line number
- CSV header detection non-case sensitive
- Fixed mouse scroll wheel scrolling on settings tabs
- Fixed problems with welcome message ("black boxes" and problems in Wouxun software)
- Opened up welcome msg and single receive msg to whole ascii character set
- Fixed problem importing some TW files which imposed maximum tunable memory channel

If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!

Jim
KC8UNJ

187. Weather band channels

Yahoo group: KG-UV_Commander
Date: 2011-07-27 14:33:10 UTC
From: swlinva
Topic: 187 Message: 187

Hi to all:

Could anybody please tell me the best way to handle weather band, RX only, channels. Commander has a problem with a 162.550 MHz weather band frequency (that I entered manually on the radio), because it seems to insist that a TX frequency be entered.

I just want to be able to monitor these channels. Leaving the TX field blank results in an in-band maximum frequency (147.995) being automatically entered. Will this cause any problems or should I just ignore it?

Any input will be appreciated.

Steve, KI4SA

188. Re: Weather band channels

Yahoo group: KG-UV_Commander
Date: 2011-07-27 14:38:11 UTC
From: jwheatleyus
Topic: 187 Message: 188

I have a Rx Only Wx channel programmed. Just highlight the Tx for edit and backspace until blank.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "swlinva" <swlinva@...> wrote:
>
> Hi to all:
>
> Could anybody please tell me the best way to handle weather band, RX only, channels. Commander has a problem with a 162.550 MHz weather band frequency (that I entered manually on the radio), because it seems to insist that a TX frequency be entered.
>
> I just want to be able to monitor these channels. Leaving the TX field blank results in an in-band maximum frequency (147.995) being automatically entered. Will this cause any problems or should I just ignore it?
>
> Any input will be appreciated.
>
> Steve, KI4SA
>

189. Re: Weather band channels

Yahoo group: KG-UV_Commander
Date: 2011-07-27 14:49:56 UTC
From: swlinva
Topic: 187 Message: 189

Thanks John.

I thought that I had tried everything (Even 000.000 didn't get it done), but I hadn't tried backspace. It seems to work fine.

I appreciate the prompt reply.

73
Steve, KI4SA

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> I have a Rx Only Wx channel programmed. Just highlight the Tx for edit and backspace until blank.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "swlinva" <swlinva@> wrote:
> >
> > Hi to all:
> >
> > Could anybody please tell me the best way to handle weather band, RX only, channels. Commander has a problem with a 162.550 MHz weather band frequency (that I entered manually on the radio), because it seems to insist that a TX frequency be entered.
> >
> > I just want to be able to monitor these channels. Leaving the TX field blank results in an in-band maximum frequency (147.995) being automatically entered. Will this cause any problems or should I just ignore it?
> >
> > Any input will be appreciated.
> >
> > Steve, KI4SA
> >
>

190. Re: [KG-UV_Commander] Weather band channels

Yahoo group: KG-UV_Commander
Date: 2011-07-27 15:29:38 UTC
From: Steve Peterson
Topic: 187 Message: 190

Turn on BCLO for the frequency and set tx to MURS (154.600). If you bump the PTT while listening to a broadcast is won't tx because it is busy. If you are on a silent channel, it will tx on MURS. Hope this helps.

73,
Steve

>
> On Jul 27, 2011 9:33 AM, "swlinva" <swlinva@...> wrote:

191. Re: KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2011-08-27 20:01:05 UTC
From: cobbcreek
Topic: 185 Message: 191

Two items. 1] can get the "single receive msg" to show on the radio when KD5... is entered on 2 different radios, but can not get a KD8... to display on the radio, does not change orginal display. All freq when in ok. 2] When "keypad lock" is set to on, and is turned off on the radio with the # key, it does not come back on. All 3 radios KG-UV 3D. Software 0.1.2 beta.

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> KG-UV Commander 0.1.2 beta is now availbale for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
> 0.1.2 beta
>
> - Fixed crash when multiple decimals inadvertently entered in freq field
> - Prevent entry of invalid Encode field
> - Errors on CSV import reported with line number
> - CSV header detection non-case sensitive
> - Fixed mouse scroll wheel scrolling on settings tabs
> - Fixed problems with welcome message ("black boxes" and problems in Wouxun software)
> - Opened up welcome msg and single receive msg to whole ascii character set
> - Fixed problem importing some TW files which imposed maximum tunable memory channel
>
>
> If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!
>
> Jim
> KC8UNJ
>

192. Transfer VX-2 Commander data files to KG_UV Commander?

Yahoo group: KG-UV_Commander
Date: 2011-08-31 13:48:48 UTC
From: calvin_groups
Topic: 192 Message: 192

Is it possible to import my old VX-2 Commnander data file for use with KG-UV Commander?

Tnx
N9KO

193. Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 19:43:54 UTC
From: David A. Behar
Topic: 193 Message: 193

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

194. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 20:13:04 UTC
From: Larry Worthington
Topic: 193 Message: 194

I still can not get it to work with the serial cable! I have posted this before and have done the port logging as suggested and posted them in the files section but have yet to hear anything on this or seen any comments as to what to try other than reloading the driver which the serial cable does not have! Beginning to think this program is of no use as can not read the radio.

Larry
KC9HDP

On Wed, Aug 31, 2011 at 2:43 PM, David A. Behar <david271@...> wrote:

> **
>
>
> **
> Hi friends, and welcome to our new members! (We're up to 277 members at
> last count.)
>
> It's been a while, so I'd like to again encourage KG-UV Commander software
> users to share their experience with the software. Are you a previous user
> of the Wouxun user who switched to Commander?
>
> What is working well? Anything not working? Any problems that you were
> able to overcome... and if so, how did you do it?
>
> Any tips or tricks?
>
> I look forward to hearing with people have to say!
>
> David / K7DB
>
>
>

195. Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 20:55:24 UTC
From: thoraldus
Topic: 193 Message: 195

Larry,

I couldn't get my cable to work either until I downloaded and installed the latest drivers for the Prolific chip that is in my cable. (USB serial) The default Microsoft drivers didn't work at all.

Are you using a DB9 port on your PC or USB to serial? ALL serial ports will have a driver.

The program by the way is really great.

--- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@...> wrote:
>
> I still can not get it to work with the serial cable! I have posted this
> before and have done the port logging as suggested and posted them in the
> files section but have yet to hear anything on this or seen any comments as
> to what to try other than reloading the driver which the serial cable does
> not have! Beginning to think this program is of no use as can not read the
> radio.
>
> Larry
> KC9HDP

196. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 22:56:10 UTC
From: n1evh@verizon.net
Topic: 193 Message: 196

Well... I just got my KG-UDV1P in the mail today. I got a USB programming cable with it. So I'm charging the battery and I need to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind of unpleasant things about the Wouzun software... so I don't think I'll install that and I'll just install the KG-UV Commander software (I've used this software with my VX-2R, VX-5R and VX-7R... so I am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

197. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 23:04:52 UTC
From: Pete Theer
Topic: 193 Message: 197

I just got mine today too. (The 144/220 Version) I tried to install the USB driver but couldn't get either the Wouxun or Commander software to even find the radio until I rebooted the PC (using XP Pro) Success, finally. Now I need to find some 220 repeaters around here, hi, hi.

73,
Pete K5PRT

----- Original Message -----
From: n1evh@...
To: KG-UV_Commander@yahoogroups.com
Sent: 8/31/2011 5:55:51 PM
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... I just got my KG-UDV1P in the mail today. I got a USB programming cable with it. So I'm charging the battery and I need to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind of unpleasant things about the Wouzun software... so I don't think I'll install that and I'll just install the KG-UV Commander software (I've used this software with my VX-2R, VX-5R and VX-7R... so I am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

198. Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-08-31 23:15:18 UTC
From: jwheatleyus
Topic: 193 Message: 198

Which serial cable? USB or real serial? Which operating system? If USB, it does need a driver. IF XP look in Cntrol Panel, System, Hardware, Device Manager. You will see any Serial Ports listed. Verify that the Port number is what you setup the program for. Also make sure the radio end connector is REALLY plugged in completely. I recently programmed a new UVD3 and the connector fit was really tight where the cable connector shell must go into the radio cutout. The program does work just fine.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@...> wrote:
>
> I still can not get it to work with the serial cable! I have posted this
> before and have done the port logging as suggested and posted them in the
> files section but have yet to hear anything on this or seen any comments as
> to what to try other than reloading the driver which the serial cable does
> not have! Beginning to think this program is of no use as can not read the
> radio.
>
> Larry
> KC9HDP

199. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 01:26:43 UTC
From: n1evh@verizon.net
Topic: 193 Message: 199

Well... I installed the drivers... connected my USB programming cable... my computer (Win XP) found the programming cable. I then went into the Control Panel to find out what ComPort number it was assigned (I changed it to Com 2).

I then installed the KG-UV Commander software. I went int and set the Port to Com 2. I then told it to read from the rado. It did a few things but then I got the infamous BSOD (Blue Screen Of Death)

So... I shut down my computer and rebooted it. When it came back up... I ran the KG-UV Commander software. This time it did successfully read from my radio.

Programmed in a few memories in the program and wrote them to the radio. It then took me awhile to figure out how to switch between Frequency/VFO mode to memory mode.

Now... people have reported having some errors with the radio when programming in a a receive frequency that is outside of the radio's receive range. How about if programming a transmit frequency that is out of the transmit range??? My radio has a UHF receive/transmit range of 420 to 520MHz. When I program in local police and fire freqs... I would like to put in a transmit frequency below 420MHz... so I won't accidently transmit on any of those frequencies. Can this be done???

Mike - N1EVH

-------Original Message-------

From: Pete Theer
Date: 8/31/2011 7:05:02 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

I just got mine today too. (The 144/220 Version) I tried to install the USB driver but couldn't get either the Wouxun or Commander software to even find the radio until I rebooted the PC (using XP Pro) Success, finally. Now I need to find some 220 repeaters around here, hi, hi.

73,
Pete K5PRT

----- Original Message -----
From: n1evh@...
To: KG-UV_Commander@yahoogroups.com

Sent: 8/31/2011 5:55:51 PM
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... I just got my KG-UDV1P in the mail today. I got a USB programming cable with it. So I'm charging the battery and I need to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind of unpleasant things about the Wouzun software... so I don't think I'll install that and I'll just install the KG-UV Commander software (I've used this software with my VX-2R, VX-5R and VX-7R... so I am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

200. Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 01:38:12 UTC
From: jwheatleyus
Topic: 193 Message: 200

Just leave Tx Freq Blank and it will not transmit. Use backspace to clear any Tx entry.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "n1evh@..." <n1evh@...> wrote:
>
> Well... I installed the drivers... connected my USB programming
> cable... my computer (Win XP) found the programming cable. I
> then went into the Control Panel to find out what ComPort number
> it was assigned (I changed it to Com 2).
>
> I then installed the KG-UV Commander software. I went int and
> set the Port to Com 2. I then told it to read from the rado. It did
> a few things but then I got the infamous BSOD (Blue Screen Of
> Death)
>
> So... I shut down my computer and rebooted it. When it came
> back up... I ran the KG-UV Commander software. This time it
> did successfully read from my radio.
>
> Programmed in a few memories in the program and wrote them
> to the radio. It then took me awhile to figure out how to switch
> between Frequency/VFO mode to memory mode.
>
> Now... people have reported having some errors with the radio
> when programming in a a receive frequency that is outside of
> the radio's receive range. How about if programming a transmit
> frequency that is out of the transmit range??? My radio has a
> UHF receive/transmit range of 420 to 520MHz. When I program
> in local police and fire freqs... I would like to put in a transmit
> frequency below 420MHz... so I won't accidently transmit on
> any of those frequencies. Can this be done???
>
> Mike - N1EVH
>
>

201. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 02:06:14 UTC
From: Pete Theer
Topic: 193 Message: 201

Hi Mike,
If I understand you, it's a piece of cake. To put in a monitor only freq, just leave the transmit frequency blank. When the software automatically duplicates your receive freq in the transmit column, just type in the number 0 (Zero), then backup the cursor over it and press enter. If there's nothing in the transmit column it won't transmit.

Pete
K5PRT

When I program
in local police and fire freqs... I would like to put in a transmit
frequency below 420MHz... so I won't accidently transmit on
any of those frequencies. Can this be done???

Mike - N1EVH

202. RE: [KG-UV_Commander] Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 02:17:37 UTC
From: Chuck Graham
Topic: 193 Message: 202

We also leave out TX freq on out of the band signals here at the Concord Corps SATERN unit in CA. Our county uses the first 42 channels all the same in case you loan or borrow an HT you know what's there.

Chuck Graham, KI6DCD

EDS/SATERN Cochairman

Salvation Army Concord Corps

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of jwheatleyus
Sent: Wednesday, August 31, 2011 6:38 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Commander experience and feedback

Just leave Tx Freq Blank and it will not transmit. Use backspace to clear any Tx entry.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "n1evh@..." <n1evh@...> wrote:
>
> Well... I installed the drivers... connected my USB programming
> cable... my computer (Win XP) found the programming cable. I
> then went into the Control Panel to find out what ComPort number
> it was assigned (I changed it to Com 2).
>
> I then installed the KG-UV Commander software. I went int and
> set the Port to Com 2. I then told it to read from the rado. It did
> a few things but then I got the infamous BSOD (Blue Screen Of
> Death)
>
> So... I shut down my computer and rebooted it. When it came
> back up... I ran the KG-UV Commander software. This time it
> did successfully read from my radio.
>
> Programmed in a few memories in the program and wrote them
> to the radio. It then took me awhile to figure out how to switch
> between Frequency/VFO mode to memory mode.
>
> Now... people have reported having some errors with the radio
> when programming in a a receive frequency that is outside of
> the radio's receive range. How about if programming a transmit
> frequency that is out of the transmit range??? My radio has a

> UHF receive/transmit range of 420 to 520MHz. When I program
> in local police and fire freqs... I would like to put in a transmit
> frequency below 420MHz... so I won't accidently transmit on
> any of those frequencies. Can this be done???
>
> Mike - N1EVH
>
>

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1392 / Virus Database: 1520/3868 - Release Date: 08/30/11

203. Re: [KG-UV_Commander] Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 03:04:52 UTC
From: n1evh@verizon.net
Topic: 193 Message: 203

Ahhhh.. ok. Not only will this be good to use on various local
police and fire freqs so I don't accidently transmit on them,
but it will also be good to use on NOAA WX radio freqs too
(although I could use the "Busy Lck" option in the software).

Thnaks for the info/tip.

Mike - N1EVH

-------Original Message-------

From: jwheatleyus
Date: 8/31/2011 9:38:16 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Commander experience and feedback

Just leave Tx Freq Blank and it will not transmit. Use backspace to clear
any Tx entry.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "n1evh@..." <n1evh@...> wrote:
>
> Now... people have reported having some errors with the radio
> when programming in a a receive frequency that is outside of
> the radio's receive range. How about if programming a transmit
> frequency that is out of the transmit range??? My radio has a
> UHF receive/transmit range of 420 to 520MHz. When I program
> in local police and fire freqs... I would like to put in a transmit
> frequency below 420MHz... so I won't accidently transmit on
> any of those frequencies. Can this be done???
>
> Mike - N1EVH
>

204. Can't get commander to work with Serial Cable

Yahoo group: KG-UV_Commander
Date: 2011-09-01 10:12:02 UTC
From: Garrett
Topic: 204 Message: 204

For some reason, I can not get Commander to read my radios. I am using a serial cable, and not usb. I have tried two different cables and three different computers, two are XP and one is Win7. The Wouxun program works fine on all of the computers and with the same two cables. Currently I am using the Wouxun software to read and write, and using Commander to edit, but I would like to just use Commander. I have ensured that the com port is set correctly also. Does anyone have any idea what could be going on? Does Commander not work with a regular serial cable?

205. Re: [KG-UV_Commander] Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 12:38:01 UTC
From: Tom
Topic: 193 Message: 205

Ok, The USB drivers generally refer to the level converter, probably a PL2303 Prolific Driver. USB to serial port.

-----Original Message-----
From: tweakphile <tweakphile@...>
To: Wouxun_KG-UVD1@yahoogroups.com
Sent: Wed, May 11, 2011 12:56 am
Subject: [Wouxun_KG-UVD1] Re: Diagnosing USB Serial Programming Cable Connection Problems FIRST DRAFT.

Greetings group - I have been lurking.
Comment on "bad cables": I thought I had one, so I purchased another.
No better. It had been working, so was past the "shove it really hard" solution.
I had dual problems. My 220 version simply stopped communicating (this was the real problem and it was
swapped for one that works) the UHF version also stopped working, temporarily. What I had to do was a
total uninstall of the software and kill off the XP USB driver. I did this one at a time with a restart
in between. Yeah, I know you don't "install" the application, you unzip it. I trashed the copy I had been
using and unzipped a fresh copy. I installed a fresh copy of the driver, restarted AGAIN, returned to
the program and waddayaknow? Now my UHF rig works, no joy with the 220, so back to the vendor it went.
All of this to suggest a very deliberate removal and re-installation of all the bits. I have found that
in both the windows and mac worlds, restarts between installations often pays off. (On the mac re-build
permissions is - or at least was in OS 10.3 - a really really good idea too).
FWIW YMMV etc...
Rob

-----Original Message-----
From: jwheatleyus <taoswheat@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Aug 31, 2011 7:15 pm
Subject: [KG-UV_Commander] Re: Commander experience and feedback

Which serial cable? USB or real serial? Which operating system? If USB, it does
need a driver. IF XP look in Cntrol Panel, System, Hardware, Device Manager.
You will see any Serial Ports listed. Verify that the Port number is what you
setup the program for. Also make sure the radio end connector is REALLY plugged
in completely. I recently programmed a new UVD3 and the connector fit was
really tight where the cable connector shell must go into the radio cutout. The
program does work just fine.

JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Larry Worthington <kc9hdp@...> wrote:
>
> I still can not get it to work with the serial cable! I have posted this
> before and have done the port logging as suggested and posted them in the
> files section but have yet to hear anything on this or seen any comments as
> to what to try other than reloading the driver which the serial cable does
> not have! Beginning to think this program is of no use as can not read the
> radio.
>
> Larry
> KC9HDP

206. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 12:43:46 UTC
From: Tom
Topic: 193 Message: 206

Program a simplex frequency in the ham band.

Yes, it can be done.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Aug 31, 2011 9:26 pm
Subject: Re: [KG-UV_Commander] Commander experience and feedback

... I would like to put in a transmit
frequency below 420MHz... so I won't accidently transmit on
any of those frequencies. Can this be done???

Mike - N1EVH

-------Original Message-------

From: Pete Theer
Date: 8/31/2011 7:05:02 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

I just got mine today too. (The 144/220 Version) I tried to install the USB driver but
couldn't get either the Wouxun or Commander software to even find the radio until I
rebooted the PC (using XP Pro) Success, finally. Now I need to find some 220 repeaters
around here, hi, hi.

73,
Pete K5PRT

----- Original Message -----
From: n1evh@...
To: KG-UV_Commander@yahoogroups.com
Sent: 8/31/2011 5:55:51 PM
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... I just got my KG-UDV1P in the mail today. I got a USB
programming cable with it. So I'm charging the battery and I need
to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind
of unpleasant things about the Wouzun software... so I don't think
I'll install that and I'll just install the KG-UV Commander software
(I've used this software with my VX-2R, VX-5R and VX-7R... so I
am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

207. Re: [KG-UV_Commander] Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 13:02:45 UTC
From: Larry Worthington
Topic: 193 Message: 207

I am using a serial cable plugged into a DB9 port COM1 the computer is running XP Pro I have checked the device manager and lists it as COM1 and working properly. I have been able to use the Wouxun software and chirp with the radio and have gone directly from tring to use commander to using them without any cable or radio changes and have had no problem. My cable is a Kenwood cable from KawaMall on ebay that does the ht and the mobile. I have also tried a friends Wouxun serial cable and have had no problems.

I have also noted the following:

When read with the Wouxum software the radio never restarts.
Red light comes on and green light flashes during the read process.

When read with commander software
Red light flashes green light flashes. Restart of radio red light flashes green light flashes
radio restarts error radio not found

I have uploaded the logs someone else suggested last time I posted about the problem in the files section under logs then KC9HDP 062411.

I do not understand what they are to even look like to know how to tell what is not working correctly.

Larry
KC9HDP

On Wed, Aug 31, 2011 at 3:55 PM, thoraldus <rick@...> wrote:
>
>
>
> Larry,
>
> I couldn't get my cable to work either until I downloaded and installed the latest drivers for the Prolific chip that is in my cable. (USB serial) The default Microsoft drivers didn't work at all.
>
> Are you using a DB9 port on your PC or USB to serial? ALL serial ports will have a driver.
>
> The program by the way is really great.
>

208. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 13:24:39 UTC
From: n1evh@verizon.net
Topic: 193 Message: 208

Well... a few others said if you leave the transmit frequency as "blank"... the radio won't transmit on that receive frequency. So I'll do this instead of putting in a simplex frequency in the ham band.

I would rather have the TX disabled when listening to a local police or fire frequency... instead of having my radio accidently get keyed up and possibly causing interference on a simplex frequency that may be in use by people... which could be taken as a violation of 97.101(d)...
- - - -

209. Using KG-UV Commander on a Mac with Windows emulation software

Yahoo group: KG-UV_Commander
Date: 2011-09-01 14:52:05 UTC
From: David A. Behar
Topic: 209 Message: 209

Has anybody tried this? Any success?

David

210. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 15:20:16 UTC
From: Ed Greany
Topic: 193 Message: 210

I prefer to program a MURS frequency in the TX spot on any public safety frequency I wish to monitor. This makes things legal since MURS is a non-license band whereas any ham simplex frequency would still technically require IDing if keyed.

Ed Greany

--- On Thu, 9/1/11, Tom <Kb3hg@...> wrote:

From: Tom <Kb3hg@...>
Subject: Re: [KG-UV_Commander] Commander experience and feedback
To: KG-UV_Commander@yahoogroups.com
Date: Thursday, September 1, 2011, 5:43 AM

Program a simplex frequency in the ham band.

Yes, it can be done.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Aug 31, 2011 9:26 pm
Subject: Re: [KG-UV_Commander] Commander experience and feedback

... I would like to put in a transmit
frequency below 420MHz... so I won't accidently transmit on
any of those frequencies. Can this be done???

Mike - N1EVH

-------Original Message-------

From: Pete Theer
Date: 8/31/2011 7:05:02 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

I just got mine today too. (The 144/220 Version) I tried to install the USB driver but couldn't get either the Wouxun or Commander software to even find the radio until I rebooted the PC (using XP Pro) Success, finally. Now I need to find some 220 repeaters around here, hi, hi.

73,
Pete K5PRT

----- Original Message -----
From: n1evh@...

To: KG-UV_Commander@yahoogroups.com
Sent: 8/31/2011 5:55:51 PM
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... I just got my KG-UDV1P in the mail today. I got a USB programming cable with it. So I'm charging the battery and I need to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind of unpleasant things about the Wouzun software... so I don't think I'll install that and I'll just install the KG-UV Commander software (I've used this software with my VX-2R, VX-5R and VX-7R... so I am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software users to share their experience with the software. Are you a previous user of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

211. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 15:34:43 UTC
From: Thomas Carpenter
Topic: 193 Message: 211

Mike, save the lecture,You asked if you could transmit below 420, You probably could. I suggested a simplex frequency if your going to key the mike.

> I would like to put in a transmit
> frequency below 420MHz... so I won't accidently transmit on
> any of those frequencies. Can this be done???
>
> Mike - N1EVH
>
Be careful what you ask for, you may get it.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Thu, Sep 1, 2011 9:24 am
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... a few others said if you leave the transmit frequency as
"blank"... the radio won't transmit on that receive frequency. So
I'll do this instead of putting in a simplex frequency in the ham
band.

I would rather have the TX disabled when listening to a local
police or fire frequency... instead of having my radio accidently
get keyed up and possibly causing interference on a simplex
frequency that may be in use by people... which could be taken
as a violation of 97.101(d)...
- -
No amateur operator shall willfully or maliciously interfere
with or cause interference to any radio communication or signal.

- -

I know... some people will say you're not "willfully or maliciously"
interfering with a communication if you set a transmit frequency
to a police/fire channel to a ham simplex frequency just incase
you "accidently" transmit... but why take a chance???

So this is why I was questioning out putting in a transmit frequency
that was outside of the radios receive/transmit range. So since
others have said the transmit can be disabled by leaving the
transmit frequency blank... this is what I'll do.

Mike - N1EVH

-------Original Message-------

From: Tom
Date: 9/1/2011 8:43:58 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Program a simplex frequency in the ham band.

Yes, it can be done.

Tom Kb3hg

212. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 16:11:30 UTC
From: n1evh@verizon.net
Topic: 193 Message: 212

Uhhhh... no Tom.... I didn't ask if I could transmit below 420MHz.
I asked if I can program a frequency that is OUTSIDE of my radio's
transmit AND receive range so the radio won't transmit if it were
to ACCIDENTLY get keyed up when listening to a local police
or fire frequency (you know... like in a Kenwood, Icom, or Yaesu
radio that hasn't been modified... when you try to transmit outside
of the ham bands.... it will display "TX ERROR or something else
similar).

I've seen people talking about how a radio gives an ERROR when
writing data to the radio if the RECEIVE frequency is out of the
receive raige of the radio... so I was wondering/curious if the radio
would accept a memory that is written to the radio in which the
receive frequency is within the radio's receive range but the
TRANSMIT frequency being OUTSIDE of the receive range.

By putting a ham simplex frequency as the transmit frequency
in a memory for listening the local police, fire, and so on... I guess
if you don't care that you may interfere with a QSO that may be
taking place on a simplex frequency... then by all means... you
can go right ahead and do that. Causing interference to a QSO
on a simplex frequency because I was listening to a local police
or fire frequency and I had a ham simplex frequency programmed
for its transmit frequency and my radio accidently got keyed up,
is something that I personally would like to AVOID.

And... its not a lecture... its called COMMON SENSE.

By the way... since others in here have said that if you leave the
TRANSMIT frequency BLANK that the radio won't transmit... then
Iin a way I did get what I asked for... how to DISABLE the transmit

It seems like others had NO PROBLEM in understanding what it
was that I wanted to do.

Mike - N1EVH

-------Original Message-------

From: Thomas Carpenter
Date: 9/1/2011 11:35:03 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Mike, save the lecture,You asked if you could transmit below 420, You
probably could. I suggested a simplex frequency if your going to key the
mike.

> I would like to put in a transmit
> frequency below 420MHz... so I won't accidently transmit on
> any of those frequencies. Can this be done???
>
> Mike - N1EVH
>
Be careful what you ask for, you may get it.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Thu, Sep 1, 2011 9:24 am
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... a few others said if you leave the transmit frequency as
"blank"... the radio won't transmit on that receive frequency. So
I'll do this instead of putting in a simplex frequency in the ham
band.

I would rather have the TX disabled when listening to a local
police or fire frequency... instead of having my radio accidently
get keyed up and possibly causing interference on a simplex
frequency that may be in use by people... which could be taken
as a violation of 97.101(d)...
- -
- - - - - - -
No amateur operator shall willfully or maliciously interfere
with or cause interference to any radio communication or signal.
- -
- - - - - - -

I know... some people will say you're not "willfully or maliciously"
interfering with a communication if you set a transmit frequency
to a police/fire channel to a ham simplex frequency just incase
you "accidently" transmit... but why take a chance???

So this is why I was questioning out putting in a transmit frequency
that was outside of the radios receive/transmit range. So since
others have said the transmit can be disabled by leaving the
transmit frequency blank... this is what I'll do.

Mike - N1EVH

-------Original Message-------

From: Tom
Date: 9/1/2011 8:43:58 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Program a simplex frequency in the ham band.

Yes, it can be done.

Tom Kb3hg

213. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 16:30:29 UTC
From: Thomas Carpenter
Topic: 193 Message: 213

And yes I know of people that are using it below 420 legally .

214. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 16:35:49 UTC
From: n1evh@verizon.net
Topic: 193 Message: 214

Using a MURS freq isn't a bad idea...I could even put in an FRS frequency... but I still like how others have said to leave the transmit frequency blank when programming a local police or fire frequency to pretty much disable the radio from accidently transmitting.

Not only could unknowingly transmitting on a ham simplex frequency cause interference to a QSO on that simplex frequency... but yeah, technically you would still have to ID

Again... more common sense because those ARE the rules... NOT lecturing

Mike - N1EVH

-------Original Message-------

From: Ed Greany
Date: 9/1/2011 11:20:23 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

I prefer to program a MURS frequency in the TX spot on any public safety frequency I wish to monitor. This makes things legal since MURS is a non-license band whereas any ham simplex frequency would still technically require IDing if keyed.

Ed Greany

--- On Thu, 9/1/11, Tom <Kb3hg@...> wrote:

From: Tom <Kb3hg@...>
Subject: Re: [KG-UV_Commander] Commander experience and feedback
To: KG-UV_Commander@yahoogroups.com
Date: Thursday, September 1, 2011, 5:43 AM

Program a simplex frequency in the ham band.

Yes, it can be done.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Aug 31, 2011 9:26 pm
Subject: Re: [KG-UV_Commander] Commander experience and feedback

... I would like to put in a transmit
frequency below 420MHz... so I won't accidently transmit on
any of those frequencies. Can this be done???

Mike - N1EVH

-------Original Message-------

From: Pete Theer
Date: 8/31/2011 7:05:02 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Commander experience and feedback

I just got mine today too. (The 144/220 Version) I tried to install the USB
driver but couldn't get either the Wouxun or Commander software to even find
the radio until I rebooted the PC (using XP Pro) Success, finally. Now I
need to find some 220 repeaters around here, hi, hi.

73,
Pete K5PRT

----- Original Message -----
From: n1evh@...
To: KG-UV_Commander@yahoogroups.com
Sent: 8/31/2011 5:55:51 PM
Subject: Re: [KG-UV_Commander] Commander experience and feedback

Well... I just got my KG-UDV1P in the mail today. I got a USB
programming cable with it. So I'm charging the battery and I need
to install the drivers for the USB programming cable.

I've heard.... uhhhh... well I won't call it nghtmares but some kind
of unpleasant things about the Wouzun software... so I don't think
I'll install that and I'll just install the KG-UV Commander software
(I've used this software with my VX-2R, VX-5R and VX-7R... so I
am familiar with it).

So we'll see how things go for me with this software.

Mike - N1EVH

-------Original Message-------

From: David A. Behar
Date: 8/31/2011 3:44:08 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] Commander experience and feedback

Hi friends, and welcome to our new members! (We're up to 277 members at
last count.)

It's been a while, so I'd like to again encourage KG-UV Commander software
users to share their experience with the software. Are you a previous user
of the Wouxun user who switched to Commander?

What is working well? Anything not working? Any problems that you were able to overcome... and if so, how did you do it?

Any tips or tricks?

I look forward to hearing with people have to say!

David / K7DB

215. Re: [KG-UV_Commander] Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-01 20:05:25 UTC
From: David A. Behar
Topic: 193 Message: 215

If you want a channel to be receive only, it sure doesn't make sense (to me) to put ANY transmit frequency in the channel. Just use the KG-UV Commander software and leave the xmit freq blank.

The one caveat to that is that if for whatever reason you don't have access to a computer/software/cable and need to put in a new channel, I think you will be required to put something as a transmit frequency. Here is a strategy that might work...

1) Change the "offset" to a large value. 2) Use the VFO feature and the menu to set up the receive freq you want, and choose the offset direction so it will be beyond the configured transmit limits of the radio; 3) Store the frequency in a channel.

With this procedure if you try to transmit on the channel, nothing will happen.

Example: Let's say you want to monitor police frequency 155.580 mHz. So you set the offset to minus 70 mHz, and store 155.580 mHz with an offset of DOWN (which would mean transmitting on 85.580 mHz). Since 85.580 mHz is way beyond the programmed transmit limits, I believe if you key down you will just hear a tone, and no transmitting will occur.

Note that the transmit frequency stored in a channel will depend on the offset configuration at the time the channel is stored. If you later change the offset to 600 kHz, there will be no change in the channels already stored.

If you try this, please let us know whether it works -- thanks :)

David
----- Original Message -----
From: n1evh@...
Sent: Thursday, September 01, 2011 9:35 AM
Using a MURS freq isn't a bad idea...I could even put in an FRS frequency... but I still like how others have said to leave the transmit frequency blank when programming a local police or fire frequency to pretty much disable the radio from accidently transmitting.

Not only could unknowingly transmitting on a ham simplex frequency cause interference to a QSO on that simplex frequency... but yeah, technically you would still have to ID

Again... more common sense because those ARE the rules... NOT lecturing

Mike - N1EVH

216. Re: [KG-UV_Commander] Can't get commander to work with Serial Cable

Yahoo group: KG-UV_Commander
Date: 2011-09-02 00:41:25 UTC
From: Terry
Topic: 204 Message: 216

Garrett

As I have posted previously on these Forums - and received no response.

"Most 'Level Converters' (ie., the Serial cable) come in two flavours, either discrete components, or Max232 chips, and are meant to be powered by the Serial Port, which is actually a non-Standard use. Kenwood uses the RTS/CTS pins for this purpose, while others also use TX Data, and/or the DTR/DSR pins. The software needs to be written to accommodate the non-standard use of these pins. ie., to be regularly 'toggled' between 'High' and 'Low', or held High for the duration of the session."

Whether KG-UV Commander is written to provide power to the applicable pins, is unknown. Without power to the applicable pins, the Serial cable will not work.

I mention Kenwood, above, as most of the Wouxun accessories are based on Kenwood configurations.

--
Terry

> For some reason, I can not get Commander to read my radios. I am using a serial cable, and not usb. I have tried two different cables and three different computers, two are XP and one is Win7. The Wouxun program works fine on all of the computers and with the same two cables. Currently I am using the Wouxun software to read and write, and using Commander to edit, but I would like to just use Commander. I have ensured that the com port is set correctly also. Does anyone have any idea what could be going on? Does Commander not work with a regular serial cable?
>

217. Re: Using KG-UV Commander on a Mac with Windows emulation software

Yahoo group: KG-UV_Commander
Date: 2011-09-02 21:26:43 UTC
From: cerberusdog
Topic: 209 Message: 217

I use Parallels with an iMac and it works just fine!

Sent from THE iPhone!

218. Re: [KG-UV_Commander] Re: Commander experience and feedback

Yahoo group: KG-UV_Commander
Date: 2011-09-04 18:11:10 UTC
From: Eric
Topic: 193 Message: 218

Sent from my Droid Charge on Verizon 4GLTE

------Original Message------
From: n1evh@... <n1evh@...>
To: <KG-UV_Commander@yahoogroups.com>
Date: Wednesday, August 31, 2011 11:04:52 PM GMT-0400
Subject: Re: [KG-UV_Commander] Re: Commander experience and feedback

Ahhhh.. ok. Not only will this be good to use on various local

police and fire freqs so I don't accidently transmit on them,

but it will also be good to use on NOAA WX radio freqs too

(although I could use the "Busy Lck" option in the software).

Thnaks for the info/tip.

Mike - N1EVH

-------Original Message-------

From: jwheatleyus

Date: 8/31/2011 9:38:16 PM

To: KG-UV_Commander@yahoogroups.com

Subject: [KG-UV_Commander] Re: Commander experience and feedback

Just leave Tx Freq Blank and it will not transmit. Use backspace to clear
any Tx entry.

JohnW

W5JHW

--- In KG-UV_Commander@yahoogroups.com, "n1evh@..." <n1evh@...> wrote:

>

> Now... people have reported having some errors with the radio

> when programming in a a receive frequency that is outside of

> the radio's receive range. How about if programming a transmit

> frequency that is out of the transmit range??? My radio has a

> UHF receive/transmit range of 420 to 520MHz. When I program

> in local police and fire freqs... I would like to put in a transmit

> frequency below 420MHz... so I won't accidently transmit on

> any of those frequencies. Can this be done???

>

> Mike - N1EVH

>

219. Copy/Paste

Yahoo group: KG-UV_Commander
Date: 2011-09-04 18:49:48 UTC
From: Chucklesk
Topic: 219 Message: 219

ok guys,
I am trying to import a master list for the Kansas City area. I cannot get the paste function to work. I have tried importing the csv file and it says "not a valid header" and all kinds of "you cannot do this" kind of things going on. The file contains over 120 2m and 440 freqs. Dont want to enter them in by hand.....

HELP

Chuck K0XM

220. Re: [KG-UV_Commander] Copy/Paste

Yahoo group: KG-UV_Commander
Date: 2011-09-04 20:10:00 UTC
From: Derek Turner
Topic: 219 Message: 220

Hi

First export any CSV file from Commander and then inspect it in Notepad.EXE

Then inspect your own CSV file in Notepad and see how the header lines differ.

Copy/Paste the good header into your own file.

Otherwise attach your file to an email and send to this group.

73 de G4SWY, Del +++

>_____
>From: Chucklesk <ckraly@gmail.com>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Sunday, 4 September 2011, 19:49
>Subject: [KG-UV_Commander] Copy/Paste
>
>
>
>ok guys,
>I am trying to import a master list for the Kansas City area. I cannot get the paste function to work. I have tried importing the csv file and it says "not a valid header" and all kinds of "you cannot do this" kind of things going on. The file contains over 120 2m and 440 freqs. Dont want to enter them in by hand.....
>
>HELP
>
>Chuck K0XM
>
>
>
>
>

221. Re: Using KG-UV Commander on a Mac with Windows emulation software

Yahoo group: KG-UV_Commander
Date: 2011-09-05 17:55:41 UTC
From: Beischel
Topic: 209 Message: 221

Yes, I use it with VMware Fusion and it works great.

Duffy
www.wb8nut.com

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Has anybody tried this? Any success?
>
> David
>

222. Latest versio STILL has errors not allowing more than 10 memories being accessed

Yahoo group: KG-UV_Commander
Date: 2011-10-09 22:49:09 UTC
From: John
Topic: 222 Message: 222

It appears the bug is still there.. on the 2 meter 220 version at least. I tried a reprogram today, and it only allowed me to see 10 memories, anf the scan settings did not stick. It woorked on my 2 meter 440 version when I tested the new release will retry it.

223. Re: Latest versio STILL has errors not allowing more than 10 memories being accessed

Yahoo group: KG-UV_Commander
Date: 2011-10-09 22:57:21 UTC
From: John
Topic: 222 Message: 223

--- In KG-UV_Commander@yahoogroups.com, "John" <jl_wilkerson@...> wrote:
>
> It appears the bug is still there.. on the 2 meter 220 version at least. I tried a reprogram today, and it only allowed me to see 10 memories, anf the scan settings did not stick. It woorked on my 2 meter 440 version when I tested the new release will retry it.
>

the 2 meter 440 version still works perfectly with commander

224. Auto offset for repeater programing

Yahoo group: KG-UV_Commander
Date: 2011-10-16 23:34:27 UTC
From: Pepper
Topic: 224 Message: 224

I have just started using commander. i have been able to download what I have entered. I am trying to figure out if auto offset for repeater operations. Have I somehow missed this option. 73 KA8ZOO

225. RE: [KG-UV_Commander] Auto offset for repeater programing

Yahoo group: KG-UV_Commander
Date: 2011-10-17 00:21:11 UTC
From: Pete Theer
Topic: 224 Message: 225

The only "auto Offset" is for VFO (Frequency) mode. For the memory channels (Channel Mode) you need to enter BOTH the receive and transmit frequencies and tones. The Shift Direction and Offset Frequency and tone you set from the menu is for the Frequency (VFO) mode only. This goes for CTCSS tone (encode and decode) and Power output too.

73,
Pete

> [Original Message]
> From: Pepper <pepperbr@...>
> To: <KG-UV_Commander@yahoogroups.com>
> Date: 10/16/2011 6:34:32 PM
> Subject: [KG-UV_Commander] Auto offset for repeater programing
>
> I have just started using commander. i have been able to download what I have entered. I am trying to figure out if auto offset for repeater operations. Have I somehow missed this option. 73 KA8ZOO
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>

226. RE: [KG-UV_Commander] Auto offset for repeater programing

Yahoo group: KG-UV_Commander
Date: 2011-10-17 00:39:48 UTC
From: Pete Theer
Topic: 224 Message: 226

AND the aforementioned details you set from the menus are different between the top (A) and the bottom (B) displays.

73,
Pete
K5PRT

> [Original Message]
> From: Pepper <pepperbr@...>
> To: <KG-UV_Commander@yahoogroups.com>
> Date: 10/16/2011 6:34:32 PM
> Subject: [KG-UV_Commander] Auto offset for repeater programing
>
> I have just started using commander. i have been able to download what I have entered. I am trying to figure out if auto offset for repeater operations. Have I somehow missed this option. 73 KA8ZOO
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>

227. RE: [KG-UV_Commander] Auto offset for repeater programing

Yahoo group: KG-UV_Commander
Date: 2011-10-17 00:54:07 UTC
From: Hew Lines VA7HU
Topic: 224 Message: 227

Not quite. If you go to the "Settings" menu item, and then select the "Use Auto-Shift" sub-menu item, the standard North American offset (600KHz) will be used to automatically set the TX Freq when the RX Freq is entered. If "Use Auto-Shift" is not selected, then the TX Freq is automatically set to the RX Freq.

73 - Hew
VA7HU

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Pete Theer
Sent: Sunday, October 16, 2011 5:21 PM
To: KG-UV_Commander@yahoogroups.com
Subject: RE: [KG-UV_Commander] Auto offset for repeater programing

The only "auto Offset" is for VFO (Frequency) mode. For the memory channels (Channel Mode) you need to enter BOTH the receive and transmit frequencies and tones. The Shift Direction and Offset Frequency and tone you set from the menu is for the Frequency (VFO) mode only. This goes for CTCSS tone (encode and decode) and Power output too.

73,
Pete

> [Original Message]
> From: Pepper <pepperbr@... <mailto:pepperbr%40comcast.net> >
> To: <KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> >
> Date: 10/16/2011 6:34:32 PM
> Subject: [KG-UV_Commander] Auto offset for repeater programing
>
> I have just started using commander. i have been able to download what I have entered. I am trying to figure out if auto offset for repeater operations. Have I somehow missed this option. 73 KA8ZOO
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>

228. RE: [KG-UV_Commander] Auto offset for repeater programing

Yahoo group: KG-UV_Commander
Date: 2011-10-17 01:01:47 UTC
From: Pete Theer
Topic: 224 Message: 228

Sorry. I was thinking of the native Programming Software...

Pete

----- Original Message -----
From: Hew Lines VA7HU
To: KG-UV_Commander@yahoogroups.com
Sent: 10/16/2011 7:54:44 PM
Subject: RE: [KG-UV_Commander] Auto offset for repeater programing

Not quite. If you go to the "Settings" menu item, and then select the "Use Auto-Shift" sub-menu item, the standard North American offset (600KHz) will be used to automatically set the TX Freq when the RX Freq is entered. If "Use Auto-Shift" is not selected, then the TX Freq is automatically set to the RX Freq.

73 - Hew
VA7HU

From: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Pete Theer
Sent: Sunday, October 16, 2011 5:21 PM
To: KG-UV_Commander@yahoogroups.com
Subject: RE: [KG-UV_Commander] Auto offset for repeater programing

The only "auto Offset" is for VFO (Frequency) mode. For the memory channels (Channel Mode) you need to enter BOTH the receive and transmit frequencies and tones. The Shift Direction and Offset Frequency and tone you set from the menu is for the Frequency (VFO) mode only. This goes for CTCSS tone (encode and decode) and Power output too.

73,
Pete

> [Original Message]
> From: Pepper <pepperbr@...>
> To: <KG-UV_Commander@yahoogroups.com>
> Date: 10/16/2011 6:34:32 PM
> Subject: [KG-UV_Commander] Auto offset for repeater programing
>
> I have just started using commander. i have been able to download what I have entered. I am trying to figure out if auto offset for repeater operations. Have I somehow missed this option. 73 KA8ZOO
>
>
>
> ------------------------------------
>

> Yahoo! Groups Links
>
>
>

229. Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-18 02:36:16 UTC
From: jwheatleyus
Topic: 229 Message: 229

I have been using KG-UV Commander since it became available with no problems until now- It will Read or Write to the radio, but if I try any file operation like Save, Open, etc, the program hangs. For example, if I hit Save, no Save Dialog appears and all key presses give an error sound. I have to use Task Manager to kill the process.
I uninstalled and reinstalled with no effect.
Any ideas?
JohnW
W5JHW

230. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-18 15:42:00 UTC
From: Richard
Topic: 229 Message: 230

Have you downloaded the updates? I believe there have been two updates:
http://www.kc8unj.com/kguv.html

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> I have been using KG-UV Commander since it became available with no problems until now-
It will Read or Write to the radio, but if I try any file operation like Save, Open, etc,
the program hangs. For example, if I hit Save, no Save Dialog appears and all key presses
give an error sound. I have to use Task Manager to kill the process.
> I uninstalled and reinstalled with no effect.
> Any ideas?
> JohnW
> W5JHW
>

231. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-18 15:49:50 UTC
From: jwheatleyus
Topic: 229 Message: 231

Yes- I am using 0.1.2(Beta).
I works fine on my other computer. There is something strange going on with this particular laptop- Task Manager reports that the program is waiting for user input, but the file dialog is not displayed. I don't think this is a problem with Commander- I just thought someone would have an idea on how to get my particular computer to work correctly.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Richard" <k6relk6rel@...> wrote:
>
> Have you downloaded the updates? I believe there have been two updates:
> http://www.kc8unj.com/kguv.html
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > I have been using KG-UV Commander since it became available with no problems until now- It will Read or Write to the radio, but if I try any file operation like Save, Open, etc, the program hangs. For example, if I hit Save, no Save Dialog appears and all key presses give an error sound. I have to use Task Manager to kill the process.
> > I uninstalled and reinstalled with no effect.
> > Any ideas?
> > JohnW
> > W5JHW
> >
>

232. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-19 13:11:33 UTC
From: JOHN HENRY DAVIS
Topic: 229 Message: 232

*John, have you recently made some changes to your system or installed some new software that may be causing this, possibly doing a system restore of your computer back to a date when Commander was working properly could be the fix
*

--

Thank You and have a Great Day !!

John Henry Davis, Jr.

233. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-19 14:15:53 UTC
From: jwheatleyus
Topic: 229 Message: 233

I have not made any changes other than Windows updates. I thought an uninstall and reinstall would be the fix but not any change. I hoped the developer might chime in with an idea of what could cause the File dialog to fail to display. I have a spare computer that works, so a little wait doesn't hurt.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, JOHN HENRY DAVIS <johnhenrydavisjr@...> wrote:
>
> *John, have you recently made some changes to your system or installed some
> new software that may be causing this, possibly doing a system restore of
> your computer back to a date when Commander was working properly could be
> the fix
> *
>
> --
>
>
>
> Thank You and have a Great Day !!
>
> John Henry Davis, Jr.
>

234. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-20 16:44:10 UTC
From: jimbo_48393
Topic: 229 Message: 234

Not sure what would cause that. If you have any network drives mapped, disconnect them and try again.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> I have not made any changes other than Windows updates. I thought an uninstall and reinstall would be the fix but not any change. I hoped the developer might chime in with an idea of what could cause the File dialog to fail to display. I have a spare computer that works, so a little wait doesn't hurt.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, JOHN HENRY DAVIS <johnhenrydavisjr@> wrote:
> >
> > *John, have you recently made some changes to your system or installed some
> > new software that may be causing this, possibly doing a system restore of
> > your computer back to a date when Commander was working properly could be
> > the fix
> > *
> >
> > --
> >
> >
> >
> > Thank You and have a Great Day !!
> >
> > John Henry Davis, Jr.
> >
>

235. Re: [KG-UV_Commander] Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-21 21:41:20 UTC
From: Steve Peterson
Topic: 229 Message: 235

Did you open from a jump drive? Or save to one? Stick it back in and save
to your HDD.
On Oct 17, 2011 9:36 PM, "jwheatleyus" <taoswheat@...> wrote:

> **
>
>
> I have been using KG-UV Commander since it became available with no
> problems until now- It will Read or Write to the radio, but if I try any
> file operation like Save, Open, etc, the program hangs. For example, if I
> hit Save, no Save Dialog appears and all key presses give an error sound. I
> have to use Task Manager to kill the process.
> I uninstalled and reinstalled with no effect.
> Any ideas?
> JohnW
> W5JHW
>
>
>

236. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-21 21:59:36 UTC
From: jwheatleyus
Topic: 229 Message: 236

Operating from hard drive only. Very strange- the program is waiting for user input but no file open dialog is visible.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Steve Peterson <sjpete75@...> wrote:
>
> Did you open from a jump drive? Or save to one? Stick it back in and save
> to your HDD.
> On Oct 17, 2011 9:36 PM, "jwheatleyus" <taoswheat@...> wrote:
>
> > **
> >
> >
> > I have been using KG-UV Commander since it became available with no
> > problems until now- It will Read or Write to the radio, but if I try any
> > file operation like Save, Open, etc, the program hangs. For example, if I
> > hit Save, no Save Dialog appears and all key presses give an error sound. I
> > have to use Task Manager to kill the process.
> > I uninstalled and reinstalled with no effect.
> > Any ideas?
> > JohnW
> > W5JHW
> >
> >
> >
>

237. Re: [KG-UV_Commander] Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2011-10-21 22:00:38 UTC
From: Steve Peterson
Topic: 229 Message: 237

Darn.
On Oct 21, 2011 4:59 PM, "jwheatleyus" <taoswheat@...> wrote:

> **
>
>
> Operating from hard drive only. Very strange- the program is waiting for
> user input but no file open dialog is visible.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, Steve Peterson <sjpete75@...>
> wrote:
> >
> > Did you open from a jump drive? Or save to one? Stick it back in and save
> > to your HDD.
> > On Oct 17, 2011 9:36 PM, "jwheatleyus" <taoswheat@...> wrote:
> >
> > > **
> > >
> > >
> > > I have been using KG-UV Commander since it became available with no
> > > problems until now- It will Read or Write to the radio, but if I try
> any
> > > file operation like Save, Open, etc, the program hangs. For example, if
> I
> > > hit Save, no Save Dialog appears and all key presses give an error
> sound. I
> > > have to use Task Manager to kill the process.
> > > I uninstalled and reinstalled with no effect.
> > > Any ideas?
> > > JohnW
> > > W5JHW
> > >
> > >
> > >
> >
>
>
>

238. Wouxun Guide

Yahoo group: KG-UV_Commander
Date: 2011-10-21 22:37:36 UTC
From: Chuck Graham
Topic: 229 Message: 238
Attachments: 1 described; binary payloads are missing from this source WARC

In case you haven't seen this, I hadn't, a 2 page guide is attached.

Enjoy,

Chuck Graham, KI6DCD

EDS/SATERN Cochairman

Salvation Army Concord Corps

239. KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2011-11-13 03:54:52 UTC
From: ralphmilnes
Topic: 239 Message: 239

I just picked up the Wouxun KG-UV6D radio with 199 memory channels.

Any chance KG-UV Commander will eventually support this radio?

Ralph NM5RM

240. Re: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2011-11-13 04:56:33 UTC
From: hinkeydo@aol.com
Topic: 239 Message: 240

it should already

In a message dated 11/12/2011 9:55:02 P.M. Central Standard Time,
ralphmilnes@... writes:

I just picked up the Wouxun KG-UV6D radio with 199 memory channels.

Any chance KG-UV Commander will eventually support this radio?

Ralph NM5RM

Yahoo! Groups Links

241. Re: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2011-11-13 08:15:03 UTC
From: David A. Behar
Topic: 239 Message: 241

The KG-UV6D has an internal memory layout which is different from the earlier models; therefore, the KG-UV Commander software won't work.

For the first 128 memory locations, the internal layout of the radio's memory is the same; I don't know whether KG-UV Commander will abort if you try to use it with a KG-UV Commander. But the memory layout after the first 128 memory locations is different, so it is possible bad things will happen if you try to write to the KG-UV6D.

David

----- Original Message -----
From: hinkeydo@...
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, November 12, 2011 8:56 PM
Subject: Re: [KG-UV_Commander] KG-UV6D

it should already

In a message dated 11/12/2011 9:55:02 P.M. Central Standard Time, ralphmilnes@... writes:
I just picked up the Wouxun KG-UV6D radio with 199 memory channels.

Any chance KG-UV Commander will eventually support this radio?

Ralph NM5RM

Yahoo! Groups Links

242. RE: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2011-11-13 17:16:41 UTC
From: Ralph Milnes
Topic: 239 Message: 242
Attachments: 2 described; binary payloads are missing from this source WARC

I couldn't get KG-UV Commander to read or write to the 6D; it just doesn't recognize the radio.

Wouxun has unique software to program to the 6D, so I'm not surprised that the KG-UV won't work. Unfortunately, the Wouxun software doesn't allow cut, copy and paste (among the reasons why KG-UV is so great). So I can't move my memory layout from my 1P to the 6D. While the 6D has 199 memories, it's going to be painful to program them one at a time.

That's why I have my fingers crossed that KG-UV or a successor will eventually be able to write to the 6D.

Ralph NM5RM

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of David A. Behar
Sent: Sunday, November 13, 2011 1:15 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] KG-UV6D

The KG-UV6D has an internal memory layout which is different from the earlier models; therefore, the KG-UV Commander software won't work.

For the first 128 memory locations, the internal layout of the radio's memory is the same; I don't know whether KG-UV Commander will abort if you try to use it with a KG-UV Commander. But the memory layout after the first 128 memory locations is different, so it is possible bad things will happen if you try to write to the KG-UV6D.

David

----- Original Message -----

From: hinkeydo@...

To: KG-UV_Commander@yahoogroups.com

Sent: Saturday, November 12, 2011 8:56 PM

Subject: Re: [KG-UV_Commander] KG-UV6D

it should already

In a message dated 11/12/2011 9:55:02 P.M. Central Standard Time, ralphmilnes@... writes:

I just picked up the Wouxun KG-UV6D radio with 199 memory channels.

Any chance KG-UV Commander will eventually support this radio?

Ralph NM5RM

Yahoo! Groups Links

243. Re: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2011-11-13 21:37:11 UTC
From: David A. Behar
Topic: 239 Message: 243

Hi Ralph,

As a temporary measure, I will endeavor to modify the TwEdit program to work with the KG-UV6D. That is an Excel document which reads from and writes to the KG-UVD1P TW programming file. It's posted at http://groups.yahoo.com/group/Wouxun_KG-UVD1/files/K7DB/.

TwEdit won't work with the KG-UV6D TW file, because the layout is different... but I guess it won't take too long for me to create a version which will work with the KG-UV6D TW programming file.

David
----- Original Message -----
From: Ralph Milnes
Sent: Sunday, November 13, 2011 9:16 AM

I couldn't get KG-UV Commander to read or write to the 6D; it just doesn't recognize the radio.

Wouxun has unique software to program to the 6D, so I'm not surprised that the KG-UV won't work. Unfortunately, the Wouxun software doesn't allow cut, copy and paste (among the reasons why KG-UV is so great). So I can't move my memory layout from my 1P to the 6D. While the 6D has 199 memories, it's going to be painful to program them one at a time.

That's why I have my fingers crossed that KG-UV or a successor will eventually be able to write to the 6D.

Ralph NM5RM

244. KG-UV3D

Yahoo group: KG-UV_Commander
Date: 2011-12-07 23:52:59 UTC
From: Carl Demas
Topic: 244 Message: 244

I have been told I need to find a tx expansion file tool to expand the limits of the 440 band. I was hoping that the Commander group could answer that request.
Carl, KJ6BWV

245. Re: [KG-UV_Commander] KG-UV3D

Yahoo group: KG-UV_Commander
Date: 2011-12-08 00:02:20 UTC
From: Mark Scriven
Topic: 244 Message: 245

Commander can do that. First, read the contents of the radio. Then
from the main menu go to Memories->Band Limits... It should be obvious
from there.
Mark - WQ9M

On Wed, 2011-12-07 at 15:52 -0800, Carl Demas wrote:

>
> I have been told I need to find a tx expansion file tool to expand the
> limits of the 440 band. I was hoping that the Commander group could
> answer that request. Carl, KJ6BWV

246. Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-20 19:57:22 UTC
From: David A. Behar
Topic: 246 Message: 246

Welcome new members to your KG-UV_Commander group!

I encourage new members and not-so-new members to share with our group your experiences, successes, and challenges with Jim Mitchell's KG-UV Commander software. Thanks!

David / K7DB

247. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-20 21:00:18 UTC
From: John Wilkerson
Topic: 246 Message: 247

```
>
>From: David A. Behar <david271@...>
>To: KG-UV Commander <KG-UV_Commander@yahoogroups.com>
>Sent: Tue, December 20, 2011 2:57:22 PM
>Subject: [KG-UV_Commander] Welcome new members!
>
>
>
>
>Welcome new members to your KG-UV_Commander group!
>
>I encourage new members and not-so-new members to share with our group your
>experiences, successes, and challenges with Jim Mitchell's KG-UV Commander
>software.  Thanks!
>
```

Well, after the latest new version that fixed the "10 channel only bug" The 2m/220 version still will lock the radio to only allow access to 10 channels, even if more are programmed. I brought this issue to the group, but received no response, so I now re-add it.

248. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-20 23:47:05 UTC
From: Jay Rutherford
Topic: 246 Message: 248

I'm not sure I understand John Wilkerson's problem with his radio and
KG-UV Commander, or what the "10 channel only bug" is.

I use KG-UV Commander to program my 2m/220 portable and have no issues
at all. All the programmed channels (128 of them) work just fine. Maybe
I misunderstood John's post?!

73 Jay K3BH

On 12/20/2011 04:00 PM, John Wilkerson wrote:
>
> Well, after the latest new version that fixed the "10 channel only bug" The
> 2m/220 version still will lock the radio to only allow access to 10 channels,
> even if more are programmed. I brought this issue to the group, but received no
> response, so I now re-add it.
>

249. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-21 00:09:41 UTC
From: John Wilkerson
Topic: 246 Message: 249

When a programming file is loaded by commander, and loaded into the radio, I only see the first 10 channels. For some reason, the .tw file gets corrupted and locks the radio. I have one of the first generation 2m/220 models.

----- Original Message ----
> From: Jay Rutherford <k3bh@...t>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tue, December 20, 2011 6:47:05 PM
> Subject: Re: [KG-UV_Commander] Welcome new members!
>
> I'm not sure I understand John Wilkerson's problem with his radio and
> KG-UV Commander, or what the "10 channel only bug" is.
>
> I use KG-UV Commander to program my 2m/220 portable and have no issues
> at all. All the programmed channels (128 of them) work just fine. Maybe
> I misunderstood John's post?!
>
> 73 Jay K3BH
>
> On 12/20/2011 04:00 PM, John Wilkerson wrote:
> >
> > Well, after the latest new version that fixed the "10 channel only bug" The
> > 2m/220 version still will lock the radio to only allow access to 10
channels,
> > even if more are programmed. I brought this issue to the group, but received
>no
> > response, so I now re-add it.
> >
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

250. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-21 00:24:11 UTC
From: David A. Behar
Topic: 246 Message: 250

Hi John,

I think it would help to explain whether "programming file" means a TW file or a Commander file.

I think it would help to post somewhere (maybe create a folder in this group's Files section) any involved files -- TW and/or Commander. It could also be helpful to post the C:\Program Files\KG-UV Commander\write.log file produced by KG-UV Commander when you write to the radio. Another thing that could be useful would be a binary dump of the radio (using the OWX program posted at folder http://groups.yahoo.com/group/Wouxun_KG-UVD1/files/Software%20%26%20Drivers/Command%20Line%20Util/ in zip file wouxun_linux-src_win32-cygwin-binary.zip).

David

----- Original Message -----
From: John Wilkerson
To: KG-UV_Commander@yahoogroups.com
Sent: Tuesday, December 20, 2011 4:09 PM
Subject: Re: [KG-UV_Commander] Welcome new members!

When a programming file is loaded by commander, and loaded into the radio, I only see the first 10 channels. For some reason, the .tw file gets corrupted and locks the radio. I have one of the first generation 2m/220 models.

----- Original Message ----
> From: Jay Rutherford <k3bh@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tue, December 20, 2011 6:47:05 PM
> Subject: Re: [KG-UV_Commander] Welcome new members!
>
> I'm not sure I understand John Wilkerson's problem with his radio and
> KG-UV Commander, or what the "10 channel only bug" is.
>
> I use KG-UV Commander to program my 2m/220 portable and have no issues
> at all. All the programmed channels (128 of them) work just fine. Maybe
> I misunderstood John's post?!
>
> 73 Jay K3BH
>
> On 12/20/2011 04:00 PM, John Wilkerson wrote:
> >
> > Well, after the latest new version that fixed the "10 channel only bug" The
> > 2m/220 version still will lock the radio to only allow access to 10
channels,
> > even if more are programmed. I brought this issue to the group, but received

>no
> > response, so I now re-add it.
> >
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>
>

251. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-21 00:45:54 UTC
From: Jay Rutherford
Topic: 246 Message: 251

John,

I'm sure you've explored all of this thoroughly, but what about the following: initially read the radio with KG-UV Commander and save it. Then read the saved file, add some stuff to memory channels (more than 10), and write it back to the radio. Any difference from your earlier results?

The only problem I had with my 2m/220 HT was when I tried to use an old 2m/440 file, that "bricked" my radio until I wrote the original file to the radio to recover it.

73 Jay K3BH

On 12/20/2011 07:09 PM, John Wilkerson wrote:
> When a programming file is loaded by commander, and loaded into the radio, I
> only see the first 10 channels. For some reason, the .tw file gets corrupted
> and locks the radio. I have one of the first generation 2m/220 models.

252. Re: Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-21 01:58:50 UTC
From: wouxunus
Topic: 246 Message: 252

One thing you must be careful with when using Commander is its ability to write frequency limits to the radio. If you have limits inserted that the radio can not handle, you will have problems. This is especially true for the 2m/220 radios and has been known to lock them up.

73
Ed
www.Wouxun.US

--- In KG-UV_Commander@yahoogroups.com, John Wilkerson <jl_wilkerson@...> wrote:
>
> When a programming file is loaded by commander, and loaded into the radio, I
> only see the first 10 channels. For some reason, the .tw file gets corrupted
> and locks the radio. I have one of the first generation 2m/220 models.
>
>
>
> ----- Original Message ----
> > From: Jay Rutherford <k3bh@...>
> > To: KG-UV_Commander@yahoogroups.com
> > Sent: Tue, December 20, 2011 6:47:05 PM
> > Subject: Re: [KG-UV_Commander] Welcome new members!
> >
> > I'm not sure I understand John Wilkerson's problem with his radio and
> > KG-UV Commander, or what the "10 channel only bug" is.
> >
> > I use KG-UV Commander to program my 2m/220 portable and have no issues
> > at all. All the programmed channels (128 of them) work just fine. Maybe
> > I misunderstood John's post?!
> >
> > 73 Jay K3BH
> >
> > On 12/20/2011 04:00 PM, John Wilkerson wrote:
> > >
> > > Well, after the latest new version that fixed the "10 channel only bug" The
> > > 2m/220 version still will lock the radio to only allow access to 10
> channels,
> > > even if more are programmed. I brought this issue to the group, but received
> >no
> > > response, so I now re-add it.
> > >
> >
> >
> > ------------------------------------
> >

> > Yahoo! Groups Links
> >
> >
> >
> >
>

253. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-21 03:07:08 UTC
From: Alamo Alamo
Topic: 246 Message: 253

I can tell you about on thing that I was about to pull my hair out with.

#1. I now highly recommend the travel plus cd rom for programming any of your radios.

When using this software there are about 3 or 4 different ways to 'export' the data the program generates.

The ONLY way to use it with any other program (like the one for my kenwood) and especially the KG UV software is to export it using the 'radio programming format' button. There is only one button that works. All others won't. It took me about 2 hours or more of trial and error to figure this out.

Once you export it using that and only that format then importing the data is a breeze.

I tried about half a dozen different ways and none worked. Until I hit the magic button.

You can program the radio for where you are at (or will be) in a snap with the Travel Plus CD.

From: David A. Behar <david271@...>
To: KG-UV Commander <KG-UV_Commander@yahoogroups.com>
Sent: Tuesday, December 20, 2011 1:57 PM
Subject: [KG-UV_Commander] Welcome new members!

Welcome new members to your KG-UV_Commander group!

I encourage new members and not-so-new members to share with our group your experiences, successes, and challenges with Jim Mitchell's KG-UV Commander software. Thanks!

David / K7DB

254. Failed to Read before Programing

Yahoo group: KG-UV_Commander
Date: 2011-12-21 13:33:07 UTC
From: Randy
Topic: 254 Message: 254

Hello

I made the mistake of programming my KG-UV2D 144-148 420-450 HT before reading the radio.
In other words I did not read the instructions.
Is there someone that would be willing to supply me with the original read from their KG-UV2D 144-148 420-450.

Thanks for any help!
Randy/n4jzy

255. Re: [KG-UV_Commander] Re: Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-23 00:12:29 UTC
From: John Wilkerson
Topic: 246 Message: 255

No problem there

----- Original Message ----
> From: wouxunus <ed@wouxun.us>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tue, December 20, 2011 8:58:50 PM
> Subject: [KG-UV_Commander] Re: Welcome new members!
>
> One thing you must be careful with when using Commander is its ability to write
>frequency limits to the radio. If you have limits inserted that the radio can
>not handle, you will have problems. This is especially true for the 2m/220
>radios and has been known to lock them up.
>

256. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-23 00:58:08 UTC
From: John Wilkerson
Topic: 246 Message: 256

```
----- Original Message ----
> From: Jay Rutherford <k3bh@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tue, December 20, 2011 7:45:54 PM
> Subject: Re: [KG-UV_Commander] Welcome new members!
>
> John,
>
> I'm sure you've explored all of this thoroughly, but what about the
> following: initially read the radio with KG-UV Commander and save it.
> Then read the saved file, add some stuff to memory channels (more than
> 10), and write it back to the radio. Any difference from your earlier
> results?
>
```

Just tried that now. No good. Made sure radio was well within bang limits, even deleted my listen only weather frequency... no dice.

That has exhausted all options.

257. New file uploaded to KG-UV_Commander

Yahoo group: KG-UV_Commander
Date: 2011-12-29 23:23:37 UTC
From: KG-UV_Commander@yahoogroups.com
Topic: 257 Message: 257

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the KG-UV_Commander
group.

File : /piedmont-repeaters.uvd
Uploaded by : waldronmct <dwaldron@...>
Description : Piedmont NC Repeaters file - Updated to include tones for W4BFB

You can access this file at the URL:
http://groups.yahoo.com/group/KG-UV_Commander/files/piedmont-repeaters.uvd

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/web/index.html
Regards,

waldronmct <dwaldron@...>

258. Re: New file uploaded to KG-UV_Commander

Yahoo group: KG-UV_Commander
Date: 2011-12-30 12:06:06 UTC
From: Randy
Topic: 257 Message: 258

Thanks for the file

I will get it loaded this weekend.

N4JZY

--- In KG-UV_Commander@yahoogroups.com, KG-UV_Commander@yahoogroups.com wrote:
>
>
> Hello,
>
> This email message is a notification to let you know that
> a file has been uploaded to the Files area of the KG-UV_Commander
> group.

>

259. csv files model for import with Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-05 00:00:06 UTC
From: eawemb
Topic: 259 Message: 259

Hi,
Does anyone can send me csv file model so I fill it with data from the repeaters of my country and then import it with the KG-UV Commander?

It is difficult to do so to hand....

73
Henrik LU8EFF

260. KG-UV Commander / KC8UNJ

Yahoo group: KG-UV_Commander
Date: 2012-01-06 21:17:38 UTC
From: David A. Behar
Topic: 260 Message: 260

Hi friends,

Many of us are grateful users of the KG-UV Commander software developed by Jim Mitchell, KC8UNJ. Jim has spent a great deal of time and effort on this project, and I know there are times when he has forgone time with his family in order to work on the Commander software for us.

I think it would be really great if all of us would take a minute or two to think about how Jim has helped us make better use of our Wouxun radios, and has saved us time and frustration. And after we have contemplated for a moment or two, let's visit the KG-UV Commander page at http://kc8unj.com/kguv.html, click on the PayPal button, and make a donation of $25, $15, $10, or whatever we can afford.

And here is the special part... add a note with your PayPal donation thanking Jim, and ask him to use your donation to do something special for his family... the folks who have had a bit less time with Jim while he has been working to help us and our hobby (and in some cases, our work).

Anyway, those are my thoughts... what do you think?

David / K7DB

261. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-23 00:17:28 UTC
From: John Wilkerson
Topic: 246 Message: 261

A commander file. Original Wouxun .tw file, read into commander, then saved back to the radio. I'm still working on different configs. What I have left to do is create a "test" file, problem is, I haven't figured out how to create a new file from scratch.I can just kill memories and recreate them that way from a loaded file, though, so it isn't a "real" problem.

I had this same problem with my uvd1 2m/440 radios too, until the author released the latest version and "killed the bug"

Will update as I progress

>
>From: David A. Behar <david271@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Tue, December 20, 2011 7:24:11 PM
>Subject: Re: [KG-UV_Commander] Welcome new members!
>
>
>
>
>Hi John,
>
>I think it would help to explain whether "programming file" means a TW file or a
>Commander file.
>
>I think it would help to post somewhere (maybe create a folder in this group's
>Files section) any involved files -- TW and/or Commander. It could also be
>helpful to post the C:\Program Files\KG-UV Commander\write.log file produced by
>KG-UV Commander when you write to the radio. Another thing that could be useful
>would be a binary dump of the radio (using the OWX program posted at folder
>http://groups.yahoo.com/group/Wouxun_KG-UVD1/files/Software%20%26%20Drivers/Command%20Line%20Util/ in
> zip file wouxun_linux-src_win32-cygwin-binary.zip).
>

262. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2011-12-23 03:26:09 UTC
From: Terry
Topic: 246 Message: 262

Just to clarify a point.

.TW files are the native Wouxun Programming data files, and are
not directly usable with Commander.

Commander data files have a .uvd extension.

--
Comint

>
> When a programming file is loaded by commander, and loaded into the radio, I
> only see the first 10 channels. For some reason, the .tw file gets corrupted
> and locks the radio. I have one of the first generation 2m/220 models.
>

263. RE: [KG-UV_Commander] KG-UV Commander / KC8UNJ

Yahoo group: KG-UV_Commander
Date: 2012-01-07 02:58:23 UTC
From: Chuck Graham
Topic: 260 Message: 263

Thanks Dave great idea.

Chuck Graham, KI6DCD

EDS/SATERN Cochairman

Salvation Army Concord Corps

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of David A. Behar
Sent: Friday, January 06, 2012 1:18 PM
To: KG-UV Commander
Subject: [KG-UV_Commander] KG-UV Commander / KC8UNJ

Hi friends,

Many of us are grateful users of the KG-UV Commander software developed by Jim Mitchell, KC8UNJ. Jim has spent a great deal of time and effort on this project, and I know there are times when he has forgone time with his family in order to work on the Commander software for us.

I think it would be really great if all of us would take a minute or two to think about how Jim has helped us make better use of our Wouxun radios, and has saved us time and frustration. And after we have contemplated for a moment or two, let's visit the KG-UV Commander page at http://kc8unj.com/kguv.html, click on the PayPal button, and make a donation of $25, $15, $10, or whatever we can afford.

And here is the special part... add a note with your PayPal donation thanking Jim, and ask him to use your donation to do something special for his family... the folks who have had a bit less time with Jim while he has been working to help us and our hobby (and in some cases, our work).

Anyway, those are my thoughts... what do you think?

David / K7DB

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1416 / Virus Database: 2109/4126 - Release Date: 01/06/12

264. Re: [KG-UV_Commander] Welcome new members!

Yahoo group: KG-UV_Commander
Date: 2012-01-07 00:15:18 UTC
From: John Wilkerson
Topic: 246 Message: 264

Well... at any rate, I can download the radio's data into Commander, then
re-upload it with commander, and the problem still exists.

----- Original Message ----
> From: Terry <comint@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thu, December 22, 2011 10:26:09 PM
> Subject: Re: [KG-UV_Commander] Welcome new members!
>
> Just to clarify a point.
>
> .TW files are the native Wouxun Programming data files, and are
> not directly usable with Commander.
>
> Commander data files have a .uvd extension.
>
> --
> Comint
>
> >
> > When a programming file is loaded by commander, and loaded into the radio, I
> > only see the first 10 channels. For some reason, the .tw file gets
corrupted
> > and locks the radio. I have one of the first generation 2m/220 models.
> >
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

265. Can't get into commander

Yahoo group: KG-UV_Commander
Date: 2012-01-13 21:04:03 UTC
From: Larry
Topic: 265 Message: 265

I am a newbie, and was referred to this group and Commander. I have downloaded and installed the latest version to use on my KG-UVD1P. When I bring up the program it will NOT let me place any information into the program so I can transfer it to my rig. The program keeps asking me to open an existing file or download information from my radio. Unfortunately, my radio is new, and has no programming in it yet, and I cannot save a file because the program keeps asking to open an EXISTING file. HELP!!

266. Re: Can't get into commander

Yahoo group: KG-UV_Commander
Date: 2012-01-13 21:54:35 UTC
From: jwheatleyus
Topic: 265 Message: 266

New radios generally come with at least a couple of channels programmed. Have you tried to Read the radio? Something will be read from the radio if the program is working. Save that initial configuration as a baseline and then add channels as required.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Larry" <lawitcher@...> wrote:
>
> I am a newbie, and was referred to this group and Commander. I have downloaded and installed the latest version to use on my KG-UVD1P. When I bring up the program it will NOT let me place any information into the program so I can transfer it to my rig. The program keeps asking me to open an existing file or download information from my radio. Unfortunately, my radio is new, and has no programming in it yet, and I cannot save a file because the program keeps asking to open an EXISTING file. HELP!!
>

267. Re: [KG-UV_Commander] Can't get into commander

Yahoo group: KG-UV_Commander
Date: 2012-01-13 22:44:33 UTC
From: David A. Behar
Topic: 265 Message: 267

In KG-UV Commander, just click on the big "New" symbol, and you will have a new blank table in which to enter data.

David

----- Original Message -----
From: Larry
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, January 13, 2012 1:04 PM
Subject: [KG-UV_Commander] Can't get into commander

I am a newbie, and was referred to this group and Commander. I have downloaded and installed the latest version to use on my KG-UVD1P. When I bring up the program it will NOT let me place any information into the program so I can transfer it to my rig. The program keeps asking me to open an existing file or download information from my radio. Unfortunately, my radio is new, and has no programming in it yet, and I cannot save a file because the program keeps asking to open an EXISTING file. HELP!!

268. Re: [KG-UV_Commander] Can't get into commander

Yahoo group: KG-UV_Commander
Date: 2012-01-13 23:50:55 UTC
From: Matthew Stevens
Topic: 265 Message: 268

Larry,
I wouldn't advise just starting with a brand new file, because that will reset the band limits in the radio when you write the new file to it....just read from the radio, then save what you get as your file and make your edits there. When you've programmed what you want, write it back to the radio and you're done!

Matthew

269. Re: Commander won't Read or Write Files????

Yahoo group: KG-UV_Commander
Date: 2012-01-14 00:25:52 UTC
From: jwheatleyus
Topic: 229 Message: 269

Problem Resolved- It was really a sneaky one. I have a seldom used second monitor that I use with PSDR and my Kenwood TS-940SAT. The KG-UV Commander file dialog popups decided to jump to the second monitor which was not turned on, thus the popups were hidden. I don't know what caused the file popups to change monitors, but I know to be aware of this action next time.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> Operating from hard drive only. Very strange- the program is waiting for user input but no file open dialog is visible.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, Steve Peterson <sjpete75@> wrote:
> >
> > Did you open from a jump drive? Or save to one? Stick it back in and save
> > to your HDD.
> > On Oct 17, 2011 9:36 PM, "jwheatleyus" <taoswheat@> wrote:
> >
> > > **
> > >
> > >
> > > I have been using KG-UV Commander since it became available with no
> > > problems until now- It will Read or Write to the radio, but if I try any
> > > file operation like Save, Open, etc, the program hangs. For example, if I
> > > hit Save, no Save Dialog appears and all key presses give an error sound. I
> > > have to use Task Manager to kill the process.
> > > I uninstalled and reinstalled with no effect.
> > > Any ideas?
> > > JohnW
> > > W5JHW
> > >
> > >
> > >
> >
>

270. Can now get into Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-14 00:32:10 UTC
From: Larry
Topic: 270 Message: 270

Thank tou all who quickly responded to my post about "Not being able to get into Commander". With your tuteledge, I am now successful. I now have to ask:

1) Do I have to put both Rx Freq and TX Freq into the spreadsheet or can I just type in the plus (+) or minus (-) offset.

2) I see that my 1P has a 2m freq in the "A" side and a 1.25cm in the "B" side. I would assume that sets the limits of the programming range.

3) I also assume that there is not a separate area for the 1.25cm side, and you assign which Freq you want to a certain channel. What is the "Group/Notes column for? Is that how you separate 2m from 1.25cm, and how do you do that?

271. Re: [KG-UV_Commander] Can now get into Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-14 01:16:44 UTC
From: Matthew Stevens
Topic: 270 Message: 271

well, you do have to put both frequencies in, otherwise the radio will treat the programmed channel as a "receive only" channel.
I think with your second question you are referring to the two default channels that show up on the spreadsheet when you initially read your radio. These are not the band limits, those are under the "Memories" menu. The others that you are seeing are just examples, I guess you could say.
Also, you are right, there are not two separate areas for the different bands. You program them all in the same area in commander. The group/notes column is just for your reference within commander, it's not actually written to the radio.
(btw a lot of this information is in the readme file that you can access from the Help menu in commander. You might want to take a gander at that, it may answer some of your questions :)

Hope this helps!
73,
Matthew KK4FEM

On 1/13/2012 7:32 PM, Larry wrote:
>
> Thank tou all who quickly responded to my post about "Not being able
> to get into Commander". With your tuteledge, I am now successful. I
> now have to ask:
>
> 1) Do I have to put both Rx Freq and TX Freq into the spreadsheet or
> can I just type in the plus (+) or minus (-) offset.
>
> 2) I see that my 1P has a 2m freq in the "A" side and a 1.25cm in the
> "B" side. I would assume that sets the limits of the programming range.
>
> 3) I also assume that there is not a separate area for the 1.25cm
> side, and you assign which Freq you want to a certain channel. What is
> the "Group/Notes column for? Is that how you separate 2m from 1.25cm,
> and how do you do that?
>
>

272. Re: [KG-UV_Commander] Can now get into Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-14 01:22:28 UTC
From: Larry Witcher
Topic: 270 Message: 272

Thanks. I was not able to access the help menu until I downloaded from my radio.

73,
Larry
Larry A. Witcher
KE6LAW

From: Matthew Stevens <truesoutherngeek@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Fri, January 13, 2012 5:16:44 PM
Subject: Re: [KG-UV_Commander] Can now get into Commander

well, you do have to put both frequencies in, otherwise the radio will treat the programmed channel as a "receive only" channel.
I think with your second question you are referring to the two default channels that show up on the spreadsheet when you initially read your radio. These are not the band limits, those are under the "Memories" menu. The others that you are seeing are just examples, I guess you could say.
Also, you are right, there are not two separate areas for the different bands. You program them all in the same area in commander. The group/notes column is just for your reference within commander, it's not actually written to the radio.

(btw a lot of this information is in the readme file that you can access from the Help menu in commander. You might want to take a gander at that, it may answer some of your questions :)

Hope this helps!
73,
Matthew KK4FEM

On 1/13/2012 7:32 PM, Larry wrote:

>Thank tou all who quickly responded to my post about "Not being able to get into
>Commander". With your tuteledge, I am now successful. I now have to ask:
>
>1) Do I have to put both Rx Freq and TX Freq into the spreadsheet or can I just
>type in the plus (+) or minus (-) offset.
>
>2) I see that my 1P has a 2m freq in the "A" side and a 1.25cm in the "B" side.
>I would assume that sets the limits of the programming range.
>
>3) I also assume that there is not a separate area for the 1.25cm side, and you
>assign which Freq you want to a certain channel. What is the "Group/Notes column
>for? Is that how you separate 2m from 1.25cm, and how do you do that?

>
>

273. NARR?

Yahoo group: KG-UV_Commander
Date: 2012-01-14 02:47:29 UTC
From: Larry
Topic: 273 Message: 273

I cannot find reference to "NARR" as listed in the Commander Program column. What is it used for? I do not want to program my radio until I have a complete understanding of what I am programming. I have looked in the help file and the Wouxun operating manual.

Also, can Commander be used to program my KG-699E 2m rig?

274. Re: [KG-UV_Commander] NARR?

Yahoo group: KG-UV_Commander
Date: 2012-01-14 04:06:43 UTC
From: Matthew Stevens
Topic: 273 Message: 274

I don't know about the 699E (you might look on the website), but NARR refers to the narrow or wide bandwidth setting in the HT (You can change it by double-clicking). Narrow is 12.5kHz, Wide is 25kHz.

On 1/13/2012 9:47 PM, Larry wrote:
>
> I cannot find reference to "NARR" as listed in the Commander Program
> column. What is it used for? I do not want to program my radio until I
> have a complete understanding of what I am programming. I have looked
> in the help file and the Wouxun operating manual.
>
> Also, can Commander be used to program my KG-699E 2m rig?
>
>

275. Re: Can now get into Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-14 22:35:09 UTC
From: steve.vogel
Topic: 270 Message: 275

--- In KG-UV_Commander@yahoogroups.com, "Larry" <lawitcher@...> wrote:
>
> Thank tou all who quickly responded to my post about "Not being able to get into Commander". With your tuteledge, I am now successful. I now have to ask:
>
> 1) Do I have to put both Rx Freq and TX Freq into the spreadsheet or can I just type in the plus (+) or minus (-) offset.
>
** Commander is smart enough that when you enter the RX frequency, it will calculate and enter the proper offset for the TX. That has always worked for me.
>
> 2) I see that my 1P has a 2m freq in the "A" side and a 1.25cm in the "B" side. I would assume that sets the limits of the programming range.
>
** The "sides" are not really separate. A and B just refer to the A and B displays. Any of the 128 memory positions can be in either A or B at any given time.
>
> 3) I also assume that there is not a separate area for the 1.25cm side, and you assign which Freq you want to a certain channel. What is the "Group/Notes column for? Is that how you separate 2m from 1.25cm, and how do you do that?
>
** As I said above, there are not 2 "sides", so there is no "separation". Any valid frequency can be entered into any memory position.
The Notes column is for your own use and convenience. It does not affect and is not stored in the radio.
>

276. Re: [KG-UV_Commander] Re: Can now get into Commander

Yahoo group: KG-UV_Commander
Date: 2012-01-14 23:21:46 UTC
From: Larry Witcher
Topic: 270 Message: 276

Thank you. I wish that I had known about Commander automatically calculating the offset. Would have saved me a lot of mental calculating and typing.

73,
Larry
Larry A. Witcher
KE6LAW

From: steve.vogel <svdec@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Sat, January 14, 2012 2:35:09 PM
Subject: [KG-UV_Commander] Re: Can now get into Commander

--- In KG-UV_Commander@yahoogroups.com, "Larry" <lawitcher@...> wrote:
>
> Thank tou all who quickly responded to my post about "Not being able to get
>into Commander". With your tuteledge, I am now successful. I now have to ask:
>
> 1) Do I have to put both Rx Freq and TX Freq into the spreadsheet or can I just
>type in the plus (+) or minus (-) offset.
>
** Commander is smart enough that when you enter the RX frequency, it will calculate and enter the proper offset for the TX. That has always worked for me.
>
> 2) I see that my 1P has a 2m freq in the "A" side and a 1.25cm in the "B" side.
>I would assume that sets the limits of the programming range.
>
** The "sides" are not really separate. A and B just refer to the A and B displays. Any of the 128 memory positions can be in either A or B at any given time.
>
> 3) I also assume that there is not a separate area for the 1.25cm side, and you
>assign which Freq you want to a certain channel. What is the "Group/Notes column
>for? Is that how you separate 2m from 1.25cm, and how do you do that?
>
** As I said above, there are not 2 "sides", so there is no "separation". Any valid frequency can be entered into any memory position.
The Notes column is for your own use and convenience. It does not affect and is not stored in the radio.
>

277. New Wouxun narrow band model

Yahoo group: KG-UV_Commander
Date: 2012-01-15 04:43:43 UTC
From: Dave Knapp
Topic: 277 Message: 277

I was just wondering if anyone knows of any plans in the works for any new UVD-6(narrow band) Commander software yet in the works?

278. KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-01-15 06:26:17 UTC
From: David A. Behar
Topic: 277 Message: 278

Hi Dave,

I have done quite a bit of work on figuring out the internal memory map for the KG-UV6D, and also the TW file format. In fact, I think I have it mostly figured out... and that was with help from some nice folks who used the command line upload/download program to provide me with memory dumps. I am coordinating with Jim Mitchell (KC8UNJ, the developer of the Commander software), and I'll provide him with the memory maps after I get them figured out (just as I did with the earlier radios).

I have received a KG-UV6D radio, but I have not opened the box yet. I have focused first on getting the Tw6Edit spreadsheet working so people can have at least some reasonable way to set up channels. A few people have been playing with this, and if a few other people want to play with the spreadsheet, I'll send it to them. The spreadsheet writes to the TW file, and then the user uses the Wouxun application to actually read and write from/to the radio. The spreadsheet works exactly like the TwEdit spreadsheet that people used for the earlier Wouxun models until the KG-UV Commander software became available.

Anyway, perhaps over the next several weeks I'll have time to do a good job of documenting the radio and TW file memory maps, and I know that this is just the info Jim needs to port KG-UV Commander for the KG-UV6D radio. (But I also need to focus a bit more on my business/day job so I don't go broke!)

David
----- Original Message -----
From: Dave Knapp
Sent: Saturday, January 14, 2012 8:43 PM

I was just wondering if anyone knows of any plans in the works for any new UVD-6(narrow band) Commander software yet in the works?

279. Re: KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-01-15 15:42:18 UTC
From: Dave Knapp
Topic: 277 Message: 279

Thanks Dave!
I figured they had to do some pretty serious changes as all the warning about NOT using any other software but the 6's new software.
Commander is such an awsome program, and so, so much better than the 'stock' software. The radio istself is pretty impressive. It even 'feels' heavier duty next to the UVD1P that I have been playing with. And being in emergency services, this fills the bill with the narrow banding that is here.
I hear you about 'broke'! In fact, I just put my UVD1P on E Bay!
Thank you and Jim for your hard work on making a truly great piece of software!

Dave

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Dave,
>
> I have done quite a bit of work on figuring out the internal memory map for the KG-UV6D, and also the TW file format. In fact, I think I have it mostly figured out... and that was with help from some nice folks who used the command line upload/download program to provide me with memory dumps. I am coordinating with Jim Mitchell (KC8UNJ, the developer of the Commander software), and I'll provide him with the memory maps after I get them figured out (just as I did with the earlier radios).
>
> I have received a KG-UV6D radio, but I have not opened the box yet. I have focused first on getting the Tw6Edit spreadsheet working so people can have at least some reasonable way to set up channels. A few people have been playing with this, and if a few other people want to play with the spreadsheet, I'll send it to them. The spreadsheet writes to the TW file, and then the user uses the Wouxun application to actually read and write from/to the radio. The spreadsheet works exactly like the TwEdit spreadsheet that people used for the earlier Wouxun models until the KG-UV Commander software became available.
>
> Anyway, perhaps over the next several weeks I'll have time to do a good job of documenting the radio and TW file memory maps, and I know that this is just the info Jim needs to port KG-UV Commander for the KG-UV6D radio. (But I also need to focus a bit more on my business/day job so I don't go broke!)
>
> David
> ----- Original Message -----
> From: Dave Knapp
> Sent: Saturday, January 14, 2012 8:43 PM
>
> I was just wondering if anyone knows of any plans in the works for any new UVD-6(narrow band) Commander software yet in the works?
>

280. Re: [KG-UV_Commander] Re: KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-01-15 22:22:24 UTC
From: David A. Behar
Topic: 277 Message: 280

Hi Dave,

Jim Mitchell, KC8UNJ, is the guy to thank. And I really encourage folks who use the Commander software to make a contribution toward the effort on Jim's website via PayPal at http://kc8unj.com/kguv.html. (Disclosure: I have no financial interest in any contributions toward Jim -- I just think that if we are making use of his efforts and determine that they have value, it makes sense to pay an amount of our own choosing as support for his efforts.)

Interestingly, the data structures inside the KG-UV6D are basically the same as those in the KG-UVD1, i.e., the way info is stored for any particular channel appears to be identical. The main difference is that the 6D radio has 199 channels, and the channel info is the first thing stored in the radio's memory... so all of the other stuff gets bumped to higher memory addresses. And software which interacts with the radio must to a precisely perfect job of knowing the address in the radio's memory where all information is stored.

Although my only involvement with the Commander project has been to provide some info about the memory map of the radio's memory and of TW file memory, to the degree that the 6D stores information the same way as the earlier models -- but just in different addresses -- porting KG-UV Commander to the 6D would be a smaller project than (for example) Jim's earlier work of porting Commander from a Yaesu radio to the KG-UVD1P.

David
----- Original Message -----
From: Dave Knapp
Sent: Sunday, January 15, 2012 7:42 AM
Thanks Dave!
I figured they had to do some pretty serious changes as all the warning about NOT using any other software but the 6's new software.
Commander is such an awsome program, and so, so much better than the 'stock' software. The radio istself is pretty impressive. It even 'feels' heavier duty next to the UVD1P that I have been playing with. And being in emergency services, this fills the bill with the narrow banding that is here.
I hear you about 'broke'! In fact, I just put my UVD1P on E Bay!
Thank you and Jim for your hard work on making a truly great piece of software!

Dave

281. Wilmington, NC

Yahoo group: KG-UV_Commander
Date: 2012-01-22 22:30:14 UTC
From: kc5cym
Topic: 281 Message: 281

Anyone have a 2 meter repeater list for Wilmington, NC?

282. Re: Wilmington, NC

Yahoo group: KG-UV_Commander
Date: 2012-01-23 10:09:34 UTC
From: Milkman
Topic: 281 Message: 282

Try this
Wilmington, NC 145.170 88.5 0.0
Wilmington, NC 146.730 none 0.0
Wilmington, NC 146.820 none 0.0
Wilmington, NC 147.135 none 0.0
Wilmington, NC 147.180 none 0.0
MACO, NC 147.060 none 14.2W
SOUTHPORT, NC 146.775 none 21.7S
BURGAW, NC 146.940 none 22.7N
YAUPON BEACH, NC 146.670 none 24.1S
SHALLOTTE, NC 145.370 none 32.5SW
SHALLOTTE, NC 147.315 none 32.5SW
SHALLOTTE, NC 147.390 none 32.5SW
JACKSONVILLE, NC 145.190 88.5 47.1NE
JACKSONVILLE, NC 147.000 none 47.1NE
Elizabethtown, NC 146.985 162.2 48.9NW
BEULAVILLE, NC 145.230 none 49.3N

--- In KG-UV_Commander@yahoogroups.com, "kc5cym" <kc5cym@...> wrote:
>
> Anyone have a 2 meter repeater list for Wilmington, NC?
>

283. Re: Wilmington, NC

Yahoo group: KG-UV_Commander
Date: 2012-01-23 10:19:38 UTC
From: Milkman
Topic: 281 Message: 283

Save this repeater list

http://rptr.amateur-radio.net/

--- In KG-UV_Commander@yahoogroups.com, "Milkman" <milkman21218@...> wrote:
>
> Try this
> Wilmington, NC 145.170 88.5 0.0
> Wilmington, NC 146.730 none 0.0
> Wilmington, NC 146.820 none 0.0
> Wilmington, NC 147.135 none 0.0
> Wilmington, NC 147.180 none 0.0
> MACO, NC 147.060 none 14.2W
> SOUTHPORT, NC 146.775 none 21.7S
> BURGAW, NC 146.940 none 22.7N
> YAUPON BEACH, NC 146.670 none 24.1S
> SHALLOTTE, NC 145.370 none 32.5SW
> SHALLOTTE, NC 147.315 none 32.5SW
> SHALLOTTE, NC 147.390 none 32.5SW
> JACKSONVILLE, NC 145.190 88.5 47.1NE
> JACKSONVILLE, NC 147.000 none 47.1NE
> Elizabethtown, NC 146.985 162.2 48.9NW
> BEULAVILLE, NC 145.230 none 49.3N
>
>
>
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, "kc5cym" <kc5cym@> wrote:
> >
> > Anyone have a 2 meter repeater list for Wilmington, NC?
> >
>

284. Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 05:28:53 UTC
From: Rick
Topic: 284 Message: 284

I dont understand how to set the offset for each individual channel
I thought the offset was the difference between the RX and the TX

RX 448.060
-5.000
Tx 443.060

and

Rx 147.210
+ 0.600
Tx 147.810

If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.

Another Question:

do I enter the same tone in both encode and decode if only one is listed in the ARRL repeater guide.
Sorry if these are basic questions but yes I am new.

Rick
KJ6TJR
Fontana

285. Re: [KG-UV_Commander] Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 09:00:49 UTC
From: Paul Linkous
Topic: 284 Message: 285

The offset is correct however sometimes on uhf it can be a + or - depends.
I have found that the repeater guide is not always right.
For tone some repeaters are full tone an some are only on the input.
Depends on how it is setup.

Paul H Linkous III
N8PHL
On Jan 30, 2012 12:29 AM, "Rick" <riptyd64@...> wrote:

> I dont understand how to set the offset for each individual channel
> I thought the offset was the difference between the RX and the TX
>
> RX 448.060
> -5.000
> Tx 443.060
>
> and
>
> Rx 147.210
> + 0.600
> Tx 147.810
>
> If this is not the case I am going to have to figure a way around my
> programing software as it does not have a place to enter offset.
>
> Another Question:
>
> do I enter the same tone in both encode and decode if only one is listed
> in the ARRL repeater guide.
> Sorry if these are basic questions but yes I am new.
>
> Rick
> KJ6TJR
> Fontana
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

286. Re: Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 10:25:42 UTC
From: m0lta
Topic: 284 Message: 286

If you are using the commander software for a UVD1 or similar then you enter the RX and the TX frequency. You dont enter the offset amount

Andrew

--- In KG-UV_Commander@yahoogroups.com, "Rick" <riptyd64@...> wrote:
>
> I dont understand how to set the offset for each individual channel
> I thought the offset was the difference between the RX and the TX
>
> RX 448.060
> -5.000
> Tx 443.060
>
> and
>
> Rx 147.210
> + 0.600
> Tx 147.810
>
> If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.
>
> Another Question:
>
> do I enter the same tone in both encode and decode if only one is listed in the ARRL repeater guide.
> Sorry if these are basic questions but yes I am new.
>
> Rick
> KJ6TJR
> Fontana
>

287. Re: Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 13:11:03 UTC
From: steve.vogel
Topic: 284 Message: 287

If you're using the Commander software, just enter the RX frequency. Commander will calculate and enter the correct TX frequency. Sometimes the offset is +, sometimes it's -.

--- In KG-UV_Commander@yahoogroups.com, "Rick" <riptyd64@...> wrote:
>
> I dont understand how to set the offset for each individual channel
> I thought the offset was the difference between the RX and the TX
>
> RX 448.060
> -5.000
> Tx 443.060
>
> and
>
> Rx 147.210
> + 0.600
> Tx 147.810
>
> If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.
>
> Another Question:
>
> do I enter the same tone in both encode and decode if only one is listed in the ARRL repeater guide.
> Sorry if these are basic questions but yes I am new.
>
> Rick
> KJ6TJR
> Fontana
>

288. Re: Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 14:22:25 UTC
From: jwheatleyus
Topic: 284 Message: 288

A suggestion regarding Tones- Encode or Tx tone is generally required to access the repeater. Decode or Rx tone is not required. Decode is used to prevent squelch breaks from noise or adjacent channels or possibly from a distant repeater. I initially setup with NO Decode to make sure I am hitting the repeater. Then I turn on Decode and again verify I can hear the repeater. If the repeater is heard with Decode On, leave it on. If you don't hear the repeater with Decode on, it means that the repeater is not sending tone so you must turn tone Off.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "steve.vogel" <svdec@...> wrote:
>
> If you're using the Commander software, just enter the RX frequency. Commander will calculate and enter the correct TX frequency. Sometimes the offset is +, sometimes it's -.
>
> --- In KG-UV_Commander@yahoogroups.com, "Rick" <riptyd64@> wrote:
> >
> > I dont understand how to set the offset for each individual channel
> > I thought the offset was the difference between the RX and the TX
> >
> > RX 448.060
> > -5.000
> > Tx 443.060
> >
> > and
> >
> > Rx 147.210
> > + 0.600
> > Tx 147.810
> >
> > If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.
> >
> > Another Question:
> >
> > do I enter the same tone in both encode and decode if only one is listed in the ARRL repeater guide.
> > Sorry if these are basic questions but yes I am new.
> >
> > Rick
> > KJ6TJR
> > Fontana
> >
>

289. Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 14:43:30 UTC
From: leumluath
Topic: 289 Message: 289

Hi, all. New to the group and the KG-UV3D.

I got my radio last Friday and programmed it over the weekend with Commander. I didn't see the auto-offset menu, so I entered receive and transmit frequencies manually.

It appears correct. If I download from the radio, I see the correct frequencies read back to me. Receive seems OK. However...

if I use Menu-2-3 on the radio, offset reads "------" and I can't enter a value. In frequency mode, shouldn't I see both the receive and transmit frequencies? I see the receive frequency over "UV3D." And I haven't been able to bring up the local repeater.

Do I have an issue? Or, is everything normal and I'm just in a bad spot for accessing the repeater?

Steve
WD9FGZ

290. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 15:00:50 UTC
From: jwheatleyus
Topic: 289 Message: 290

When you are on a memory channel, Menu 2-3 won't allow changes. If you Menu 2-1 Freq changes are allowed. When frequency is displayed, it it the Rx frequency- Hit PTT and Tx frequency is displayed. Make certain you have the correct Encode Tone for the repeater and do not use Decode tone in case the repeater does not send tone.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "leumluath" <speterka@...> wrote:
>
> Hi, all. New to the group and the KG-UV3D.
>
> I got my radio last Friday and programmed it over the weekend with Commander. I didn't see the auto-offset menu, so I entered receive and transmit frequencies manually.
>
> It appears correct. If I download from the radio, I see the correct frequencies read back to me. Receive seems OK. However...
>
> if I use Menu-2-3 on the radio, offset reads "------" and I can't enter a value. In frequency mode, shouldn't I see both the receive and transmit frequencies? I see the receive frequency over "UV3D." And I haven't been able to bring up the local repeater.
>
> Do I have an issue? Or, is everything normal and I'm just in a bad spot for accessing the repeater?
>
> Steve
> WD9FGZ
>

291. Re: Trouble with offsets

Yahoo group: KG-UV_Commander
Date: 2012-01-30 15:55:38 UTC
From: Kuby
Topic: 284 Message: 291

Do not forget - Band-Plans are by state coordinating bodies (not ARRL) and not all states follow a standard plan, i.e. 440 band in most eastern USA (east of the Rockies) uses a + split (where RX is below 445 & TX is above).... But Southern California band plan (by SCRUBA) is flipped (due to geographical limitations CA can get away with this having minimal other state interference).

Just like most of USA uses a 20KHz 2m spacing, but CA is 15KHz and not all simplex is simplex!

KG: I do not care about offsets since KG's allow me to set actual TX & RX frequencies per memory (which is great for split band SAT OPS). Offset would only be used in VFO mode.

--- In KG-UV_Commander@yahoogroups.com, Paul Linkous <paul.linkous@...> wrote:
>
> The offset is correct however sometimes on uhf it can be a + or - depends.
> I have found that the repeater guide is not always right.
> For tone some repeaters are full tone an some are only on the input.
> Depends on how it is setup.
>
> Paul H Linkous III
> N8PHL
> On Jan 30, 2012 12:29 AM, "Rick" <riptyd64@...> wrote:
>
> > I dont understand how to set the offset for each individual channel
> > I thought the offset was the difference between the RX and the TX
> >
> > RX 448.060
> > -5.000
> > Tx 443.060
> >
> > and
> >
> > Rx 147.210
> > + 0.600
> > Tx 147.810
> >
> > If this is not the case I am going to have to figure a way around my
> > programing software as it does not have a place to enter offset.
> >
> > Another Question:
> >
> > do I enter the same tone in both encode and decode if only one is listed
> > in the ARRL repeater guide.
> > Sorry if these are basic questions but yes I am new.
> >
> > Rick

> > KJ6TJR
> > Fontana
> >
> >
> >
> > ---
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>

292. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 16:22:39 UTC
From: leumluath
Topic: 289 Message: 292

OK, doing it all manually in Frequency mode:

Receive OK - I can hear repeater traffic
Transmit OK - I can hear myself on simplex on another radio.
Offset OK - I see the correct transmit freq when I key the HT
CTCSS Transmit OK - I get 'CT' on the display when I transmit. The tone is correct. Is there an adjustment for the level?
Power is High
'Bandwidth' - Narrow or Wide? I have it set to 'Wide', although I tried 'Narrow.'

But, still can't bring up the repeater. I do have the radio on an external 1/4-wave mobile antenna to try to get more signal. The only other thing I can think is to get a visual view of the tower and try again. It could be an alligator... all mouth and no ears.

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> When you are on a memory channel, Menu 2-3 won't allow changes. If you Menu 2-1 Freq changes are allowed. When frequency is displayed, it it the Rx frequency- Hit PTT and Tx frequency is displayed. Make certain you have the correct Encode Tone for the repeater and do not use Decode tone in case the repeater does not send tone.
> JohnW
> W5JHW
>

293. Re: [KG-UV_Commander] Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 17:07:30 UTC
From: Ed Greany
Topic: 289 Message: 293

How about your Offset Direction (+, -, off)? If you can hear yourself on simplex then your offset is probably set to OFF.
Perform MENU 24 function.

Ed

--- On Mon, 1/30/12, leumluath <speterka@...> wrote:

From: leumluath <speterka@...>
Subject: [KG-UV_Commander] Re: Also trouble with offsets? I don't know.
To: KG-UV_Commander@yahoogroups.com
Date: Monday, January 30, 2012, 8:22 AM

OK, doing it all manually in Frequency mode:

Receive OK - I can hear repeater traffic
Transmit OK - I can hear myself on simplex on another radio.
Offset OK - I see the correct transmit freq when I key the HT
CTCSS Transmit OK - I get 'CT' on the display when I transmit. The tone is correct. Is there an adjustment for the level?
Power is High
'Bandwidth' - Narrow or Wide? I have it set to 'Wide', although I tried 'Narrow.'

But, still can't bring up the repeater. I do have the radio on an external 1/4-wave mobile antenna to try to get more signal. The only other thing I can think is to get a visual view of the tower and try again. It could be an alligator... all mouth and no ears.

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> When you are on a memory channel, Menu 2-3 won't allow changes. If you Menu 2-1 Freq changes are allowed. When frequency is displayed, it it the Rx frequency- Hit PTT and Tx frequency is displayed. Make certain you have the correct Encode Tone for the repeater and do not use Decode tone in case the repeater does not send tone.
> JohnW
> W5JHW
>

294. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 17:34:33 UTC
From: jwheatleyus
Topic: 289 Message: 294

Are you certain of the correct Repeater Tone? If you are sure you are using the correct tone setting, maybe try talking to another radio simplex but with tone to make sure your radio is transmitting tone. There is no level adjustment.
JohnW
W5JHW

> OK, doing it all manually in Frequency mode:
>
> Receive OK - I can hear repeater traffic
> Transmit OK - I can hear myself on simplex on another radio.
> Offset OK - I see the correct transmit freq when I key the HT
> CTCSS Transmit OK - I get 'CT' on the display when I transmit. The tone is correct. Is there an adjustment for the level?
> Power is High
> 'Bandwidth' - Narrow or Wide? I have it set to 'Wide', although I tried 'Narrow.'
>
> But, still can't bring up the repeater. I do have the radio on an external 1/4-wave mobile antenna to try to get more signal. The only other thing I can think is to get a visual view of the tower and try again. It could be an alligator... all mouth and no ears.

295. Re: [KG-UV_Commander] Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-30 17:43:43 UTC
From: Felix
Topic: 289 Message: 295

I had similar trouble with a local repeater. They had CTSS freq and DCS code listed in the directory. PL didn't work for me but DCS did.

On 01/30/2012 12:34 PM, jwheatleyus wrote:

Are you certain of the correct Repeater Tone? If you are sure you are using the correct tone setting, maybe try talking to another radio simplex but with tone to make sure your radio is transmitting tone. There is no level adjustment.
JohnW
W5JHW

> OK, doing it all manually in Frequency mode:
>
> Receive OK - I can hear repeater traffic
> Transmit OK - I can hear myself on simplex on another radio.
> Offset OK - I see the correct transmit freq when I key the HT
> CTCSS Transmit OK - I get 'CT' on the display when I transmit. The tone is correct. Is there an adjustment for the level?
> Power is High
> 'Bandwidth' - Narrow or Wide? I have it set to 'Wide', although I tried 'Narrow.'
>
> But, still can't bring up the repeater. I do have the radio on an external 1/4-wave mobile antenna to try to get more signal. The only other thing I can think is to get a visual view of the tower and try again. It could be an alligator... all mouth and no ears.

296. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-31 04:19:01 UTC
From: leumluath
Topic: 289 Message: 296

Thanks for all the help. Problem solved.

I drove out to the highest point in the county, with a line of site view of the repeater tower. In frequency mode, which I entered manually, it worked fine. So I switched to Channel mode, programmed with Commander, and all three local repeaters worked fine also. So the radio is fine and the setup is fine. The issue is just location/power/antenna height, and that can be dealt with.

Thanks again

Steve
WD9FGZ

--- In KG-UV_Commander@yahoogroups.com, "leumluath" <speterka@...> wrote:
>
> OK, doing it all manually in Frequency mode:
>
> Receive OK - I can hear repeater traffic
> Transmit OK - I can hear myself on simplex on another radio.
> Offset OK - I see the correct transmit freq when I key the HT
> CTCSS Transmit OK - I get 'CT' on the display when I transmit. The tone is correct. Is there an adjustment for the level?
> Power is High
> 'Bandwidth' - Narrow or Wide? I have it set to 'Wide', although I tried 'Narrow.'
>
> But, still can't bring up the repeater. I do have the radio on an external 1/4-wave mobile antenna to try to get more signal. The only other thing I can think is to get a visual view of the tower and try again. It could be an alligator... all mouth and no ears.
>
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > When you are on a memory channel, Menu 2-3 won't allow changes. If you Menu 2-1 Freq changes are allowed. When frequency is displayed, it it the Rx frequency- Hit PTT and Tx frequency is displayed. Make certain you have the correct Encode Tone for the repeater and do not use Decode tone in case the repeater does not send tone.
> > JohnW
> > W5JHW
> >
>

297. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-31 13:32:54 UTC
From: steve.vogel
Topic: 289 Message: 297

There is no "auto-offset menu". The offset is there by default when you enter the RX frequency.

--- In KG-UV_Commander@yahoogroups.com, "leumluath" <speterka@...> wrote:
>
> Hi, all. New to the group and the KG-UV3D.
>
> I got my radio last Friday and programmed it over the weekend with Commander. I didn't see the auto-offset menu, so I entered receive and transmit frequencies manually.
>
> It appears correct. If I download from the radio, I see the correct frequencies read back to me. Receive seems OK. However...
>
> if I use Menu-2-3 on the radio, offset reads "------" and I can't enter a value. In frequency mode, shouldn't I see both the receive and transmit frequencies? I see the receive frequency over "UV3D." And I haven't been able to bring up the local repeater.
>
> Do I have an issue? Or, is everything normal and I'm just in a bad spot for accessing the repeater?
>
> Steve
> WD9FGZ
>

298. Re: Also trouble with offsets? I don't know.

Yahoo group: KG-UV_Commander
Date: 2012-01-31 13:46:47 UTC
From: leumluath
Topic: 289 Message: 298

In my version (0.1.2 beta), Use Auto-Shift is in the pull-down Settings menu. I believe it was unchecked by default. Commander was by default not filling in transmit frequencies when I entered the receive frequencies.

--- In KG-UV_Commander@yahoogroups.com, "steve.vogel" <svdec@...> wrote:
>
> There is no "auto-offset menu". The offset is there by default when you enter the RX frequency.
>

299. Re: [KG-UV_Commander] Re: Wilmington, NC

Yahoo group: KG-UV_Commander
Date: 2012-01-31 15:21:50 UTC
From: Robert Terzi
Topic: 281 Message: 299

FYI, When this question was originally asked a week ago, I checked the repeater database web site http://repeaterbook.com/ and found it's coverage of the North Carolina area was lacking.

I contacted Garrett, the site's owner. I heard back from him last night, that the coverage of the Carolinas has now been vastly improved.

Take a look. If you spot any inaccurate data, you can submit a correction request right from the site.

http://www.repeaterbook.com/repeaters/index.php?state_id=37

I don't any pecuniary interest in repeaterbook.com, though I have dome some work to try to get the repeater list in NYC/Long Island to be more accurate and up to date. The site has the capability for volunteer admins that know a particular area to field update requests so the site maintains a source of good clean repeater data that is freely available to all.

Hope this helps,
--Rob

300. "10 channel bug" update (was: Re: Welcome new members!)

Yahoo group: KG-UV_Commander
Date: 2012-01-31 18:25:49 UTC
From: John
Topic: 246 Message: 300

I now have explored ALL options, with the same result. I wrote a brand new file in Commander, and it Still won't allow me to access more than 10 channels. Radio was locked in ham only frequencies and programmed to ham only frequencies to prevent any issues there. Wouxun software and Chirp have no issues with this radio.

Again: Bear in mind this ONLY affects the 2m/220 version, the UHf version HAD the same bug until the latest Commander update.

--- In KG-UV_Commander@yahoogroups.com, Jay Rutherford <k3bh@...> wrote:
>
> John,
>
> I'm sure you've explored all of this thoroughly, but what about the
> following: initially read the radio with KG-UV Commander and save it.
> Then read the saved file, add some stuff to memory channels (more than
> 10), and write it back to the radio. Any difference from your earlier
> results?
>
> The only problem I had with my 2m/220 HT was when I tried to use an old
> 2m/440 file, that "bricked" my radio until I wrote the original file to
> the radio to recover it.
>
> 73 Jay K3BH
>
> On 12/20/2011 07:09 PM, John Wilkerson wrote:
> > When a programming file is loaded by commander, and loaded into the radio, I
> > only see the first 10 channels. For some reason, the .tw file gets corrupted
> > and locks the radio. I have one of the first generation 2m/220 models.
>

301. Re: KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2012-02-03 02:07:33 UTC
From: ftowers
Topic: 185 Message: 301

Is there a way to use the whole ascii character set when giving an alpha names to memory channels? Or at least be able to use the "." (period) in these names.

Thanks.

Fred
WB4KXS

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> KG-UV Commander 0.1.2 beta is now availbale for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
> 0.1.2 beta
>
> - Fixed crash when multiple decimals inadvertently entered in freq field
> - Prevent entry of invalid Encode field
> - Errors on CSV import reported with line number
> - CSV header detection non-case sensitive
> - Fixed mouse scroll wheel scrolling on settings tabs
> - Fixed problems with welcome message ("black boxes" and problems in Wouxun software)
> - Opened up welcome msg and single receive msg to whole ascii character set
> - Fixed problem importing some TW files which imposed maximum tunable memory channel
>
>
> If you experienced one of these problems, try the new beta. I look forward to everyone's feedback!
>
> Jim
> KC8UNJ
>

302. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2012-02-03 02:42:34 UTC
From: Terry
Topic: 185 Message: 302

Fred

NO. The limitation is in the Wouxun.

--
Terry

>
>
> Is there a way to use the whole ascii character set when giving an alpha names to memory channels? Or at least be able to use the "." (period) in these names.
>
> Thanks.
>
> Fred
> WB4KXS
>

303. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2012-02-03 03:47:40 UTC
From: David A. Behar
Topic: 185 Message: 303

Hi friends,

I think the Wouxun application permits 0-9, A-Z, question mark, and plus sign.

I think KG-UV Commander also accommodates the space character.

David

----- Original Message -----
From: ftowers
Sent: Thursday, February 02, 2012 6:07 PM

Is there a way to use the whole ascii character set when giving an alpha names to memory channels? Or at least be able to use the "." (period) in these names.

Thanks.

Fred
WB4KXS

304. Re: KG-UV Commander 0.1.2 beta available

Yahoo group: KG-UV_Commander
Date: 2012-02-04 02:17:00 UTC
From: ftowers
Topic: 185 Message: 304

Thanks for the info. I was afraid of that.

Fred
WB4KXS

--- In KG-UV_Commander@yahoogroups.com, Terry <comint@...> wrote:
>
> Fred
>
> NO. The limitation is in the Wouxun.
>
> --
> Terry
>
> >
> >
> > Is there a way to use the whole ascii character set when giving an alpha names to memory channels? Or at least be able to use the "." (period) in these names.
> >
> > Thanks.
> >
> > Fred
> > WB4KXS
> >
>

305. Re: KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-02-04 07:39:39 UTC
From: Rob
Topic: 277 Message: 305

Any recent word on whether Jim has plans to update his software for the 6?

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Dave,
>
> Jim Mitchell, KC8UNJ, is the guy to thank.

306. Re: [KG-UV_Commander] Re: KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-02-04 09:45:33 UTC
From: David A. Behar
Topic: 277 Message: 306

Hi Rob,

Jim indicated recently that he will be working on a KG-UV6D version of Commander (and he may already may be working on this). I've passed on to Jim a draft memory map of the radio's memory space and of the KG-UV6D TW file format.

David

----- Original Message -----
From: Rob
Sent: Friday, February 03, 2012 11:39 PM
Any recent word on whether Jim has plans to update his software for the 6?

307. Re: KG-UV Commander for KG-UV6D?

Yahoo group: KG-UV_Commander
Date: 2012-02-07 04:50:15 UTC
From: Rob
Topic: 277 Message: 307

Excellent. Better warm PayPal up again... ;)

Thanks.

...R

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Rob,
>
> Jim indicated recently that he will be working on a KG-UV6D version of Commander (and he may already may be working on this). I've passed on to Jim a draft memory map of the radio's memory space and of the KG-UV6D TW file format.
>
> David
>
> ----- Original Message -----
> From: Rob
> Sent: Friday, February 03, 2012 11:39 PM
> Any recent word on whether Jim has plans to update his software for the 6?
>

308. Trip Frequency

Yahoo group: KG-UV_Commander
Date: 2012-02-12 14:56:20 UTC
From: Webbtown18
Topic: 308 Message: 308

I will be travailing to Cleveland Ohio then down to outside Akron this Thur 2/16/12 From Elmira NY. I am looking for a list of working repeaters along my way. I will have my KG-UVD1P 2m/220 HT. I will be driving along I86 to I 90 to Cleveland then after some tests at Cleveland Clinic on to Doylestown OH. If anyone could post a list of working 2M/220 repeaters along my way or email them to me at kc2ppe@...
Thanks for your help.

Eddie Murphy
KC2PPE
kc2ppe@...

309. Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-02-13 03:02:48 UTC
From: stevenr437
Topic: 309 Message: 309

Hello All,

Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?

When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.

I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.

FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP

Thanks guys.

310. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-02-16 03:45:05 UTC
From: flower_xxxx
Topic: 309 Message: 310

Yes, that is one of the improvement functions for the 6D model.

--- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@...> wrote:
>
> Hello All,
>
> Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
>
> When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
>
> I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
>
> FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
>
> Thanks guys.
>

311. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-05 16:09:09 UTC
From: Stephen Brown
Topic: 309 Message: 311

I've got the KG-UV6D V2 model, and, using the programming software, I see no way to keep the top knob from working.

Honestly, considering you can pretty much lock the keyboard into oblivion, the top knob would really be the only way to change channels.

I don't think this feature exists on this model.

73 de N8PZT

--- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@...> wrote:
>
> Hello All,
>
> Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
>
> When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
>
> I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
>
> FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
>
> Thanks guys.
>

312. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-05 16:48:50 UTC
From: wouxunus
Topic: 309 Message: 312

For the past 2-1/2 years, one of the most requested improvements was the ability to change channels while the keypad is locked. It took Wouxun until the UV6D to implement this feature. I doubt it will change back.

Regards,
Ed Griffin
www.Wouxun.US

--- In KG-UV_Commander@yahoogroups.com, "Stephen Brown" <n8pzt@...> wrote:
>
>
>
> I've got the KG-UV6D V2 model, and, using the programming software, I see no way to keep the top knob from working.
>
> Honestly, considering you can pretty much lock the keyboard into oblivion, the top knob would really be the only way to change channels.
>
> I don't think this feature exists on this model.
>
> 73 de N8PZT
>
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> >
> > Hello All,
> >
> > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> >
> > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> >
> > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> >
> > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> >

> > Thanks guys.
> >
>

313. Locking user controls

Yahoo group: KG-UV_Commander
Date: 2012-03-05 18:50:13 UTC
From: David A. Behar
Topic: 309 Message: 313

Hi friends,

In some applications it is very helpful to configure a radio so the keypad is locked, but the channel knob is still operable. In fact, this is the traditional way handheld radios operated (e.g., Motorola HT-220) before they were controlled by microprocessors. This configuration is helpful when the operator needs to frequently or sometimes change channels, but when keypad controls are vulnerable to unintended operation -- through inadvertent bumping, through inadvertent operation (e.g., by an inexperienced user), or through unauthorized operation (e.g., a bored employee "playing with" the radio).

In other applications it is helpful to have all features enabled; e.g., an experienced radio operator whose responsibilities requires frequent reconfiguration of parameters, and where the physical environment is such that inadvertent operation of the keypad controls is unlikely.

But in some applications it is helpful to lock all radio controls. For example, this configuration would be valuable for a hiker who tosses his radio in his backpack, and shifting items in the backpack or bumps to the backpack could inadvertently operate the channel selector. It appears that the KG-UV6D does not support this configuration.

A manufacturer has great flexibility in the design of the user interface of a microprocessor-controlled radio, as the operation of the radio is controlled by the radio's software. (Sometimes the term "firmware" is used for software which is permanently or semi-permanently installed in equipment.) But the design of a good user interface requires expert knowledge of human factors, environmental factors, and the nature of the missions to which purchasers in the target market will be applying the equipment. A wise developer (e.g., manufacturer) will hire an expert in human factors and user interface design to design the user interface, and will allocate resources to study how the radio will be used and might be used. In the case of a two-way handheld radio, it would be useful to be able to have more than two possible states for the "locking attribute". (In the email below, the two possible states are "lock the keyboard" and "unlock the keyboard"; the channel selector knob is never locked.)

Specifically regarding the Wouxun radios, it would probably not be wise for the manufacturer to "change back" the user interface so it is impossible to lock the keypad but leave the channel selector unlocked. But it would be wise for the manufacturer to offer more than two states for the "lock" parameter, so the user can select the best lock configuration for his application (e.g., "all locked", "only keypad locked", or "all unlocked").

David

----- Original Message -----
From: wouxunus
To: KG-UV_Commander@yahoogroups.com
Sent: Monday, March 05, 2012 8:48 AM
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

For the past 2-1/2 years, one of the most requested improvements was the ability to change channels while the keypad is locked. It took Wouxun until the UV6D to implement this feature. I doubt it will change back.

Regards,
Ed Griffin
www.Wouxun.US

--- In KG-UV_Commander@yahoogroups.com, "Stephen Brown" <n8pzt@...> wrote:
>
>
>
> I've got the KG-UV6D V2 model, and, using the programming software, I see no way to keep the top knob from working.
>
> Honestly, considering you can pretty much lock the keyboard into oblivion, the top knob would really be the only way to change channels.
>
> I don't think this feature exists on this model.
>
> 73 de N8PZT
>
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> >
> > Hello All,
> >
> > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> >
> > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> >
> > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> >
> > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> >
> > Thanks guys.
> >
>

314. Re: Locking user controls

Yahoo group: KG-UV_Commander
Date: 2012-03-06 19:30:39 UTC
From: hardwaretweeker
Topic: 309 Message: 314

This last weekend I had this 'channel' change problem occur. My UV1 has all controls locked, but I chose to use my UV6 on a SAR training mission. Unknown to me, I had changed channels when I turned down the volume. When I needed to contact the SAR base I couldn't reach them. I eventually pulled the radio out of my chest back and found it was on the wrong channel. Very frustrating! Having the ability to lock all controls, or some controls 'without' having to hook it up to a PC would be useful. Keylock is needed, channel lock is needed, as is the ability to program frequencies from the keyboard in the field, or totally lock it down for users you only want to use certain channels.

Steve

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi friends,
>
> In some applications it is very helpful to configure a radio so the keypad is locked, but the channel knob is still operable. In fact, this is the traditional way handheld radios operated (e.g., Motorola HT-220) before they were controlled by microprocessors. This configuration is helpful when the operator needs to frequently or sometimes change channels, but when keypad controls are vulnerable to unintended operation -- through inadvertent bumping, through inadvertent operation (e.g., by an inexperienced user), or through unauthorized operation (e.g., a bored employee "playing with" the radio).
>
> In other applications it is helpful to have all features enabled; e.g., an experienced radio operator whose responsibilities requires frequent reconfiguration of parameters, and where the physical environment is such that inadvertent operation of the keypad controls is unlikely.
>
> But in some applications it is helpful to lock all radio controls. For example, this configuration would be valuable for a hiker who tosses his radio in his backpack, and shifting items in the backpack or bumps to the backpack could inadvertently operate the channel selector. It appears that the KG-UV6D does not support this configuration.
>
> A manufacturer has great flexibility in the design of the user interface of a microprocessor-controlled radio, as the operation of the radio is controlled by the radio's software. (Sometimes the term "firmware" is used for software which is permanently or semi-permanently installed in equipment.) But the design of a good user interface requires expert knowledge of human factors, environmental factors, and the nature of the missions to which purchasers in the target market will be applying the equipment. A wise developer (e.g., manufacturer) will hire an expert in human factors and user interface design to design the user interface, and will allocate resources to study how the radio will be used and might be used. In the case of a two-way handheld radio, it would be useful to be able to have more than two possible states for the "locking attribute". (In the email below, the two possible states are "lock the keyboard" and "unlock the keyboard"; the channel selector knob is never locked.)

>
> Specifically regarding the Wouxun radios, it would probably not be wise for the manufacturer to "change back" the user interface so it is impossible to lock the keypad but leave the channel selector unlocked. But it would be wise for the manufacturer to offer more than two states for the "lock" parameter, so the user can select the best lock configuration for his application (e.g., "all locked", "only keypad locked", or "all unlocked").
>
> David
>
> ----- Original Message -----
> From: wouxunus
> To: KG-UV_Commander@yahoogroups.com
> Sent: Monday, March 05, 2012 8:48 AM
> Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6
>
>
>
> For the past 2-1/2 years, one of the most requested improvements was the ability to change channels while the keypad is locked. It took Wouxun until the UV6D to implement this feature. I doubt it will change back.
>
> Regards,
> Ed Griffin
> www.Wouxun.US
>
> --- In KG-UV_Commander@yahoogroups.com, "Stephen Brown" <n8pzt@> wrote:
> >
> >
> >
> > I've got the KG-UV6D V2 model, and, using the programming software, I see no way to keep the top knob from working.
> >
> > Honestly, considering you can pretty much lock the keyboard into oblivion, the top knob would really be the only way to change channels.
> >
> > I don't think this feature exists on this model.
> >
> > 73 de N8PZT
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > >
> > > Hello All,
> > >
> > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > >
> > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock

the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > >
> > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > >
> > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > >
> > > Thanks guys.
> > >
> >
>

315. WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 02:02:12 UTC
From: Rick
Topic: 315 Message: 315

This is an email exchange between myself and the owner of the Western Intertie Network Sysytem (WIN SYSTEM) Why am I still not able to make my radio work here?
Thanks for any help.....

Howdy,

If you don't have an offset feature in your Chinese radio, then you are transmitting on the repeater output frequency. No wonder it doesn't work.

Repeaters work on the duplex principle: They receive on one frequecy and then simultaneously re-transmit their received signal out through their transmitter at the same time.

Our Santiago repeater receives on 443.060 and transmits on 448.060. That means your radio must have a - offset of 5.000 MHz in order for it to work.

Our Sunset repeater receives on 147.810 and transmits on 147.210. That means that your radio must have a + offset of 0.600 MHz in order for it to work.

I'm sorry you find that confusing. But that's the way repeaters work.

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@... wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@...>
Subject: Re: New Technician needs help
Date: Sun, 29 Jan 2012 18:59:32 -0800 (PST)

Thanks for getting back to me. But now I think I am more confused.

I thought the offset was the difference between the RX and the TX

RX 448.060
-5.000
Tx 443.060
and

Rx 147.210
+ 0.600
Tx 147.810

If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.

Rick Lebel
KJ6TJR
"Adventure is Worthwhile".....Aristotle

From: Shorty Stouffer <k6jsi@winsystem.org>
To: Rick Lebel <riptyd64@...>
Sent: Sunday, January 29, 2012 2:35 PM
Subject: Re: New Technician needs help

Howdy,

My answers in Blue...

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@... wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@...>
Subject: New Technician needs help
Date: Sat, 28 Jan 2012 17:29:52 -0800 (PST)

Hello Shorty,

My name is Rick, KJ6JTR, and I am a new technician. The winsystem frequencies were on a radio programming sheet I got at HRO anaheim. I have been listening in on what is labeled as WINOC 448.060 Tone 100.0 in my wouxun kg-uv3d it is programmed as

RX 448.060 Tx 443.060 Decode 100.0 Encode 100.0 Tx Power HIGH Scan add ON Bandwidth WIDE
I can hear it like its next door but cannot seem to hit it from anywhere, I live in Fontana. I do not see a repeater offset listed. You need three things to successfully operate through a repeater: 1) The correct receive frequency (448.060), 2) The correct Offset (- 5.000 MHz), and 3) CTCSS Tone (Encode 100.0). It appears as if you're missing the offset.
I have also been trying to hit the Sunset repeater on

Rx 147.210 Tx 147.810 Decode 100.0 Encode 100.0 Tx Power HIGH but cannot hit it either
Again, you're missing the offset, it should be (+ 0.600 kHz.)

I know my little HT has the power based on the fact that I could hit Keller Peak from the parking lot at Griffith Observatory in LA and have complete quieting.

What am I missing/ doing wrong. I hear people talking from LA to Hawaii and I want to play.

Can you help?
73s

Rick Lebel

"Adventure is Worthwhile".....Aristotle

Western Intertie Network
www.winsystem.org

317. Re: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 02:09:10 UTC
From: Thomas Carpenter
Topic: 315 Message: 317

Jeff,
Your other email is not five minutes old. The easiest was to get what you need is to look at the uploads of files in the files section.

compare what you see that works for others to what you are doing.

Tom Kb3hg

-----Original Message-----
From: Rick <riptyd64@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sun, Mar 11, 2012 10:04 pm
Subject: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

This is an email exchange between myself and the owner of the WIN SYSTEM. I must still be missing something in the programing. anyone able to help me out?.....

Howdy,

If you don't have an offset feature in your Chinese radio, then you are transmitting on the repeater output frequency. No wonder it doesn't work.

Repeaters work on the duplex principle: They receive on one frequecy and then simultaneously re-transmit their received signal out through their transmitter at the same time.

Our Santiago repeater receives on 443.060 and transmits on 448.060. That means your radio must have a - offset of 5.000 MHz in order for it to work.

Our Sunset repeater receives on 147.810 and transmits on 147.210. That means that your radio must have a + offset of 0.600 MHz in order for it to work.

I'm sorry you find that confusing. But that's the way repeaters work.

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@... wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@...>
Subject: Re: New Technician needs help

Date: Sun, 29 Jan 2012 18:59:32 -0800 (PST)

Thanks for getting back to me. But now I think I am more confused.

I thought the offset was the difference between the RX and the TX

RX 448.060
-5.000
Tx 443.060
and

Rx 147.210
+ 0.600
Tx 147.810

If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.

Rick Lebel
KJ6TJR
"Adventure is Worthwhile".....Aristotle

From: Shorty Stouffer <k6jsi@...>
To: Rick Lebel <riptyd64@...>
Sent: Sunday, January 29, 2012 2:35 PM
Subject: Re: New Technician needs help

Howdy,

My answers in Blue...

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@yahoo.com wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@...>
Subject: New Technician needs help
Date: Sat, 28 Jan 2012 17:29:52 -0800 (PST)

Hello Shorty,

My name is Rick, KJ6JTR, and I am a new technician. The winsystem frequencies were on a radio programming sheet I got at HRO anaheim. I have been listening in on what is labeled as WINOC 448.060 Tone 100.0 in my wouxun kg-uv3d it is programmed as

RX 448.060 Tx 443.060 Decode 100.0 Encode 100.0 Tx Power HIGH Scan add ON Bandwidth WIDE
I can hear it like it next door but cannot seem to hit it from anywhere, I live in Fontana. I do not see a repeater offset listed. You need three things to successfully operate through a repeater: 1) The correct receive frequency (448.060), 2) The correct Offset (- 5.000 MHz), and 3) CTCSS Tone (Encode 100.0). It appears as if you're missing the offset.
I have also been trying to hit the Sunset repeater on

Rx 147.210 Tx 147.810 Decode 100.0 Encode 100.0 Tx Power HIGH but cannot hit it either Again, you're missing the offset, it should be (+ 0.600 kHz.)

I know my little HT has the power based on the fact that I could hit Keller Peak from the parking lot at Griffith Observatory in LA and have complete quieting.

What am I missing/ doing wrong. I hear people talking from LA to Hawaii and I want to play.

Can you help?
73s

Rick Lebel

"Adventure is Worthwhile".....Aristotle

Western Intertie Network
www.winsystem.org

Yahoo! Groups Links

318. Re: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 02:28:57 UTC
From: Thomas Carpenter
Topic: 315 Message: 318

Via program.
Enter tx freq., enter receive freq. enter tone, enter wide. Enter Name and note which channel no your loading. Save to radio cycle power try it.

I don't bother with the offset my self.

Tom Kb3hg

-----Original Message-----
From: Rick <riptyd64@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sun, Mar 11, 2012 10:04 pm
Subject: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

This is an email exchange between myself and the owner of the WIN SYSTEM. I must still be missing something in the programing. anyone able to help me out?.....

Howdy,

If you don't have an offset feature in your Chinese radio, then you are transmitting on the repeater output frequency. No wonder it doesn't work.

Repeaters work on the duplex principle: They receive on one frequecy and then simultaneously re-transmit their received signal out through their transmitter at the same time.

Our Santiago repeater receives on 443.060 and transmits on 448.060. That means your radio must have a - offset of 5.000 MHz in order for it to work.

Our Sunset repeater receives on 147.810 and transmits on 147.210. That means that your radio must have a + offset of 0.600 MHz in order for it to work.

I'm sorry you find that confusing. But that's the way repeaters work.

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@... wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@winsystem.org>
Subject: Re: New Technician needs help

Date: Sun, 29 Jan 2012 18:59:32 -0800 (PST)

Thanks for getting back to me. But now I think I am more confused.

I thought the offset was the difference between the RX and the TX

RX 448.060
-5.000
Tx 443.060
and

Rx 147.210
+ 0.600
Tx 147.810

If this is not the case I am going to have to figure a way around my programing software as it does not have a place to enter offset.

Rick Lebel
KJ6TJR
"Adventure is Worthwhile".....Aristotle

From: Shorty Stouffer <k6jsi@...>
To: Rick Lebel <riptyd64@yahoo.com>
Sent: Sunday, January 29, 2012 2:35 PM
Subject: Re: New Technician needs help

Howdy,

My answers in Blue...

Jeff (Shorty) Stouffer, K6JSI
Home: 707/ 487-2450
Cell: 707/ 951-3501
The WIN System
The American Red Cross
winsystem.org
IRLP Reflector 9100

--- riptyd64@... wrote:

From: Rick Lebel <riptyd64@...>
To: "k6jsi@..." <k6jsi@winsystem.org>
Subject: New Technician needs help
Date: Sat, 28 Jan 2012 17:29:52 -0800 (PST)

Hello Shorty,

My name is Rick, KJ6JTR, and I am a new technician. The winsystem frequencies were on a radio programming sheet I got at HRO anaheim. I have been listening in on what is labeled as WINOC 448.060 Tone 100.0 in my wouxun kg-uv3d it is programmed as

RX 448.060 Tx 443.060 Decode 100.0 Encode 100.0 Tx Power HIGH Scan add ON Bandwidth WIDE
I can hear it like it next door but cannot seem to hit it from anywhere, I live in Fontana. I do not see a repeater offset listed. You need three things to successfully operate through a repeater: 1) The correct receive frequency (448.060), 2) The correct Offset (- 5.000 MHz), and 3) CTCSS Tone (Encode 100.0). It appears as if you're missing the offset.
I have also been trying to hit the Sunset repeater on

Rx 147.210 Tx 147.810 Decode 100.0 Encode 100.0 Tx Power HIGH but cannot hit it either Again, you're missing the offset, it should be (+ 0.600 kHz.)

I know my little HT has the power based on the fact that I could hit Keller Peak from the parking lot at Griffith Observatory in LA and have complete quieting.

What am I missing/ doing wrong. I hear people talking from LA to Hawaii and I want to play.

Can you help?
73s

Rick Lebel

"Adventure is Worthwhile".....Aristotle

Western Intertie Network
www.winsystem.org

Yahoo! Groups Links

319. Re: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 04:39:27 UTC
From: Bill Maxwell
Topic: 315 Message: 319

I'm with Tom. Much easier to directly enter the two frequencies required than having to worry about setting a specific offset. Of course, by directly entering the two frequencies, we are really setting an offset, just that the way we do it, it is particular to that one channmel and saves having to calculate what that offest is and the direction it requires.

I see you have the tone set on both transmit and receive, Rick. Is it really needed on receive? It might be that your radio is actually working fine but being an obedient servant, is sitting there waiting for a signal to arrive carrying the required tone. If your repeater doesn't generate that tone, and most don't generate tones on their transmitted signal, your receiver could be waiting a very long time before it gets to open the squelch and let you hear the incoming signal.

Bill, VK7MX

On 12/03/2012 1:28 PM, Thomas Carpenter wrote:
>
>
> Via program.
> Enter tx freq., enter receive freq. enter tone, enter wide. Enter Name
> and note which channel no your loading. Save to radio cycle power try it.
>
> I don't bother with the offset my self.
>
> Tom Kb3hg
>
>
> -----Original Message-----
> From: Rick <riptyd64@...>
> To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
> Sent: Sun, Mar 11, 2012 10:04 pm
> Subject: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help
>
> This is an email exchange between myself and the owner of the WIN SYSTEM. I must
> still be missing something in the programing. anyone able to help me
> out?.....
>
>
>
>
> Howdy,
>
> If you don't have an offset feature in your Chinese radio, then you are
> transmitting on the repeater output frequency. No wonder it doesn't work.
>

> Repeaters work on the duplex principle: They receive on one frequecy and then
> simultaneously re-transmit their received signal out through their transmitter
> at the same time.
>
> Our Santiago repeater receives on 443.060 and transmits on 448.060. That means
> your radio must have a - offset of 5.000 MHz in order for it to work.
>
> Our Sunset repeater receives on 147.810 and transmits on 147.210. That means
> that your radio must have a + offset of 0.600 MHz in order for it to work.
>
> I'm sorry you find that confusing. But that's the way repeaters work.
>
>
> Jeff (Shorty) Stouffer, K6JSI
> Home: 707/ 487-2450
> Cell: 707/ 951-3501
> The WIN System
> The American Red Cross
> winsystem.org
> IRLP Reflector 9100
>
>
>
> ---riptyd64@... <mailto:riptyd64@...> wrote:
>
> From: Rick Lebel<riptyd64@... <mailto:riptyd64@...>>
> To: "k6jsi@... <mailto:k6jsi@...>"<k6jsi@... <mailto:k6jsi@...>>
> Subject: Re: New Technician needs help
> Date: Sun, 29 Jan 2012 18:59:32 -0800 (PST)
>
>
> Thanks for getting back to me. But now I think I am more confused.
>
> I thought the offset was the difference between the RX and the TX
>
> RX 448.060
> -5.000
> Tx 443.060
> and
>
> Rx 147.210
> + 0.600
> Tx 147.810
>
> If this is not the case I am going to have to figure a way around my programing
> software as it does not have a place to enter offset.
>
>
>
> Rick Lebel

> KJ6TJR
> "Adventure is Worthwhile".....Aristotle
>
>
> From: Shorty Stouffer<k6jsi@... <mailto:k6jsi@...>>
> To: Rick Lebel<riptyd64@... <mailto:riptyd64@...>>
> Sent: Sunday, January 29, 2012 2:35 PM
> Subject: Re: New Technician needs help
>
>
>
> Howdy,
>
> My answers in Blue...
>
>
> Jeff (Shorty) Stouffer, K6JSI
> Home: 707/ 487-2450
> Cell: 707/ 951-3501
> The WIN System
> The American Red Cross
> winsystem.org
> IRLP Reflector 9100
>
>
>
> ---riptyd64@... <mailto:riptyd64@...> wrote:
>
> From: Rick Lebel<riptyd64@... <mailto:riptyd64@...>>
> To: "k6jsi@... <mailto:k6jsi@...>"<k6jsi@... <mailto:k6jsi@...>>
> Subject: New Technician needs help
> Date: Sat, 28 Jan 2012 17:29:52 -0800 (PST)
>
>
> Hello Shorty,
>
> My name is Rick, KJ6JTR, and I am a new technician. The winsystem frequencies
> were on a radio programming sheet I got at HRO anaheim. I have been listening in
> on what is labeled as WINOC 448.060 Tone 100.0 in my wouxun kg-uv3d it is
> programmed as
>
> RX 448.060 Tx 443.060 Decode 100.0 Encode 100.0 Tx Power HIGH Scan add ON
> Bandwidth WIDE
> I can hear it like it next door but cannot seem to hit it from anywhere, I live
> in Fontana. I do not see a repeater offset listed. You need three things to
> successfully operate through a repeater: 1) The correct receive frequency
> (448.060), 2) The correct Offset (- 5.000 MHz), and 3) CTCSS Tone (Encode
> 100.0). It appears as if you're missing the offset.
> I have also been trying to hit the Sunset repeater on
>

> Rx 147.210 Tx 147.810 Decode 100.0 Encode 100.0 Tx Power HIGH but cannot hit it
> either Again, you're missing the offset, it should be (+ 0.600 kHz.)
>
> I know my little HT has the power based on the fact that I could hit Keller Peak
> from the parking lot at Griffith Observatory in LA and have complete quieting.
>
> What am I missing/ doing wrong. I hear people talking from LA to Hawaii and I
> want to play.
>
> Can you help?
> 73s
>
> Rick Lebel
>
> "Adventure is Worthwhile".....Aristotle
>
>
> Western Intertie Network
> www.winsystem.org <http://www.winsystem.org>
>
>
>
>
>
>
>
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>
>
>

320. Re: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 04:56:40 UTC
From: Stephen Brown
Topic: 315 Message: 320

On 03/11/12 21:04, Rick wrote:
>
> This is an email exchange between myself and the owner of the WIN
> SYSTEM. I must still be missing something in the programing. anyone
> able to help me out?.....
>
> Howdy,
>
> If you don't have an offset feature in your Chinese radio, then you
> are transmitting on the repeater output frequency. No wonder it
> doesn't work.
>
> Repeaters work on the duplex principle: They receive on one frequecy
> and then simultaneously re-transmit their received signal out through
> their transmitter at the same time.
>
> Our Santiago repeater receives on 443.060 and transmits on 448.060.
> That means your radio must have a - offset of 5.000 MHz in order for
> it to work.
>
> Our Sunset repeater receives on 147.810 and transmits on 147.210. That
> means that your radio must have a + offset of 0.600 MHz in order for
> it to work.
>
> I'm sorry you find that confusing. But that's the way repeaters work.
>
> Jeff (Shorty) Stouffer, K6JSI
> Home: 707/ 487-2450
> Cell: 707/ 951-3501
> The WIN System
> The American Red Cross
> winsystem.org
> IRLP Reflector 9100
>
> --- riptyd64@... <mailto:riptyd64%40yahoo.com> wrote:
>
> From: Rick Lebel <riptyd64@... <mailto:riptyd64%40yahoo.com>>
> To: "k6jsi@... <mailto:k6jsi%40winsystem.org>"
> <k6jsi@... <mailto:k6jsi%40winsystem.org>>
> Subject: Re: New Technician needs help
> Date: Sun, 29 Jan 2012 18:59:32 -0800 (PST)
>
> Thanks for getting back to me. But now I think I am more confused.
>
> I thought the offset was the difference between the RX and the TX

>
> RX 448.060
> -5.000
> Tx 443.060
> and
>
> Rx 147.210
> + 0.600
> Tx 147.810
>
> If this is not the case I am going to have to figure a way around my
> programing software as it does not have a place to enter offset.
>
>
>
> Rick Lebel
> KJ6TJR
> "Adventure is Worthwhile".....Aristotle
>
> From: Shorty Stouffer <k6jsi@... <mailto:k6jsi%40winsystem.org>>
> To: Rick Lebel <riptyd64@... <mailto:riptyd64%40yahoo.com>>
> Sent: Sunday, January 29, 2012 2:35 PM
> Subject: Re: New Technician needs help
>
> Howdy,
>
> My answers in Blue...
>
> Jeff (Shorty) Stouffer, K6JSI
> Home: 707/ 487-2450
> Cell: 707/ 951-3501
> The WIN System
> The American Red Cross
> winsystem.org
> IRLP Reflector 9100
>
> --- riptyd64@... <mailto:riptyd64%40yahoo.com> wrote:
>
> From: Rick Lebel <riptyd64@... <mailto:riptyd64%40yahoo.com>>
> To: "k6jsi@... <mailto:k6jsi%40winsystem.org>"
> <k6jsi@... <mailto:k6jsi%40winsystem.org>>
> Subject: New Technician needs help
> Date: Sat, 28 Jan 2012 17:29:52 -0800 (PST)
>
> Hello Shorty,
>
> My name is Rick, KJ6JTR, and I am a new technician. The winsystem
> frequencies were on a radio programming sheet I got at HRO anaheim. I
> have been listening in on what is labeled as WINOC 448.060 Tone 100.0
> in my wouxun kg-uv3d it is programmed as

>
> RX 448.060 Tx 443.060 Decode 100.0 Encode 100.0 Tx Power HIGH Scan add
> ON Bandwidth WIDE
> I can hear it like it next door but cannot seem to hit it from
> anywhere, I live in Fontana. I do not see a repeater offset listed.
> You need three things to successfully operate through a repeater: 1)
> The correct receive frequency (448.060), 2) The correct Offset (-
> 5.000 MHz), and 3) CTCSS Tone (Encode 100.0). It appears as if you're
> missing the offset.
> I have also been trying to hit the Sunset repeater on
>
> Rx 147.210 Tx 147.810 Decode 100.0 Encode 100.0 Tx Power HIGH but
> cannot hit it either Again, you're missing the offset, it should be (+
> 0.600 kHz.)
>
> I know my little HT has the power based on the fact that I could hit
> Keller Peak from the parking lot at Griffith Observatory in LA and
> have complete quieting.
>
> What am I missing/ doing wrong. I hear people talking from LA to
> Hawaii and I want to play.
>
> Can you help?
> 73s
>
> Rick Lebel
>
> "Adventure is Worthwhile".....Aristotle
>
> Western Intertie Network
> www.winsystem.org
>
>
Hi Rick, congrats on getting your ticket.

I have one of the new Wouxun KG-UV6D's, and programming it with the software is as simple as one can get.

Just one thing: Forget The "Offset Factor!"

Let me explain. There is a repeater offset feature, but it isn't automatic with the Wouxun radios, necessarily. Simply put, if you're using software, all you really need to know is the Receive Frequency and the Transmit Frequency, and the proper offset for the band, itself, in your case, 70cm (or 440), which is 5MHz, up or down.

Specifically, 442-445 = +5 MHz (except in California, where 440 repeaters begin at 440 MHz), and 447-450 = -5 MHz. The 70cm band may have odd offsets, depending upon local repeater coordination agreements. The same can be said for the 2 Meter band, as well, or any band for that matter.

Now, back to the software: When you program the Wouxun radios with their software, what happens is that, when in channel mode, you're given a "+-" indication on the top of the display. This means the Receive and Transmit Frequencies are already programmed.

I used to have a Yaesu VX-7R handheld, and I used the ARRL's "Ham Call" software to look up repeaters in a given area, or along a traveled route. I exported this to a standard CSV (Comma Separated Value) File to the VX-7 Commander programming software from http://www.kc8unj.com/vx7.html. This allowed me to import that CSV file with 500 or so repeaters.

When I uploaded it to the VX-7R, all my memory entries had that "+-" symbol at the top of the display, just like the Wouxun. Beacause of this experience, I had no problems understanding that the "+-" meant that the system was already programmed. By transmitting, the frequency display changed, and I could see what offset was being used for the XMIT frequency when I keyed the PTT.

The Commander software for the Wouxun radios isn't yet compatible with the KG-UV6D as of this writing, although I heard there was some development going on. It'll be there after a while, though, and then we can use the great Commander software for our KG-UV6D's.

I don't recall which radio you had. Which one was it again?

Anyway, if you already know the offsets, you can just calculate it manually, then enter in the proper transmit and receive frequencies without having to mess with the offset feature.

I wish you the best of luck with your projects.

Sincerely,
Stephen Brown
N8PZT

321. Re: [KG-UV_Commander] WIN SYSTEM TROUBLE.....Help

Yahoo group: KG-UV_Commander
Date: 2012-03-12 05:10:43 UTC
From: Stephen Brown
Topic: 315 Message: 321

Oh, made a mistake on my previous post.

It wasn't 'Ham Call' softwar from ARRL, it was "TravelPlus for Repeaters" that I bought.

Sorry for the error.

73
de N8PZT

322. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-12 20:20:59 UTC
From: Kuby
Topic: 309 Message: 322

Can someone compare the UV3 to UV6, to help me understand why I might want to buy a UV6 vs UV3 vs UV1?

So far, I think the only difference are:
..... UV1 = 50 memories
..... UV3 = 100 memories
..... UV6 = 200 memories
now it's how many memories do I need?

I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to insure costumers understand and remain happy with their purchase. I own a UV3 (being SAT Friendly) and I'm very happy; I do not need another 100 memories.

Unless there is some significant difference between a UV3&UV6 (like battery life/usage, power out, etc) I see no reason to upgrade.

323. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-12 21:57:51 UTC
From: jwheatleyus
Topic: 309 Message: 323

2.5KHz Step in the UVD6 if you need new Part 90 frequencies.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> Can someone compare the UV3 to UV6, to help me understand why I might want to buy a UV6 vs UV3 vs UV1?
>
> So far, I think the only difference are:
> ..... UV1 = 50 memories
> ..... UV3 = 100 memories
> ..... UV6 = 200 memories
> now it's how many memories do I need?
>
> I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to insure costumers understand and remain happy with their purchase. I own a UV3 (being SAT Friendly) and I'm very happy; I do not need another 100 memories.
>
> Unless there is some significant difference between a UV3&UV6 (like battery life/usage, power out, etc) I see no reason to upgrade.
>

324. RE: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-12 23:49:02 UTC
From: Ralph Milnes
Topic: 309 Message: 324
Attachments: 2 described; binary payloads are missing from this source WARC

Also, the 6D can do 4 decimals (xxx.xxxx MHz) where the 1 and 3 can only do 3 decimals. This is important for some of the Part 90 frequencies, such as the non-Federal interoperability frequencies, e.g. 151.1375 MHz

Ralph NM5RM

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of jwheatleyus
Sent: Monday, March 12, 2012 3:58 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

2.5KHz Step in the UVD6 if you need new Part 90 frequencies.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "Kuby" <n6jsx@...> wrote:
>
> Can someone compare the UV3 to UV6, to help me understand why I might want to buy a UV6 vs UV3 vs UV1?
>
> So far, I think the only difference are:
> ..... UV1 = 50 memories
> ..... UV3 = 100 memories
> ..... UV6 = 200 memories
> now it's how many memories do I need?
>
> I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to insure costumers understand and remain happy with their purchase. I own a UV3 (being SAT Friendly) and I'm very happy; I do not need another 100 memories.
>
> Unless there is some significant difference between a UV3&UV6 (like battery life/usage, power out, etc) I see no reason to upgrade.
>

325. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-13 01:42:35 UTC
From: Thomas Carpenter
Topic: 309 Message: 325

Kuby,
UV6 two models 5k step and 2.5K step, then the memory. 1, 2, 3 have 128 memories. 2.5 KHZ steps are very important for commercial and public safety people. That is the basic reason along with the new narrow banding requirement for them. And last, you need to buy one immediately to support the Economy and our various dealers. If you don't we will have a triple dip recession. :)

Tom Kb3hg

-----Original Message-----
From: Kuby <n6jsx@yahoo.com>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Mon, Mar 12, 2012 4:21 pm
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

Can someone compare the UV3 to UV6, to help me understand why I might want to buy a UV6 vs UV3 vs UV1?

So far, I think the only difference are:
..... UV1 = 50 memories
..... UV3 = 100 memories
..... UV6 = 200 memories
now it's how many memories do I need?

I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to insure costumers understand and remain happy with their purchase. I own a UV3 (being SAT Friendly) and I'm very happy; I do not need another 100 memories.

Unless there is some significant difference between a UV3&UV6 (like battery life/usage, power out, etc) I see no reason to upgrade.

Yahoo! Groups Links

326. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-13 12:29:43 UTC
From: steve.vogel
Topic: 309 Message: 326

UV1, UV2, and UV3 all have 128 memories. That's more than enough for me.

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> Can someone compare the UV3 to UV6, to help me understand why I might want to buy a UV6 vs UV3 vs UV1?
>
> So far, I think the only difference are:
> ..... UV1 = 50 memories
> ..... UV3 = 100 memories
> ..... UV6 = 200 memories
> now it's how many memories do I need?
>
> I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to insure costumers understand and remain happy with their purchase. I own a UV3 (being SAT Friendly) and I'm very happy; I do not need another 100 memories.
>
> Unless there is some significant difference between a UV3&UV6 (like battery life/usage, power out, etc) I see no reason to upgrade.
>

327. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-13 15:26:48 UTC
From: Zaphod B
Topic: 309 Message: 327

Odd, I just tested my KG-UVD1P using the 6.25 KHz step setting, and it went straight to 151.1375, with no trickery.

I would almost bet that using the programming software would allow it too. Almost any radio with narrow functionality should handle the new steps, even my Baofengs, and an old ADI Sender 125 (no narrow) do. It's just on these radios the indication of the 4th and 5th place after the decimal, is a small .25 .5 or .75 "tack on" numeral that lights up.

However, if they did it right, the 7th place would surely help with channel names.

73,
AE7EC

--- In KG-UV_Commander@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> Also, the 6D can do 4 decimals (xxx.xxxx MHz) where the 1 and 3 can only do
> 3 decimals. This is important for some of the Part 90 frequencies, such as
> the non-Federal interoperability frequencies, e.g. 151.1375 MHz
>
>
>
> Ralph NM5RM
>
>
>
> From: KG-UV_Commander@yahoogroups.com
> [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of jwheatleyus
> Sent: Monday, March 12, 2012 3:58 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6
>
>
>
>
>
> 2.5KHz Step in the UVD6 if you need new Part 90 frequencies.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com> , "Kuby" <n6jsx@> wrote:
> >
> > Can someone compare the UV3 to UV6, to help me understand why I might want
> to buy a UV6 vs UV3 vs UV1?
> >
> > So far, I think the only difference are:

> > ..... UV1 = 50 memories
> > ..... UV3 = 100 memories
> > ..... UV6 = 200 memories
> > now it's how many memories do I need?
> >
> > I'd like to see Wouxun make a differences matrix between UV1/2/3/6 to
> insure costumers understand and remain happy with their purchase. I own a
> UV3 (being SAT Friendly) and I'm very happy; I do not need another 100
> memories.
> >
> > Unless there is some significant difference between a UV3&UV6 (like
> battery life/usage, power out, etc) I see no reason to upgrade.
> >
>

328. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-13 16:05:12 UTC
From: Thomas Carpenter
Topic: 309 Message: 328

Well 6.25 KHZ will not yield all the same frequencies that 2.5 KHZ steps will. There is a spreadsheet/ table that shows what will and will not work in many cases. check out the file areas in the Wouxun groups. Its not as easy as just tacking on a number that lights up.go back and read the archives about the 6 series radios. A real interesting read to say the least.

Tom Kb3hg

-----Original Message-----
From: Zaphod B <zaphodb777@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Tue, Mar 13, 2012 11:27 am
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

Odd, I just tested my KG-UVD1P using the 6.25 KHz step setting, and it went straight to 151.1375, with no trickery.

I would almost bet that using the programming software would allow it too. Almost any radio with narrow functionality should handle the new steps, even my Baofengs, and an old ADI Sender 125 (no narrow) do. It's just on these radios the indication of the 4th and 5th place after the decimal, is a small .25 .5 or .75 "tack on" numeral that lights up.

However, if they did it right, the 7th place would surely help with channel names.

73,
AE7EC

329. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-15 02:37:45 UTC
From: stevenr437
Topic: 309 Message: 329

LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.

--- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@...> wrote:
>
> Yes, that is one of the improvement functions for the 6D model.
>
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> >
> > Hello All,
> >
> > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> >
> > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> >
> > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> >
> > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> >
> > Thanks guys.
> >
>

330. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-15 02:44:05 UTC
From: stevenr437
Topic: 309 Message: 330

Other than the 2.5 stepping, this radio is useless in my case, pocket, wherever it is stores especially when climbing down a hill on the side of the interstate or getting into the ambulance or firetruck. If we cannot lock the channel selector knob and keep it from switching without our knowledge I might as well continue using my KG-UVD1P even though it doesn't have the 2.5 steps at least I can lock the knobs in place. Wouxun really messed this one up!!!! I am really sorry I upgraded to the UV6. Waste of money unless someone can write a program to fix the firmware. Have the UV6 sitting on my dresser like a scanner, best and safest place for it so the channels won't get changed. Now relying on my KG-UVD1P for my missions. Very disappointed.

--- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@...> wrote:
>
> LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
>
> --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@> wrote:
> >
> > Yes, that is one of the improvement functions for the 6D model.
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > >
> > > Hello All,
> > >
> > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > >
> > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > >
> > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > >
> > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > >
> > > Thanks guys.
> > >

> >
>

331. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-15 03:58:36 UTC
From: wouxunus
Topic: 309 Message: 331

With the Keypad locked, the top knob will only change channels on the active display. If you have both upper and lower display showing the channel you want to monitor, even if the knob turns, it will not change the dual-watched channel.

Regards,
Ed Griffin
www.Wouxun.US

--- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@...> wrote:
>
> LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
>
> --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@> wrote:
> >
> > Yes, that is one of the improvement functions for the 6D model.
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > >
> > > Hello All,
> > >
> > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > >
> > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > >
> > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > >
> > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > >
> > > Thanks guys.
> > >
> >
>

332. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-15 12:56:23 UTC
From: Kuby
Topic: 309 Message: 332

Wuoxun, look at the TH-F6a and copy their 'LOCK' control.

F6a has multiple levels of locking; keypad only or ALL buttons/controls including selector knob (takes press of LOCK button for +2sec to toggle On/Off LOCK). LOCK selection is done in radio setup/config menu.

Wuoxun, consider for the UV7, the ability to reprogram the OS of the radio allowing users to upload a feature/bug fix. Alinco DJ-G7 allows users to upload radio OS changes - copy them!

Finally Wuoxun, either allow users to reprogram keypad key functions or for HAM world get rid of the RODGER beep button. For HAM (all) I recommend making it the Repeater split button; three toggle modes = first +split, second -split, third simplex.

--- In KG-UV_Commander@yahoogroups.com, "wouxunus" <ed@...> wrote:
>
> With the Keypad locked, the top knob will only change channels on the active display. If you have both upper and lower display showing the channel you want to monitor, even if the knob turns, it will not change the dual-watched channel.
>
> Regards,
> Ed Griffin
> www.Wouxun.US
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> >
> > LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
> >
> > --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@> wrote:
> > >
> > > Yes, that is one of the improvement functions for the 6D model.
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > > >
> > > > Hello All,
> > > >
> > > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > > >
> > > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock

the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > > >
> > > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > > >
> > > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > > >
> > > > Thanks guys.
> > > >
> > >
> >
>

333. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-15 13:34:03 UTC
From: n1evh@verizon.net
Topic: 309 Message: 333

LOTS of radios have the option of locking just the keypad... locking just the dial... locking the keypad and dial... and so on. The TH-F6A isn't the only radio that offers this.

With my Yaesu VX-7R... I can choose to lock just the dial... just the keypad... just the PTT... or a combination of the three.

As for "reprogramming the radio's OS"... I'm assuming you mean being able to update the firmware. The next thing people will be saying... add so many memories like this radio has and add an external DC jack like this radio has and so on.

Right now as I look at places that sell the UVD1P, UV3D, and the UV6D... you're paying anywhere from $40 to $55 more for what??? 2.5KHz steps... 72 extra memories... the SMA connector that is being used by Yaesu, Kenwood, and others???

How much more do you think Wouxon would have to charge for their radios if they also added this feature or that feature because other radios have it and people like those features??? If they start to copy/add the features that other various HTs have... then the Wouxon HT's will then be costing just as much as the Yaesu Kenwood... and other HTs.

You can't make everyone happy.

Mike - N1EVH

-------Original Message-------

From: Kuby
Date: 03/15/12 08:56:29
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

Wuoxun, look at the TH-F6a and copy their 'LOCK' control.

F6a has multiple levels of locking; keypad only or ALL buttons/controls including selector knob (takes press of LOCK button for +2sec to toggle On/Off LOCK). LOCK selection is done in radio setup/config menu.

Wuoxun, consider for the UV7, the ability to reprogram the OS of the radio allowing users to upload a feature/bug fix. Alinco DJ-G7 allows users to upload radio OS changes - copy them!

Finally Wuoxun, either allow users to reprogram keypad key functions or for HAM world get rid of the RODGER beep button. For HAM (all) I recommend making it the Repeater split button; three toggle modes = first +split,

second -split, third simplex.

--- In KG-UV_Commander@yahoogroups.com, "wouxunus" <ed@...> wrote:
>
> With the Keypad locked, the top knob will only change channels on the active display. If you have both upper and lower display showing the channel you want to monitor, even if the knob turns, it will not change the dual-watched channel.
>
> Regards,
> Ed Griffin
> www.Wouxun.US
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> >
> > LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
> >
> > --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@> wrote:
> > >
> > > Yes, that is one of the improvement functions for the 6D model.
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > > >
> > > > Hello All,
> > > >
> > > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > > >
> > > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > > >
> > > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > > >
> > > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied

by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > > >
> > > > Thanks guys.
> > > >
> > >
> >
>

Yahoo! Groups Links

334. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 05:53:23 UTC
From: David A. Behar
Topic: 309 Message: 334

Hi friends,

A couple of quick comments...

1) Wouxun could program the firmware to do just about anything.

2) Re the knob, a nice idea would be to put a couple of carefully placed drops of clear fingernail polish in a way to lock the plastic channel-change knob to the case. If it ever needs to be removed, you can use fingernail polish to remove most of it, and then just pull the knob to remove it and finish the cleaning job. In the meantime, use the arrow keys or keyboard to change channels. (Just as there is more than one way to skin a cat, there is more than one way to lock a channel select knob.)

David

----- Original Message -----
From: stevenr437
To: KG-UV_Commander@yahoogroups.com
Sent: Wednesday, March 14, 2012 7:44 PM
Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6

Other than the 2.5 stepping, this radio is useless in my case, pocket, wherever it is stores especially when climbing down a hill on the side of the interstate or getting into the ambulance or firetruck. If we cannot lock the channel selector knob and keep it from switching without our knowledge I might as well continue using my KG-UVD1P even though it doesn't have the 2.5 steps at least I can lock the knobs in place. Wouxun really messed this one up!!!! I am really sorry I upgraded to the UV6. Waste of money unless someone can write a program to fix the firmware. Have the UV6 sitting on my dresser like a scanner, best and safest place for it so the channels won't get changed. Now relying on my KG-UVD1P for my missions. Very disappointed.

--- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@...> wrote:
>
> LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
>
> --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx" <xianhua1125@> wrote:
> >
> > Yes, that is one of the improvement functions for the 6D model.
> >
> >
> > --- In KG-UV_Commander@yahoogroups.com, "stevenr437" <stevenr437@> wrote:
> > >
> > > Hello All,
> > >
> > > Just purchased the KG-UV6D and I was wondering if anyone knows how to program the

radio so that the "Channel Selector" knob at the top of the radio next to the volume button does not move or rotate and change channels?
> > >
> > > When I push the "Lock"# button at the bottom right corner of the unit, it does lock the keypad to prevent accidental pushing of the DTMF keypad, but sometimes my shirt moves the channel knob at the top and I often am on the wrong channel.
> > >
> > > I must state that this happens in the "Channel Mode" mode. I also own the KG-UVD1P and have not had this issue. When I press the "Lock"# button on the DTMF keypad# the entire radio, including the channel selector knob at the top of the unit will not allow any movement allowing for an error. Any help would be appreciated.
> > >
> > > FYI-The Commander Software is excellent and I am hoping that Jim and his team will make one for the UVD6 since I am only using what was supplied by Wouxun. It works, but needs improvement. I even tried using their software checking the KEYPAD lock option as well as the AUTOLOCK option with no luck. HELLLLLPPPPP
> > >
> > > Thanks guys.
> > >
> >
>

335. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 06:22:03 UTC
From: Mark Scriven
Topic: 309 Message: 335

Or, if inadvertent changing the channel with the knob bothers you that much, just remove it! It pulls right off. If you still think that could be a problem cut off the shaft. Then use the up/down arrows when you need to change the channel.
Mark - WQ9M

On Thu, 2012-03-15 at 22:53 -0700, David A. Behar wrote:

>
>
> Hi friends,
>
> A couple of quick comments...
>
> 1) Wouxun could program the firmware to do just about anything.
>
> 2) Re the knob, a nice idea would be to put a couple of carefully
> placed drops of clear fingernail polish in a way to lock the plastic
> channel-change knob to the case. If it ever needs to be removed, you
> can use fingernail polish to remove most of it, and then just pull the
> knob to remove it and finish the cleaning job. In the meantime, use
> the arrow keys or keyboard to change channels. (Just as there is more
> than one way to skin a cat, there is more than one way to lock a
> channel select knob.)
>
> David
>
> ----- Original Message -----
> From: stevenr437
> To: KG-UV_Commander@yahoogroups.com
> Sent: Wednesday, March 14, 2012 7:44 PM
> Subject: [KG-UV_Commander] Re: Just purchased the KG-UV6
>
>
>
>
>
> Other than the 2.5 stepping, this radio is useless in my case,
> pocket, wherever it is stores especially when climbing down a
> hill on the side of the interstate or getting into the
> ambulance or firetruck. If we cannot lock the channel selector
> knob and keep it from switching without our knowledge I might
> as well continue using my KG-UVD1P even though it doesn't have
> the 2.5 steps at least I can lock the knobs in place. Wouxun
> really messed this one up!!!! I am really sorry I upgraded to

> the UV6. Waste of money unless someone can write a program to
> fix the firmware. Have the UV6 sitting on my dresser like a
> scanner, best and safest place for it so the channels won't
> get changed. Now relying on my KG-UVD1P for my missions. Very
> disappointed.
>
> --- In KG-UV_Commander@yahoogroups.com, "stevenr437"
> <stevenr437@...> wrote:
> >
> > LETS WORK ON FIXING THE CHANNEL SELECTOR KNOB FROM SWITCHING
> CHANNELS, AKA FREQUENCIES SO NO ONE GETS HURTS LIKE THE
> GENTLEMAN ON THE SAR MISSION AND IT MOVED WHILE IN HIS
> BACKPACK!!!!!! SOMEONE WRITE A PROGRAM TO LOCK THIS ASAP.
> >
> > --- In KG-UV_Commander@yahoogroups.com, "flower_xxxx"
> <xianhua1125@> wrote:
> > >
> > > Yes, that is one of the improvement functions for the 6D
> model.
> > >
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "stevenr437"
> <stevenr437@> wrote:
> > > >
> > > > Hello All,
> > > >
> > > > Just purchased the KG-UV6D and I was wondering if anyone
> knows how to program the radio so that the "Channel Selector"
> knob at the top of the radio next to the volume button does
> not move or rotate and change channels?
> > > >
> > > > When I push the "Lock"# button at the bottom right
> corner of the unit, it does lock the keypad to prevent
> accidental pushing of the DTMF keypad, but sometimes my shirt
> moves the channel knob at the top and I often am on the wrong
> channel.
> > > >
> > > > I must state that this happens in the "Channel Mode"
> mode. I also own the KG-UVD1P and have not had this issue.
> When I press the "Lock"# button on the DTMF keypad# the entire
> radio, including the channel selector knob at the top of the
> unit will not allow any movement allowing for an error. Any
> help would be appreciated.
> > > >
> > > > FYI-The Commander Software is excellent and I am hoping
> that Jim and his team will make one for the UVD6 since I am
> only using what was supplied by Wouxun. It works, but needs
> improvement. I even tried using their software checking the
> KEYPAD lock option as well as the AUTOLOCK option with no
> luck. HELLLLLPPPPP

> > > >
> > > > Thanks guys.
> > > >
> > >
> >
>
>
>
>
>
>
>
>

336. Re: [KG-UV_Commander] Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 07:07:22 UTC
From: David A. Behar
Topic: 309 Message: 336

Hi Mark,

If you pull off the knob, there will be a shaft sticking out that can get caught is stuff. Also, not very aesthetic.

If you cut off the shaft, you have permanently damaged the radio.

If you just use some clear fingernail polish, we've accomplished the goal -- i.e., locking the shaft -- without permanently changing the radio.

(Just my thoughts.)

David
----- Original Message -----
From: Mark Scriven
Sent: Thursday, March 15, 2012 11:22 PM
Or, if inadvertent changing the channel with the knob bothers you that much, just remove it! It pulls right off. If you still think that could be a problem cut off the shaft. Then use the up/down arrows when you need to change the channel.
Mark - WQ9M

337. Re: Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 10:28:41 UTC
From: jasdel49
Topic: 309 Message: 337

I just purchased one of the new KG-UV6 radios. I don't see what all the fuss is about the channel selector knob. After all this radio was not designed for ham radio, it was designed for commerical use. That's why the prices are so cheap. Wouxun would go broke and out of business if their market was just for the ham radio users, too small of a market.

If you don't like the radio, I'll take all of them that you want to GIVE away. I don't see any issue with knob for my use. For that matter they could eliminate the keyboard too. Mine will be programmed using a computer so don't need to change settings while out and about.

Everyone have fun with your new toy.

73,

James

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Mark,
>
> If you pull off the knob, there will be a shaft sticking out that can get caught is stuff. Also, not very aesthetic.
>
> If you cut off the shaft, you have permanently damaged the radio.
>
> If you just use some clear fingernail polish, we've accomplished the goal -- i.e., locking the shaft -- without permanently changing the radio.
>
> (Just my thoughts.)
>
> David
> ----- Original Message -----
> From: Mark Scriven
> Sent: Thursday, March 15, 2012 11:22 PM
> Or, if inadvertent changing the channel with the knob bothers you that much, just remove it! It pulls right off. If you still think that could be a problem cut off the shaft. Then use the up/down arrows when you need to change the channel.
> Mark - WQ9M
>

338. RE: [KG-UV_Commander] Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 14:20:50 UTC
From: n8pzt@ovi.com
Topic: 309 Message: 338

Using this type of a radio for such a mission-critical activity as Search and Rescue does not seem practical to me.

Something more robust, like the Motorola APX 7000, XPS Series, or perhaps something from the E.F. Johnson folks, or Kenwood Commercial, or Vertex Standard, would be more appropriate to your needs.

S&R means that you're going to be moving around in some rather inhospitable environments at one time or another, and that radio may be your only source of COMM.

My Advice: Buy A Better Radio!

Check around, there are even Motorola Sabers available on eBay for $200 to $300 with a charger and battery. The non-motorola brands tend to have better programming software pricing, too, so again,, Look Around!

Good luck in your search.

73 de N8PZT

339. Re: [KG-UV_Commander] Just purchased the KG-UV6

Yahoo group: KG-UV_Commander
Date: 2012-03-16 16:14:49 UTC
From: Thomas Carpenter
Topic: 309 Message: 339

Maybe a better Motorola type heavy duty holster. Having used Motorola in the past, yeah the survive the drop test you could buy 2 new Wouxuns with the warranty and accessories. The only advantage I see is the Factory Mutual acceptance possibly. In these uncertain times, I think being frugal may be in order.
Another thought just how fast do you think this narrow band change over will occur? Budgets, being what they are total crossover is not going to happen at once. If it did the market would be flooded with surplus radios. That being said the prices will come down with volume.

Tom Kb3hg

-----Original Message-----
From: n8pzt <n8pzt@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Fri, Mar 16, 2012 10:21 am
Subject: RE: [KG-UV_Commander] Just purchased the KG-UV6

Using this type of a radio for such a mission-critical activity as Search and Rescue does not seem practical to me.

Something more robust, like the Motorola APX 7000, XPS Series, or perhaps something from the E.F. Johnson folks, or Kenwood Commercial, or Vertex Standard, would be more appropriate to your needs.

S&R means that you're going to be moving around in some rather inhospitable environments at one time or another, and that radio may be your only source of COMM.

My Advice: Buy A Better Radio!

Check around, there are even Motorola Sabers available on eBay for $200 to $300 with a charger and battery. The non-motorola brands tend to have better programming software pricing, too, so again,, Look Around!

Good luck in your search.

73 de N8PZT

Yahoo! Groups Links

340. RT Systems software Question

Yahoo group: KG-UV_Commander
Date: 2012-03-18 00:52:15 UTC
From: Rick
Topic: 340 Message: 340

Has anybody bought the RT Systems software?

http://www.rtsystemsinc.com/OtherRadio_Template.cfm?OtherRadiosPage=KGUV2D#

And do you really need THIER cable or will my wouxun cable work with that software?

341. RE: [KG-UV_Commander] RT Systems software Question

Yahoo group: KG-UV_Commander
Date: 2012-03-18 01:16:57 UTC
From: Chuck Graham
Topic: 340 Message: 341

Hi all,

I've done some Beta testing of that software for RT systems and found it so, so and I made suggestions. I had some health problems so I never really got very active with it so I can't comment on its current version. Yes, they write their software where you must use their cable. It has a chip inside the plug so other cables don't work.

Short story. I was programming a friends radio in his car one day when the cable plug broke. It needed more glue during assembly. I called them in SD from the car and they told me how to pry open the plug and make it work without leaving the car. Then they sent me a new cable the next day for NO CHARGE. That's customer service. You get what you pay for. I program 6 different radios for the Salvation Army here and have 6 different cables and sets of software. Yes that's $300 worth and I'd buy them again.

Chuck Graham, KI6DCD

EDS/SATERN Cochairman

Salvation Army Concord Corps

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Rick
Sent: Saturday, March 17, 2012 5:52 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] RT Systems software Question

Has anybody bought the RT Systems software?

http://www.rtsystemsinc.com/OtherRadio_Template.cfm?OtherRadiosPage=KGUV2D#
<http://www.rtsystemsinc.com/OtherRadio_Template.cfm?OtherRadiosPage=KGUV2D>

And do you really need THIER cable or will my wouxun cable work with that software?

No virus found in this message.
Checked by AVG - www.avg.com
Version: 10.0.1424 / Virus Database: 2113/4876 - Release Date: 03/17/12

342. Re: [KG-UV_Commander] RT Systems software Question

Yahoo group: KG-UV_Commander
Date: 2012-03-18 14:32:06 UTC
From: Robert Terzi
Topic: 340 Message: 342

On 3/17/2012 8:52 PM, Rick wrote:
> Has anybody bought the RT Systems software?
>
> http://www.rtsystemsinc.com/OtherRadio_Template.cfm?OtherRadiosPage=KGUV2D#
>
> And do you really need THIER cable or will my wouxun cable work with that software?

The KG-UV Commander software mailing list probably isn't the best place to discuss other programming software, but I think the cable question is of general interest:

From my experience with RT system's software and cable with my Yaesu VX-8DR, I believe the answer to be yes, their software will likely only work with their cable. Assuming what they do for the wouxun is the same, RT system's cables use an FTDI USB to serial chip but have a custom Vendor and Product ID on it. RT supplies a driver that matches the cable. Their cable will not show up as a COM port like a generic cable.

The benefit is there is no guessing what COM port the radio is attached to. RT's software can search the USB bus and determine if their cable is attached or not, since it has a specific identification.

Sure it seems like they are being proprietary about it, but I believe this makes the software much easier to support and use. Their approach eliminates most of the problems people have with the serial cables. Reading the wouxun yahoo group over the last year or so half the traffic seems to be about programming.

The FTDI USB to serial chip is much more reliable that the Prolific/Prolific clones used in many of the cheap cables. I'll pay extra for an FTDI based cable when one is available. However you can't use the RT cable directly with other software since it doesn't show us as a COM port. Note: Other software like KG-UV Commander could use the FTDI direct I/O libraries to talk that cable, but the interest would be so small it probably isn't worth it.

As far as the software goes, are there features you are looking for that aren't covered by KG-UV Commander? With a simple radio like the wouxun, I don't think there is much else that could be implemented.

Hope this helps,
--Rob

343. Re: RT Systems software Question

Yahoo group: KG-UV_Commander
Date: 2012-03-18 20:40:08 UTC
From: Kuby
Topic: 340 Message: 343

Yes, and I was very dissatisfied with RT. I paid for the IC-T8 program that did not work, only after vigorous complaining at AES (seller), then becoming RT's beta tester for this issue did I get a working program. It took RT '6' revisions of the original program (based on their T7 code) to finally get a working T8 program for my new IC-T8 HT.

Afterwords I uncovered RT never tested/verified the T8 program before releasing. They never owned a T8 nor got a user T8 to verify program.

This experience told me all I needed to know about RT - NEVER again!

N6JSX, MS-EET

p.s. 'CHIRP' is another program that is highly questionable - but since it's FREE, one cannot complain about bogus claims 'wasting' hours of my time to discover the program did not program the radio listed.

--- In KG-UV_Commander@yahoogroups.com, "Rick" <riptyd64@...> wrote:
>
> Has anybody bought the RT Systems software?
>
> http://www.rtsystemsinc.com/OtherRadio_Template.cfm?OtherRadiosPage=KGUV2D#
>
> And do you really need THIER cable or will my wouxun cable work with that software?
>

344. Re: [KG-UV_Commander] Re: RT Systems software Question

Yahoo group: KG-UV_Commander
Date: 2012-03-19 01:33:07 UTC
From: N8PZT
Topic: 340 Message: 344

I have the Wouxun KG-UV6D. What's going on with compatibility with the Commander software for this radio?

Thanks,
de N8PZT
Stephen Brown
Jefferson City, Missouri

345. KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-26 14:10:29 UTC
From: Pete B
Topic: 239 Message: 345

Any updates on Commander working with KG-UV6D? I see there was talk but nothing lately.

346. Re: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-26 17:22:50 UTC
From: David A. Behar
Topic: 239 Message: 346

Hi Pete,

I just sent an email to Jim (the developer) and I'll let you know what I learn. (But I do know he has a family and a full-time job, so it is understandable that his time to work on this is limited.)

Note that I did post in the [Wouxun_KG-UVD1] group, in the Files section, in the [K7DB] folder, an Excel spreadsheet which can directly edit channel attributes in KG-UV6D "TW" files. This might be helpful if you are configuring many channels for a KG-UV6D radio. The posted file is Tw6Edit v0.004.zip, and the spreadsheet is in the ZIP file.

David / K7DB

----- Original Message -----
From: Pete B
To: KG-UV_Commander@yahoogroups.com
Sent: Monday, March 26, 2012 7:10 AM
Subject: [KG-UV_Commander] KG-UV6D

Any updates on Commander working with KG-UV6D? I see there was talk but nothing lately.

347. Re: KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-27 12:31:58 UTC
From: rrblackmun
Topic: 239 Message: 347

I've found the TWEdit Excel macros to be extremely effective and useful in programming both the KG-UV 1/2/3 models as well as the new KG-UV6D. Thanks very much to David for creating and posting this very useful tool.

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Pete,
>
> I just sent an email to Jim (the developer) and I'll let you know what I learn. (But I do know he has a family and a full-time job, so it is understandable that his time to work on this is limited.)
>
> Note that I did post in the [Wouxun_KG-UVD1] group, in the Files section, in the [K7DB] folder, an Excel spreadsheet which can directly edit channel attributes in KG-UV6D "TW" files. This might be helpful if you are configuring many channels for a KG-UV6D radio. The posted file is Tw6Edit v0.004.zip, and the spreadsheet is in the ZIP file.
>
> David / K7DB
>
> ----- Original Message -----
> From: Pete B
> To: KG-UV_Commander@yahoogroups.com
> Sent: Monday, March 26, 2012 7:10 AM
> Subject: [KG-UV_Commander] KG-UV6D
>
>
>
> Any updates on Commander working with KG-UV6D? I see there was talk but nothing lately.
>

348. Fw: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-27 21:16:46 UTC
From: David A. Behar
Topic: 348 Message: 348

Response from KG-UV Commander developer Jim Mitchell follows...

----- Original Message -----
From: Jim Mitchell
Sent: Tuesday, March 27, 2012 12:08 PM

Haha... still trying to find some time to work on it. Hopefully soon...

Jim
KC8UNJ

--- On Mon, 3/26/12, David A. Behar <david271@...> wrote:

To: "Jim Mitchell" <jimbo_48393@...>
Date: Monday, March 26, 2012, 1:16 PM

Hi Jim, Any developments on Commander for KG-UV6D? (I think there are people who will help with testing.) Enquiring minds want to know! 73, David / K7DB

----- Original Message -----
From: Pete B
Sent: Monday, March 26, 2012 7:10 AM

Any updates on Commander working with KG-UV6D? I see there was talk but nothing lately.
---

349. Re: [KG-UV_Commander] Re: KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-29 02:47:23 UTC
From: Stephen Brown
Topic: 239 Message: 349

When setting up the Excel Spreadsheet for the KG-UV6D, do you use TWEdit first, then use the Native KG-UV6D software from Wouxou to import the spreadsheet?

When I first starting using the Wouxon software, I tried to Save a .tw file, and it took forever, only to fail in the end.

It was shortly after doing some research, I found instructions to not use the Wouxon KG-UV6D software to save .tw files, as they did not work properly.

The software programs the KG-UV6D fine, however, and I've had no trouble with it for that purpose.

Summarizing, I need to know if you're using TWEdit to prepare an Excel Spreadsheet first, and if you are using the Wouxon software to do the actual programming.

Thank you for the help,
de
N8PZT. 73.

On 03/27/12 07:31, rrblackmun wrote:
>
> I've found the TWEdit Excel macros to be extremely effective and
> useful in programming both the KG-UV 1/2/3 models as well as the new
> KG-UV6D. Thanks very much to David for creating and posting this very
> useful tool.
>
> --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>, "David A. Behar"
> <david271@...> wrote:
> >
> > Hi Pete,
> >
> > I just sent an email to Jim (the developer) and I'll let you know
> what I learn. (But I do know he has a family and a full-time job, so
> it is understandable that his time to work on this is limited.)
> >
> > Note that I did post in the [Wouxun_KG-UVD1] group, in the Files
> section, in the [K7DB] folder, an Excel spreadsheet which can directly
> edit channel attributes in KG-UV6D "TW" files. This might be helpful
> if you are configuring many channels for a KG-UV6D radio. The posted
> file is Tw6Edit v0.004.zip, and the spreadsheet is in the ZIP file.
> >
> > David / K7DB

> >
> > ----- Original Message -----
> > From: Pete B
> > To: KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>
> > Sent: Monday, March 26, 2012 7:10 AM
> > Subject: [KG-UV_Commander] KG-UV6D
> >
> >
> >
> > Any updates on Commander working with KG-UV6D? I see there was talk
> but nothing lately.
> >
>
>
> *TODAY*/(Beta) /*.*Powered by Yahoo!
>
> Actor's Federline-like makeover for movie
> <http://us.lrd.yahoo.com/_ylc=X3oDMTIxbDkzbzByBF9TAzk1NDAxMDAyNwRwa2cDaWQtMjEwOTY5MARzeW
lkAzJzczA0ejI0djJ1eHpyMXN6dHV4ejRxeTJ6NHh4dnp2/SIG=13ebvpreo/**http%3A//movies.yahoo.com/b
logs/movie-talk/james-franco-channels-k-fed-spring-breakers-movie-172655506.html>
> James Franco sports gangsta cornrows and shades in the new film
> "Spring Breakers."
>
> Privacy Policy
> <http://info.yahoo.com/privacy/us/yahoo/webbeacons/details.html>
>

350. Re: Fw: [KG-UV_Commander] KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-29 02:53:58 UTC
From: Stephen Brown
Topic: 348 Message: 350

Jim,

Thanks for considering to do any work at all on it! :-) We apprciate
the effort, and will be patiently waiting.

73,
N8PZT
Stephen Brown
Jefferson City, Missouri

--

On 03/27/12 16:16, David A. Behar wrote:
>
> /Response from KG-UV Commander developer Jim Mitchell follows.../
> ---
> ----- Original Message -----
> *From:* Jim Mitchell <mailto:jimbo_48393@...>
> *Sent:* Tuesday, March 27, 2012 12:08 PM
> Haha... still trying to find some time to work on it. Hopefully soon...
> Jim
> KC8UNJ
>
> ---
> --- On *Mon, 3/26/12, David A. Behar /<david271@...
> <mailto:david271@...>>/* wrote:
>
> To: "Jim Mitchell" <jimbo_48393@...
> <mailto:jimbo_48393@...>>
> Date: Monday, March 26, 2012, 1:16 PM
>
> Hi Jim, Any developments on Commander for KG-UV6D? (I think there
> are people who will help with testing.) *Enquiring minds want to
> know!* <http://www.youtube.com/watch?v=2r3Xs9sBEVg> 73, David / K7DB
> ---
> ----- Original Message -----
> *From:* Pete B
> <http://us.mc379.mail.yahoo.com/mc/compose?to=petesmedia@...>
> *Sent:* Monday, March 26, 2012 7:10 AM
>
> Any updates on Commander working with KG-UV6D? I see there was
> talk but nothing lately.
> ---
>
>
> *TODAY*/(Beta) /*.*Powered by Yahoo!

>
> Wild outfits that pop stars have worn
> <http://us.lrd.yahoo.com/_ylc=X3oDMTIxMDVnM3E0BF9TAzk1NDAxMDAyNwRwa2cDaWQtMjEwNDgzNQRzeWlkAzJzczA0ejI0djJ1eHpyMXN6dHV4ejRxeTJ6NHh4dnp2/SIG=13btm02rl/**http%3A//music.yahoo.com/photos/popstars-wildest-onstage-outfits-slideshow/madonna-photo-1332889615.html>
> Madonna and Nicki Minaj donned some daring duds that will have you
> scratching your head.
>
> Privacy Policy
> <http://info.yahoo.com/privacy/us/yahoo/webbeacons/details.html>
>

351. Re: KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-29 03:37:23 UTC
From: wouxunus
Topic: 239 Message: 351

I believe you misread the information about saving .tw files. The first version of UV6D software would allow you to open a .tw file that was made for pre-UV6D radios (128 channels). Writing one of these files to a UV6D would brick it. The second version of software fixed this problem by not allowing an old .tw file to be opened.

73
Ed Griffin
www.Wouxun.US

--- In KG-UV_Commander@yahoogroups.com, Stephen Brown <n8pzt@...> wrote:
>
> When setting up the Excel Spreadsheet for the KG-UV6D, do you use TWEdit
> first, then use the Native KG-UV6D software from Wouxou to import the
> spreadsheet?
>
> When I first starting using the Wouxon software, I tried to Save a .tw
> file, and it took forever, only to fail in the end.
>
> It was shortly after doing some research, I found instructions to not
> use the Wouxon KG-UV6D software to save .tw files, as they did not work
> properly.
>
> The software programs the KG-UV6D fine, however, and I've had no trouble
> with it for that purpose.
>
> Summarizing, I need to know if you're using TWEdit to prepare an Excel
> Spreadsheet first, and if you are using the Wouxon software to do the
> actual programming.
>
> Thank you for the help,
> de
> N8PZT. 73.
>
> On 03/27/12 07:31, rrblackmun wrote:
> >
> > I've found the TWEdit Excel macros to be extremely effective and
> > useful in programming both the KG-UV 1/2/3 models as well as the new
> > KG-UV6D. Thanks very much to David for creating and posting this very
> > useful tool.
> >
> > --- In KG-UV_Commander@yahoogroups.com
> > <mailto:KG-UV_Commander%40yahoogroups.com>, "David A. Behar"
> > <david271@> wrote:
> > >
> > > Hi Pete,

> > >
> > > I just sent an email to Jim (the developer) and I'll let you know
> > what I learn. (But I do know he has a family and a full-time job, so
> > it is understandable that his time to work on this is limited.)
> > >
> > > Note that I did post in the [Wouxun_KG-UVD1] group, in the Files
> > section, in the [K7DB] folder, an Excel spreadsheet which can directly
> > edit channel attributes in KG-UV6D "TW" files. This might be helpful
> > if you are configuring many channels for a KG-UV6D radio. The posted
> > file is Tw6Edit v0.004.zip, and the spreadsheet is in the ZIP file.
> > >
> > > David / K7DB
> > >
> > > ----- Original Message -----
> > > From: Pete B
> > > To: KG-UV_Commander@yahoogroups.com
> > <mailto:KG-UV_Commander%40yahoogroups.com>
> > > Sent: Monday, March 26, 2012 7:10 AM
> > > Subject: [KG-UV_Commander] KG-UV6D
> > >
> > >
> > >
> > > Any updates on Commander working with KG-UV6D? I see there was talk
> > but nothing lately.
> > >
> >
> >
> > *TODAY*/(Beta) /*.*Powered by Yahoo!
> >
> > Actor's Federline-like makeover for movie
> > <http://us.lrd.yahoo.com/_ylc=X3oDMTIxbDkzbzByBF9TAzk1NDAxMDAyNwRwa2cDaWQtMjEwOTY5MARz
eWlkAzJzczA0ejI0djJ1eHpyMXN6dHV4ejRxeTJ6NHh4dnp2/SIG=13ebvpreo/**http%3A//movies.yahoo.com
/blogs/movie-talk/james-franco-channels-k-fed-spring-breakers-movie-172655506.html>
> > James Franco sports gangsta cornrows and shades in the new film
> > "Spring Breakers."
> >
> > Privacy Policy
> > <http://info.yahoo.com/privacy/us/yahoo/webbeacons/details.html>
> >
>

352. Re: [KG-UV_Commander] Re: KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-29 04:23:33 UTC
From: Stephen Brown
Topic: 239 Message: 352

wouxunus,

Thanks for that clarification. Actually, I was having difficulty
sifting through the morass of this issue. Your answer clarifies it.

What I do not understand, however, is why native software doesn't allow
me to save a .tw file for my own radio, but it would allow me to open it.

I'm just going to wait until the Commander software is ready. Less
trouble that way.

--Stephen

--

On 03/28/12 22:37, wouxunus wrote:
>
> I believe you misread the information about saving .tw files. The
> first version of UV6D software would allow you to open a .tw file that
> was made for pre-UV6D radios (128 channels). Writing one of these
> files to a UV6D would brick it. The second version of software fixed
> this problem by not allowing an old .tw file to be opened.
>
> 73
> Ed Griffin
> www.Wouxun.US
>
> --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>, Stephen Brown <n8pzt@...>
> wrote:
> >
> > When setting up the Excel Spreadsheet for the KG-UV6D, do you use
> TWEdit
> > first, then use the Native KG-UV6D software from Wouxou to import the
> > spreadsheet?
> >
> > When I first starting using the Wouxon software, I tried to Save a .tw
> > file, and it took forever, only to fail in the end.
> >
> > It was shortly after doing some research, I found instructions to not
> > use the Wouxon KG-UV6D software to save .tw files, as they did not work
> > properly.
> >
> > The software programs the KG-UV6D fine, however, and I've had no
> trouble
> > with it for that purpose.

> >
> > Summarizing, I need to know if you're using TWEdit to prepare an Excel
> > Spreadsheet first, and if you are using the Wouxon software to do the
> > actual programming.
> >
> > Thank you for the help,
> > de
> > N8PZT. 73.
> >
> > On 03/27/12 07:31, rrblackmun wrote:
> > >
> > > I've found the TWEdit Excel macros to be extremely effective and
> > > useful in programming both the KG-UV 1/2/3 models as well as the new
> > > KG-UV6D. Thanks very much to David for creating and posting this very
> > > useful tool.
> > >
> > > --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>
> > > <mailto:KG-UV_Commander%40yahoogroups.com>, "David A. Behar"
> > > <david271@> wrote:
> > > >
> > > > Hi Pete,
> > > >
> > > > I just sent an email to Jim (the developer) and I'll let you know
> > > what I learn. (But I do know he has a family and a full-time job, so
> > > it is understandable that his time to work on this is limited.)
> > > >
> > > > Note that I did post in the [Wouxun_KG-UVD1] group, in the Files
> > > section, in the [K7DB] folder, an Excel spreadsheet which can
> directly
> > > edit channel attributes in KG-UV6D "TW" files. This might be helpful
> > > if you are configuring many channels for a KG-UV6D radio. The posted
> > > file is Tw6Edit v0.004.zip, and the spreadsheet is in the ZIP file.
> > > >
> > > > David / K7DB
> > > >
> > > > ----- Original Message -----
> > > > From: Pete B
> > > > To: KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>
> > > <mailto:KG-UV_Commander%40yahoogroups.com>
> > > > Sent: Monday, March 26, 2012 7:10 AM
> > > > Subject: [KG-UV_Commander] KG-UV6D
> > > >
> > > >
> > > >
> > > > Any updates on Commander working with KG-UV6D? I see there was talk
> > > but nothing lately.
> > > >
> > >

> > >
> > > *TODAY*/(Beta) /*.*Powered by Yahoo!
> > >
> > > Actor's Federline-like makeover for movie
> > >
> <http://us.lrd.yahoo.com/_ylc=X3oDMTIxbDkzbzByBF9TAzk1NDAxMDAyNwRwa2cDaWQtMjEwOTY5MARzeWlkAzJzczA0ejI0djJ1eHpyMXN6dHV4ejRxeTJ6NHh4dnp2/SIG=13ebvpreo/**http%3A//movies.yahoo.com/blogs/movie-talk/james-franco-channels-k-fed-spring-breakers-movie-172655506.html>
> > > James Franco sports gangsta cornrows and shades in the new film
> > > "Spring Breakers."
> > >
> > > Privacy Policy
> > > <http://info.yahoo.com/privacy/us/yahoo/webbeacons/details.html>
> > >
> >
>
>

353. Re: KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-03-29 12:36:42 UTC
From: Bob Blackmun
Topic: 239 Message: 353

It's critically important that any programming for the new KG-UV6D models only use software for that model. Using software for the KG-UV 1/2/3 models will destroy the radio. The same is true for using the correct software for the KG-UV 1/2/3's -- do not use the KG-UV6D software.

To program the KG-UV6D using David Bahar's TW6Edit v.004 .xls macro, use MS Excel to create a .xls file (that you should probably save), and then enter a full path-name for the folder where you will save the .tw file into cell F2 of the spreadsheet. When you click on the "write" in cell C2, the .tw file will be written to the folder specified in cell F2. There won't be any message that it's been written, so you'll need to look at that folder (Win Explorer) to verify that it is there. Then, open the Wouxun KG-UV6DPv2.5K.exe program (do not use any other program to write to the HT!), 'read' from the radio to verify that your cable and driver work correctly, 'open' the .tw file created above, and the 'write' to the radio.

This is the same procedure that's used to program the KG-UV 1/2/3 models using TWEdit v.0003 and Wouxun's KG-UVD1P 2.0.exe / KG-UV2D.exe / KG-UV3D.exe to write the .tw file to the radio.

--
Bob Blackmun
KK4ATB

354. KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-22 04:09:01 UTC
From: jimbo_48393
Topic: 354 Message: 354

KG-UV Commander 0.1.3 beta is now available for download from my page:

http://www.kc8unj.com/kguv.html

0.1.3 beta

- Ability to program band limits removed
- Ability to create new files from scratch added
- Added support for native serial cable (non-usb cables)
- Admin rights no longer required to run (still required for installation)
- Revised import of TW files - eliminates possibility of importing invalid data
- Auto shift now configurable via ini file in program folder
- Added option selection for auto-fill of transmit freq
- Fixed workaround for WINE, for error writing to radio (let me know if it works)
- Fixed invalid warning message when exiting options dialog
- Fixed error messages when importing CSV with blank channels
- Select All option added to Edit menu
- Auto shift setting moved to options screen
- Auto-Size Columns moved to View menu

Feedback is appreciated.

Jim
KC8UNJ

355. Re: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-22 08:48:39 UTC
From: Terry
Topic: 354 Message: 355

```
And before anyone starts asking,
it clearly states that it is:-

NOT compatible with the KG_UV6D

--
Comint

>
> KG-UV Commander 0.1.3 beta is now available for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
```

356. Re: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-22 12:59:54 UTC
From: Enrique A. Wembagher LU8EFF
Topic: 354 Message: 356

Jim,
congratulations, and thanks for your work
73 Enrique LU8EFF

~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
From: jimbo_48393@...
To: lu8eff@...
Date: 01:09:01, 22.04.2012
Subject: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~

>>KG-UV Commander 0.1.3 beta is now available for download from my page:
>>
>> http://www.kc8unj.com/kguv.html
>>
>>
>> 0.1.3 beta
>>
>> - Ability to program band limits removed
>> - Ability to create new files from scratch added
>> - Added support for native serial cable (non-usb cables)
>> - Admin rights no longer required to run (still required for installation)
>> - Revised import of TW files - eliminates possibility of importing invalid data
>> - Auto shift now configurable via ini file in program folder
>> - Added option selection for auto-fill of transmit freq
>> - Fixed workaround for WINE, for error writing to radio (let me know if it works)
>> - Fixed invalid warning message when exiting options dialog
>> - Fixed error messages when importing CSV with blank channels
>> - Select All option added to Edit menu
>> - Auto shift setting moved to options screen
>> - Auto-Size Columns moved to View menu
>>
>>
>> Feedback is appreciated.
>>
>> Jim
>> KC8UNJ
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>

>>
>>
>>
>> -----
>> Se certificó que el correo no contiene virus.
>> Comprobada por AVG - www.avg.es
>> Versión: 2012.0.1913 / Base de datos de virus: 2411/4952 - Fecha de la versión: 22/04/2012
>>
>>

357. Re: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-22 15:37:33 UTC
From: John Wilkerson
Topic: 354 Message: 357

After writing to radio, still only allows access to first 10 memories of my 2m/220 radio. Note this is the FIRST generation unit. My 2m/440 radios do not have this problem, as they are second generation units. (the bug was squashed in the previous version of this software) It is likely any owners of 2nd gen and above uvs won't see my problem

----- Original Message ----
> From: jimbo_48393 <jimbo_48393@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Sun, April 22, 2012 12:09:13 AM
> Subject: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available
>
> KG-UV Commander 0.1.3 beta is now available for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
>
> 0.1.3 beta
>
> - Ability to program band limits removed
> - Ability to create new files from scratch added
> - Added support for native serial cable (non-usb cables)
> - Admin rights no longer required to run (still required for installation)
> - Revised import of TW files - eliminates possibility of importing invalid
data
> - Auto shift now configurable via ini file in program folder
> - Added option selection for auto-fill of transmit freq
> - Fixed workaround for WINE, for error writing to radio (let me know if it
>works)
> - Fixed invalid warning message when exiting options dialog
> - Fixed error messages when importing CSV with blank channels
> - Select All option added to Edit menu
> - Auto shift setting moved to options screen
> - Auto-Size Columns moved to View menu
>
>
> Feedback is appreciated.
>
> Jim
> KC8UNJ
>
>
>
> ------------------------------------
>

> Yahoo! Groups Links
>
>
>
>

358. Re: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-22 16:03:10 UTC
From: John Wilkerson
Topic: 354 Message: 358

Ok... NOW, of course, one must always be a good tester before coming to a FINAL conclusion. The original "load" when read and rewrote to the radio created the error as listed below. Importing the wouxun software load and writing from commander gives proper frequency operation (yay) but has the settings of the radio skewed..... no matter, I reset under Commander, and rewrote. All is well :) I still need to read from wouxun software save out and re-import to see if the glitch is gone.

At any rate, my first-generation unit IS happy with commander, once it gets a "clean" load. (one without any corruption from other software and such)

I have not tried a file from scratch yet, I assume it will be fine.

At any rate, commander is now 100% useable across all 3 of my kgs now!!

Thanks :)

----- Original Message ----
> From: John Wilkerson <jl_wilkerson@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Sun, April 22, 2012 11:37:33 AM
> Subject: Re: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available
>
> After writing to radio, still only allows access to first 10 memories of my
> 2m/220 radio. Note this is the FIRST generation unit. My 2m/440
> radios do not have this problem, as they are second generation units. (the bug
>
> was squashed in the previous version of this software) It is likely any owners
>
> of 2nd gen and above uvs won't see my problem
>
>
>
> ----- Original Message ----
> > From: jimbo_48393 <jimbo_48393@yahoo.com>
> > To: KG-UV_Commander@yahoogroups.com
> > Sent: Sun, April 22, 2012 12:09:13 AM
> > Subject: [KG-UV_Commander] KG-UV Commander 0.1.3 beta available
> >
> > KG-UV Commander 0.1.3 beta is now available for download from my page:
> >
> > http://www.kc8unj.com/kguv.html
> >
> >

359. Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-24 17:00:37 UTC
From: jwheatleyus
Topic: 354 Message: 359

I must ask- Why remove Band Limits setting?
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "jimbo_48393" <jimbo_48393@...> wrote:
>
> KG-UV Commander 0.1.3 beta is now available for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
>
> 0.1.3 beta
>
> - Ability to program band limits removed
> - Ability to create new files from scratch added
> - Added support for native serial cable (non-usb cables)
> - Admin rights no longer required to run (still required for installation)
> - Revised import of TW files - eliminates possibility of importing invalid data
> - Auto shift now configurable via ini file in program folder
> - Added option selection for auto-fill of transmit freq
> - Fixed workaround for WINE, for error writing to radio (let me know if it works)
> - Fixed invalid warning message when exiting options dialog
> - Fixed error messages when importing CSV with blank channels
> - Select All option added to Edit menu
> - Auto shift setting moved to options screen
> - Auto-Size Columns moved to View menu
>
>
> Feedback is appreciated.
>
> Jim
> KC8UNJ
>

360. RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-24 17:41:41 UTC
From: Bob Hawkins
Topic: 354 Message: 360

This is nice work. I like the band limits removed so I can hear the airport traffic at the little airport next to my house. I will try the program out!

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of jwheatleyus
Sent: Tuesday, April 24, 2012 12:01 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

I must ask- Why remove Band Limits setting?
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "jimbo_48393" <jimbo_48393@...>
wrote:
>
> KG-UV Commander 0.1.3 beta is now available for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
>
> 0.1.3 beta
>
> - Ability to program band limits removed
> - Ability to create new files from scratch added
> - Added support for native serial cable (non-usb cables)
> - Admin rights no longer required to run (still required for installation)
> - Revised import of TW files - eliminates possibility of importing invalid
data
> - Auto shift now configurable via ini file in program folder
> - Added option selection for auto-fill of transmit freq
> - Fixed workaround for WINE, for error writing to radio (let me know if it
works)
> - Fixed invalid warning message when exiting options dialog
> - Fixed error messages when importing CSV with blank channels
> - Select All option added to Edit menu
> - Auto shift setting moved to options screen
> - Auto-Size Columns moved to View menu
>
>
> Feedback is appreciated.
>
> Jim
> KC8UNJ
>

361. RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-24 19:10:13 UTC
From: Mike Katz
Topic: 354 Message: 361
Attachments: 2 described; binary payloads are missing from this source WARC

Thanks for the software ..

PayPal donation sent.

Mike

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Bob Hawkins
Sent: Tuesday, April 24, 2012 10:42 AM
To: KG-UV_Commander@yahoogroups.com
Subject: RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

This is nice work. I like the band limits removed so I can hear the airport
traffic at the little airport next to my house. I will try the program out!

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of jwheatleyus
Sent: Tuesday, April 24, 2012 12:01 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

I must ask- Why remove Band Limits setting?
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "jimbo_48393" <jimbo_48393@...>
wrote:
>
> KG-UV Commander 0.1.3 beta is now available for download from my page:
>
> http://www.kc8unj.com/kguv.html
>
>
> 0.1.3 beta
>
> - Ability to program band limits removed
> - Ability to create new files from scratch added
> - Added support for native serial cable (non-usb cables)
> - Admin rights no longer required to run (still required for installation)
> - Revised import of TW files - eliminates possibility of importing invalid
data
> - Auto shift now configurable via ini file in program folder
> - Added option selection for auto-fill of transmit freq
> - Fixed workaround for WINE, for error writing to radio (let me know if it
works)

> - Fixed invalid warning message when exiting options dialog
> - Fixed error messages when importing CSV with blank channels
> - Select All option added to Edit menu
> - Auto shift setting moved to options screen
> - Auto-Size Columns moved to View menu
>
>
> Feedback is appreciated.
>
> Jim
> KC8UNJ
>

362. Repeater Operation Challenges

Yahoo group: KG-UV_Commander
Date: 2012-04-24 22:34:20 UTC
From: AE6FE
Topic: 362 Message: 362

Greetings all:

I have a strange situation using KG-UV Commander/USB Cable in programming repeater information. The repeater in question has an input frequency of 147.060 MHz (positive offset), PL of 100. I have set up Commander to show to transmit on 147.060 MHz, receive on 147.660, PL 100, Tx Dev=wide. When I attempt to activate the repeater, I just hear "hash" while monitoring with another 2m transceiver. Is my problem linked with the Tx Dev selection? Brain-dead user error? All the above?

I appreciate your assistance,

73

Guy Hornbeck
Millbrae, CA

363. RE: [KG-UV_Commander] Repeater Operation Challenges

Yahoo group: KG-UV_Commander
Date: 2012-04-24 22:51:47 UTC
From: Ralph Milnes
Topic: 362 Message: 363
Attachments: 2 described; binary payloads are missing from this source WARC

Guy,

Are you sure it is 147.060 in and 147.660 out?

Our 147.06. machine has an input (to the repeater) of 147.660 and output (from the repeater) on 147.06.

Ralph NM5RM

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of AE6FE
Sent: Tuesday, April 24, 2012 4:34 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Repeater Operation Challenges

Greetings all:

I have a strange situation using KG-UV Commander/USB Cable in programming repeater information. The repeater in question has an input frequency of 147.060 MHz (positive offset), PL of 100. I have set up Commander to show to transmit on 147.060 MHz, receive on 147.660, PL 100, Tx Dev=wide. When I attempt to activate the repeater, I just hear "hash" while monitoring with another 2m transceiver. Is my problem linked with the Tx Dev selection? Brain-dead user error? All the above?

I appreciate your assistance,

73

Guy Hornbeck
Millbrae, CA

364. Re: Repeater Operation Challenges

Yahoo group: KG-UV_Commander
Date: 2012-04-24 22:56:26 UTC
From: jwheatleyus
Topic: 362 Message: 364

Maybe you have the repeater frequencies confused. You said 'repeater in question has an Input frequency of 147.060'. Normally repeater listings show YOUR receive frequency, Tx Offset, and tone. Using your numbers, Rx 147.060 , Tx 147.660, Encode 100, Decode OFF (Decode is not required). Deviation for Ham channels is Wide.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "AE6FE" <thecahrguy@...> wrote:
>
> Greetings all:
>
> I have a strange situation using KG-UV Commander/USB Cable in programming repeater information. The repeater in question has an input frequency of 147.060 MHz (positive offset), PL of 100. I have set up Commander to show to transmit on 147.060 MHz, receive on 147.660, PL 100, Tx Dev=wide. When I attempt to activate the repeater, I just hear "hash" while monitoring with another 2m transceiver. Is my problem linked with the Tx Dev selection? Brain-dead user error? All the above?
>
> I appreciate your assistance,
>
> 73
>
> Guy Hornbeck
> Millbrae, CA
>

365. RE: [KG-UV_Commander] Repeater Operation Challenges

Yahoo group: KG-UV_Commander
Date: 2012-04-24 23:11:46 UTC
From: W.C. Lake
Topic: 362 Message: 365

Guy,

If you trying to get to W6CX - be sure that your transceiver is set to receive on 147.060MHz, receive frequency displayed, and transmit on 147.660MHz with a encode (transmit) PL of 100Hz.

Good Luck & 73,
Wayne WD6DZS

366. FW: Repeater Operation Challenges

Yahoo group: KG-UV_Commander
Date: 2012-04-24 23:17:03 UTC
From: Chuck Graham
Topic: 366 Message: 366
Attachments: 4 described; binary payloads are missing from this source WARC

Interesting here in the Salvation Army Concord Corps and most other county agencies we use the same 42 channel programming. The #1 channel is your local city simplex and the other 41 channels are standard. The rest is whatever your group thinks you should have. The attached file works. Let me know if it works for you.

Chuck Graham, KI6DCD

Salvation Army Concord Corps

cid:_1_0732AA500732A7E40081CCAF882579E9

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of AE6FE
Sent: Tuesday, April 24, 2012 3:34 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Repeater Operation Challenges

Greetings all:

I have a strange situation using KG-UV Commander/USB Cable in programming repeater information. The repeater in question has an input frequency of 147.060 MHz (positive offset), PL of 100. I have set up Commander to show to transmit on 147.060 MHz, receive on 147.660, PL 100, Tx Dev=wide. When I attempt to activate the repeater, I just hear "hash" while monitoring with another 2m transceiver. Is my problem linked with the Tx Dev selection? Brain-dead user error? All the above?

I appreciate your assistance,

73

Guy Hornbeck
Millbrae, CA

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2012.0.2127 / Virus Database: 2411/4956 - Release Date: 04/24/12

367. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-25 03:10:54 UTC
From: Terry
Topic: 354 Message: 367

Bob

I think you are very confused.

The aeronautical band frequencies are AM, and the KG_UV radios
are FM ONLY.

As for the Band Limits, the Statement is:-

"Ability to program band limits is removed."

which means that the Band Limits cannot be changed with this
program. For example: If the Band Limits in your radio are set to
the Amateur Bands only, then you will not be able to change them
with this release.

--
Comint

>
>
> This is nice work. I like the band limits removed so I can hear
> the airport traffic at the little airport next to my house. I
> will try the program out!
>

368. RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-25 03:16:15 UTC
From: Bob Hawkins
Topic: 354 Message: 368

Obviously I am. I did not know that. Thank you for pointing it out. I
did like the software it is the easiest to use that I have found so far. It
is even better than Chirp.

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Terry
Sent: Tuesday, April 24, 2012 10:11 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Bob

I think you are very confused.

The aeronautical band frequencies are AM, and the KG_UV radios
are FM ONLY.

As for the Band Limits, the Statement is:-

"Ability to program band limits is removed."

which means that the Band Limits cannot be changed with this
program. For example: If the Band Limits in your radio are set to
the Amateur Bands only, then you will not be able to change them
with this release.

--
Comint

>
>
> This is nice work. I like the band limits removed so I can hear
> the airport traffic at the little airport next to my house. I
> will try the program out!
>

369. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available

Yahoo group: KG-UV_Commander
Date: 2012-04-25 09:09:10 UTC
From: Derek Turner
Topic: 354 Message: 369

Actually the Wouxun will produce acceptable audio from an AM source if it is very close to the transmitter and tuned slightly off.

Surely the horse has bolted on the band limit issue ?

73 de G4SWY Del +++

>_____
> From: Bob Hawkins <bobhawkins1@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Wednesday, 25 April 2012, 4:16
>Subject: RE: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available
>
>
>
>Obviously I am. I did not know that. Thank you for pointing it out. I did like the software it is the easiest to use that I have found so far. It is even better than Chirp.
>
>From:KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Terry
>Sent: Tuesday, April 24, 2012 10:11 PM
>To: KG-UV_Commander@yahoogroups.com
>Subject: Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.3 beta available
>
>
>Bob
>
>I think you are very confused.
>
>The aeronautical band frequencies are AM, and the KG_UV radios
>are FM ONLY.
>
>As for the Band Limits, the Statement is:-
>
>"Ability to program band limits is removed."
>
>which means that the Band Limits cannot be changed with this
>program. For example: If the Band Limits in your radio are set to
>the Amateur Bands only, then you will not be able to change them
>with this release.
>
>--
>Comint
>
>>
>>

>> This is nice work. I like the band limits removed so I can hear
>> the airport traffic at the little airport next to my house. I
>> will try the program out!
>>
>
>
>

370. KG-UV Commander for Wouxun KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-04-25 09:10:43 UTC
From: David A. Behar
Topic: 370 Message: 370

Hi friends,

Jim Mitchell (KC8UNJ), developer of the KG-UV Commander software, wrote to me that "My goal is to have something available for the 6D prior to the Dayton Hamvention next month".

That sounds good to me!

David / K7DB

371. kguv2d

Yahoo group: KG-UV_Commander
Date: 2012-04-28 12:46:37 UTC
From: Don P
Topic: 371 Message: 371

I have used KG-UV Commander to program bank 1 in the kguv2d for the FM broadcast memories.
Once programmed, how do I access bank 1?

372. KG-UV Commander for 72 mHz; KG-UV Commander for KG-UV6D

Yahoo group: KG-UV_Commander
Date: 2012-05-01 23:51:12 UTC
From: David A. Behar
Topic: 372 Message: 372

Hi friends,

KG-UV Commander developer Jim Mitchell, KC8UNJ, reports today that in the next day or so he expects to update KG-UV Commander to accommodate the Wouxun dual-band models which include the 72 mHz band.

Jim also reports that "Everything is basically working for the 6D, the only major thing left to implement is writing to the radio and then I'll have a beta ready for testing."

David

373. KG-UV Commander 0.1.4 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-05 03:01:20 UTC
From: jimbo_48393
Topic: 373 Message: 373

KG-UV Commander 0.1.4 beta is now available for download from my page:

http://www.kc8unj.com/kguv.html

Two changes in 0.1.4 beta:

- Expanded allowed frequency entry range (to accomodate European 70 MHz model)
- Fixed TravelPlus import (broken in 0.1.3)

374. Commander for KG-UV6D update

Yahoo group: KG-UV_Commander
Date: 2012-05-11 18:11:27 UTC
From: David A. Behar
Topic: 374 Message: 374

Hi friends,

A "KG-UV6 Commander" program is being tested by a small group of folks, and bugs and other minor issues are being addressed during this testing period. Therefore, it would be reasonable to expect that this program should be available soon.

KG-UV6D owners have good reason to be grateful for Jim Mitchell's hard work, and his willingness to apply his skills in support of hams and other radio users.

Of course, owners of the earlier Wouxun radios also have good reason to be grateful. If you are a Commander user and you have not yet made a PayPal contribution, now is the perfect time -- see the PayPal button at (http://kc8unj.com/kguv.html).

David

375. New file uploaded to KG-UV_Commander

Yahoo group: KG-UV_Commander
Date: 2012-05-12 22:05:08 UTC
From: KG-UV_Commander@yahoogroups.com
Topic: 257 Message: 375

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the KG-UV_Commander
group.

File : /Logs/KC9HDP 062411/vx7-to-uvxx.ps1
Uploaded by : SAMercer1 <samercer@...>
Description : Windows PowerShell script to convert CSV from VX7 commander to KG-UV
commander

You can access this file at the URL:
http://groups.yahoo.com/group/KG-UV_Commander/files/Logs/KC9HDP%20062411/vx7-to-uvxx.ps1

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/web/index.html
Regards,

SAMercer1 <samercer@...>
```

376. PowerShell script

Yahoo group: KG-UV_Commander
Date: 2012-05-12 22:08:03 UTC
From: SAMercer1
Topic: 376 Message: 376

I created a "down and dirty" Windows PowerShell script to take the exported CSV from VX7 commander and reformat it to be compatible with KG-UV commander. It throws away records which are neither 2M or 70cm.

Please forgive the debugging output. As I refine the script, I'll upload newer versions. This should be considered v0.1.

Scott
KI6SEJ

KG-UVD1P

377. KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-14 04:05:18 UTC
From: jimbo_48393
Topic: 377 Message: 377

KG-UV Commander 0.1.0 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:

http://www.kc8unj.com/kguv6.html

Feedback is appreciated. My email address can be found at the bottom of the ReadMe (Help -> RwadMe in the software).

Jim
KC8UNJ

378. Re: [KG-UV_Commander] KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-14 07:06:06 UTC
From: Daniel J Engstrom
Topic: 377 Message: 378

Hopefully I will have some time to check this out, this week!

Sent from my Verizon iPhone :)

On May 13, 2012, at 21:05, "jimbo_48393" <jimbo_48393@yahoo.com> wrote:

> KG-UV Commander 0.1.0 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:
>
> http://www.kc8unj.com/kguv6.html
>
> Feedback is appreciated. My email address can be found at the bottom of the ReadMe (Help -> RwadMe in the software).
>
> Jim
> KC8UNJ
>
>
>
>
>
>
>

379. Re: KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-14 14:02:02 UTC
From: VE2WFN
Topic: 377 Message: 379

hi,

thank you for this new soft for the KG-UV6

I have a error when I start the software:

goo.gl/oc3XG

I am on Win7 64bit in french

73'

Yannick
VE2WFN

--- In KG-UV_Commander@yahoogroups.com, Daniel J Engstrom <ghoinn_1972@...> wrote:
>
> Hopefully I will have some time to check this out, this week!
>
> Sent from my Verizon iPhone :)
>
> On May 13, 2012, at 21:05, "jimbo_48393" <jimbo_48393@...> wrote:
>
> > KG-UV Commander 0.1.0 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:
> >
> > http://www.kc8unj.com/kguv6.html
> >
> > Feedback is appreciated. My email address can be found at the bottom of the ReadMe (Help -> RwadMe in the software).
> >
> > Jim
> > KC8UNJ
> >
> >
> >
> >
> >
> >
> >
>

380. Re: KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-14 16:10:58 UTC
From: jimbo_48393
Topic: 377 Message: 380

Hi Yannick,

I have found the problem: I failed to properly account for a non-US decimal separator. I will fix it soon.

If desired, you can work around the problem by going into your Region And Language options in the Windows Control Panel, and change the Decimal Separator from comma "," to period "." before running KG-UV6 Commander. Be sure to set your decimal setting back when you are finished, so that your other software works properly.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "VE2WFN" <typer2009@...> wrote:
>
> hi,
>
> thank you for this new soft for the KG-UV6
>
> I have a error when I start the software:
>
> goo.gl/oc3XG
>
>
> I am on Win7 64bit in french
>
> 73'
>
> Yannick
> VE2WFN
>
>
>
>
> --- In KG-UV_Commander@yahoogroups.com, Daniel J Engstrom <ghoinn_1972@> wrote:
> >
> > Hopefully I will have some time to check this out, this week!
> >
> > Sent from my Verizon iPhone :)
> >
> > On May 13, 2012, at 21:05, "jimbo_48393" <jimbo_48393@> wrote:
> >
> > > KG-UV Commander 0.1.0 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:
> > >
> > > http://www.kc8unj.com/kguv6.html

> > >
> > > Feedback is appreciated. My email address can be found at the bottom of the ReadMe (Help -> RwadMe in the software).
> > >
> > > Jim
> > > KC8UNJ
> > >
> > >
> > >
> > >
> > >
> > >
> > >
> >
>

381. KG-UV6 Commander

Yahoo group: KG-UV_Commander
Date: 2012-05-15 01:11:07 UTC
From: Greg Dechant - W8GCD
Topic: 381 Message: 381

Unless I missed something. Is there any way to code in a setting for repeater offset.

382. Re: [KG-UV_Commander] KG-UV6 Commander

Yahoo group: KG-UV_Commander
Date: 2012-05-15 01:17:00 UTC
From: Carlos Chiossone
Topic: 381 Message: 382

You have to figure out the frequency based on the offset and put it in the TX Frequency. I know its a pain to me as well.

Carlos

On May 14, 2012, at 9:11 PM, Greg Dechant - W8GCD wrote:

Unless I missed something. Is there any way to code in a setting for repeater offset.

Carlos Chiossone
www.photostudio.com

383. RE: [KG-UV_Commander] KG-UV6 Commander

Yahoo group: KG-UV_Commander
Date: 2012-05-15 01:45:27 UTC
From: Greg DeChant W8GCD
Topic: 381 Message: 383

Thanks Carlos.

Didn't know if it could be coded into Commander to use the RPT button on the front of radio

73, Greg

From: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Carlos Chiossone
Sent: Monday, May 14, 2012 9:17 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] KG-UV6 Commander

You have to figure out the frequency based on the offset and put it in the TX Frequency. I know its a pain to me as well.

Carlos

On May 14, 2012, at 9:11 PM, Greg Dechant - W8GCD wrote:

Unless I missed something. Is there any way to code in a setting for repeater offset.

Carlos Chiossone

www.photostudio.com

384. New file uploaded to KG-UV_Commander

Yahoo group: KG-UV_Commander
Date: 2012-05-15 17:26:24 UTC
From: KG-UV_Commander@yahoogroups.com
Topic: 257 Message: 384

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the KG-UV_Commander
group.

File : /NIFOG 1_4 for Wouxun KG-UV6X-14 MAY 12.tw.uv6
Uploaded by : wa6mvt <wa6mvt@...>
Description : NIFOG VHF-UHF FREQ for Wouxun KG-UV6D/X_COMMANDER Format

You can access this file at the URL:
http://groups.yahoo.com/group/KG-UV_Commander/files/NIFOG%201_4%20for%20Wouxun%20KG-UV6X-14%20MAY%2012.tw.uv6

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/web/index.html
Regards,

wa6mvt <wa6mvt@...>

385. Re: KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-15 20:08:00 UTC
From: Rob
Topic: 377 Message: 385

Minor bug: After enabling the scroll wheel, scrolling with the wheel works until I get to channel 165, then it flips between showing 165, 168, and 171 as the last memory. It won't advance past 171.

386. Re: KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-15 21:43:41 UTC
From: k1slr
Topic: 377 Message: 386

Hi Rob,
I found the same issue with my mouse. I'm running Windows 7 (64b), I eMailed Jim Mitchell yesterday morning, so I assume that he is aware of the issue. We'll have to wait for the next software update.

73
Harold - K1SLR

--- In KG-UV_Commander@yahoogroups.com, "Rob" <wm8s_8@...> wrote:
>
> Minor bug: After enabling the scroll wheel, scrolling with the wheel works until I get to channel 165, then it flips between showing 165, 168, and 171 as the last memory. It won't advance past 171.
>

387. Re: [KG-UV_Commander] Re: KG-UV6 Commander 0.1.0 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-15 21:49:03 UTC
From: Carlos Chiossone
Topic: 377 Message: 387

Not happening in XP.

c

On May 15, 2012, at 5:43 PM, k1slr wrote:

Hi Rob,
I found the same issue with my mouse. I'm running Windows 7 (64b), I eMailed Jim Mitchell yesterday morning, so I assume that he is aware of the issue. We'll have to wait for the next software update.

73
Harold - K1SLR

--- In KG-UV_Commander@yahoogroups.com, "Rob" <wm8s_8@...> wrote:
>
> Minor bug: After enabling the scroll wheel, scrolling with the wheel works until I get to channel 165, then it flips between showing 165, 168, and 171 as the last memory. It won't advance past 171.
>

Carlos Chiossone
www.photostudio.com

388. Program freezes when com port is selected

Yahoo group: KG-UV_Commander
Date: 2012-05-16 00:24:52 UTC
From: W4KRR
Topic: 388 Message: 388

Using KG-UV Commander 0.1.4. When the proper COM port is selected for the USB cable, the program freezes up. It unfreezes as soon as I unplug the cable. The Wouxun software works just fine, using the same programming cable. What would cause this?

Ken, W4KRR

389. KG-UV6 Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-16 03:41:37 UTC
From: jimbo_48393
Topic: 389 Message: 389

KG-UV Commander 0.1.1 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:

http://www.kc8unj.com/kguv6.html

Changes:

- Fixed INI error when system uses comma decimal separator
- Fixed mouse scroll wheel problem

Jim
KC8UNJ

390. Re: [KG-UV_Commander] KG-UV6 Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-16 07:22:47 UTC
From: David A. Behar
Topic: 389 Message: 390

Hi Jim,

I can successfully copy channel rows from Commander and paste into Excel... but when I copy from Excel and try to paste into Commander, what gets pasted is the last thing I copied within Commander, not what I more recently copied from Excel.

David

----- Original Message -----
From: jimbo_48393
To: KG-UV_Commander@yahoogroups.com
Sent: Tuesday, May 15, 2012 8:41 PM
Subject: [KG-UV_Commander] KG-UV6 Commander 0.1.1 beta available

KG-UV Commander 0.1.1 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:

http://www.kc8unj.com/kguv6.html

Changes:

- Fixed INI error when system uses comma decimal separator
- Fixed mouse scroll wheel problem

Jim
KC8UNJ

391. KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-16 11:12:03 UTC
From: Don P
Topic: 391 Message: 391

I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once programmed, how do I access bank 1?

392. Re: KG-UV6 Commander 0.1.1 beta available

Yahoo group: KG-UV_Commander
Date: 2012-05-16 11:24:57 UTC
From: jimbo_48393
Topic: 389 Message: 392

Currently, pasting cell data copied from external sources like Excel is not supported. It might be possible to add in the future, but would require writing code to verify that each field in the data being pasted contains valid values for the target cell. Commander's internal copy/paste accomplishes this by restricting the paste operation so that cells can only be pasted to the columns from which they are copied, but this approach is not possible when data is copied from an external source.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Jim,
>
> I can successfully copy channel rows from Commander and paste into Excel... but when I copy from Excel and try to paste into Commander, what gets pasted is the last thing I copied within Commander, not what I more recently copied from Excel.
>
> David
>
> ----- Original Message -----
> From: jimbo_48393
> To: KG-UV_Commander@yahoogroups.com
> Sent: Tuesday, May 15, 2012 8:41 PM
> Subject: [KG-UV_Commander] KG-UV6 Commander 0.1.1 beta available
>
>
>
> KG-UV Commander 0.1.1 beta for the Wouxun KG-UV6D and KG-UV6X is now available for download from my page:
>
> http://www.kc8unj.com/kguv6.html
>
> Changes:
>
> - Fixed INI error when system uses comma decimal separator
> - Fixed mouse scroll wheel problem
>
> Jim
> KC8UNJ
>

393. Control thru internet

Yahoo group: KG-UV_Commander
Date: 2012-05-17 09:54:46 UTC
From: cochin007
Topic: 393 Message: 393

HI,
I wanted to know if we can change the frequencies thru Computer.
I am in UK and I have a rig in India.UV6D is the model i have..
I wanted to know if we can control the rig thru Internet using some software or settings?
George
vu3obq

394. Re: KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-17 12:49:21 UTC
From: k1slr
Topic: 391 Message: 394

Hi Don,
To access your programmed FM stations, switch to FM mode and enter whichever numerical key on the keypad for the channel that you programmed (ex 1,2,3,8,9). Hope this solves your problem.

73
Hal - K1SLR

--- In KG-UV_Commander@yahoogroups.com, "Don P" <w9jun@...> wrote:
>
> I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once programmed, how do I access bank 1?
>

395. Re: [KG-UV_Commander] KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-17 14:33:22 UTC
From: Terry
Topic: 391 Message: 395

Don

To access the FM Band channels, press the Middle button on the
Left Hand side of the radio (Side Key 1), to enter Radio Mode.
Then press Number Key 1 to 9 to Listen to the respective Channels.

To toggle between the first Group of 9 channels (Team 1), and the
second Group (Team 2), press the # Key.

When you are finished listening to the FM Band, Press Side Key 1
again to exit Radio Mode.

--
Comint

>
> I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once
programmed, how do I access bank 1?
>

396. Re: [KG-UV_Commander] KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-17 16:27:23 UTC
From: Carlos Chiossone
Topic: 391 Message: 396

Dumb question, is there another way to do it? I had to set that button for lamp as its on too short a period. The other one set to channel-vfo

thanks,
c

On May 17, 2012, at 10:33 AM, Terry wrote:

Don

To access the FM Band channels, press the Middle button on the
Left Hand side of the radio (Side Key 1), to enter Radio Mode.
Then press Number Key 1 to 9 to Listen to the respective Channels.

To toggle between the first Group of 9 channels (Team 1), and the
second Group (Team 2), press the # Key.

When you are finished listening to the FM Band, Press Side Key 1
again to exit Radio Mode.

--
Comint

>
> I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once programmed, how do I access bank 1?
>

Carlos Chiossone
www.photostudio.com

397. Re: [KG-UV_Commander] Control thru internet

Yahoo group: KG-UV_Commander
Date: 2012-05-17 16:39:02 UTC
From: David A. Behar
Topic: 393 Message: 397

Hi George,

I have never tried this, but I believe the following should work.

You would need to have a relay (or another equivalent) which switches cables plugged into the speaker and mike plugs between a programming cable and suitable audio and PTT interfaces.

When you want to change radio parameters, you'd essentially remotely reprogram the radio, with special attention to the current channel parameter. Then you would switch the radio from a programming cable to audio interfaces and operate the radio. Transmit/receive would be controlled as if you were pushing the PTT button on a microphone.

David

----- Original Message -----
From: cochin007
To: KG-UV_Commander@yahoogroups.com
Sent: Thursday, May 17, 2012 2:54 AM
Subject: [KG-UV_Commander] Control thru internet

HI,
I wanted to know if we can change the frequencies thru Computer.
I am in UK and I have a rig in India.UV6D is the model i have..
I wanted to know if we can control the rig thru Internet using some software or settings?
George
vu3obq

398. Re: Control thru internet

Yahoo group: KG-UV_Commander
Date: 2012-05-18 09:39:57 UTC
From: cochin007
Topic: 393 Message: 398

HI David,
Thanks for the reply,
But the software doesnt have any provision to change
the frequency while working right?
Can we remotely control the rig using some software?
73
George

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi George,
>
> I have never tried this, but I believe the following should work.
>
> You would need to have a relay (or another equivalent) which switches cables plugged into the speaker and mike plugs between a programming cable and suitable audio and PTT interfaces.
>
> When you want to change radio parameters, you'd essentially remotely reprogram the radio, with special attention to the current channel parameter. Then you would switch the radio from a programming cable to audio interfaces and operate the radio. Transmit/receive would be controlled as if you were pushing the PTT button on a microphone.
>
> David
>
> ----- Original Message -----
> From: cochin007
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thursday, May 17, 2012 2:54 AM
> Subject: [KG-UV_Commander] Control thru internet
>
>
>
>
> HI,
> I wanted to know if we can change the frequencies thru Computer.
> I am in UK and I have a rig in India.UV6D is the model i have..
> I wanted to know if we can control the rig thru Internet using some software or settings?
> George
> vu3obq
>

399. Re: KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-18 11:35:24 UTC
From: Don P
Topic: 391 Message: 399

Thanks, Hal

--- In KG-UV_Commander@yahoogroups.com, "k1slr" <k1slr@...> wrote:
>
> Hi Don,
> To access your programmed FM stations, switch to FM mode and enter whichever numerical key on the keypad for the channel that you programmed (ex 1,2,3,8,9). Hope this solves your problem.
>
> 73
> Hal - K1SLR
>
> --- In KG-UV_Commander@yahoogroups.com, "Don P" <w9jun@> wrote:
> >
> > I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once programmed, how do I access bank 1?
> >
>

400. Re: KG-UV FM Radio

Yahoo group: KG-UV_Commander
Date: 2012-05-18 11:35:59 UTC
From: Don P
Topic: 391 Message: 400

Thanks, Terry

--- In KG-UV_Commander@yahoogroups.com, Terry <comint@...> wrote:
>
> Don
>
> To access the FM Band channels, press the Middle button on the
> Left Hand side of the radio (Side Key 1), to enter Radio Mode.
> Then press Number Key 1 to 9 to Listen to the respective Channels.
>
> To toggle between the first Group of 9 channels (Team 1), and the
> second Group (Team 2), press the # Key.
>
> When you are finished listening to the FM Band, Press Side Key 1
> again to exit Radio Mode.
>
> --
> Comint
>
> >
> > I have used KG-UV Commander to program bank 1 for the FM broadcast memories. Once programmed, how do I access bank 1?
> >
>

401. Re: [KG-UV_Commander] Re: Control thru internet

Yahoo group: KG-UV_Commander
Date: 2012-05-18 18:07:11 UTC
From: David A. Behar
Topic: 393 Message: 401

Hi George,

With the scheme I described, the radio's frequency could be changed remotely.

The programming protocol (i.e., the information that needs to be sent into the radio to reprogram it) does not require that you totally reprogram the radio; rather, if you just wanted to change to another programmed channel, you would only need to send just the information which specifies the new "current channel". I'd guess that if just the minimal info is sent to the radio, it could be reprogrammed and then reboot in less than ten seconds.

This is not a trivial project, but I could easily explain to someone what data would need to be fed into the radio. But to actually make this work, you would require someone to design (and build) a hardware interface for the radio which switches the mic and spkr connections on the radio between the programming cable and some kind of audio/PTT interface. Also, someone would need to take the time to write a software program which sends the necessary data into the radio.

But if anybody wants to tackle this project of remotely controlling the radio, I'd be glad to explain exactly what data needs to be sent into the radio to change to a different channel... or even to change to any frequency within the range of the radio.

David

----- Original Message -----
From: cochin007
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, May 18, 2012 2:39 AM
Subject: [KG-UV_Commander] Re: Control thru internet

HI David,
Thanks for the reply,
But the software doesnt have any provision to change
the frequency while working right?
Can we remotely control the rig using some software?
73
George

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi George,
>
> I have never tried this, but I believe the following should work.
>
> You would need to have a relay (or another equivalent) which switches cables plugged into the speaker and mike plugs between a programming cable and suitable audio and PTT interfaces.

>
> When you want to change radio parameters, you'd essentially remotely reprogram the radio, with special attention to the current channel parameter. Then you would switch the radio from a programming cable to audio interfaces and operate the radio. Transmit/receive would be controlled as if you were pushing the PTT button on a microphone.
>
> David
>
> ----- Original Message -----
> From: cochin007
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thursday, May 17, 2012 2:54 AM
> Subject: [KG-UV_Commander] Control thru internet
>
>
>
>
> HI,
> I wanted to know if we can change the frequencies thru Computer.
> I am in UK and I have a rig in India.UV6D is the model i have..
> I wanted to know if we can control the rig thru Internet using some software or settings?
> George
> vu3obq
>

402. Four Decimal Frequencies in the 1P

Yahoo group: KG-UV_Commander
Date: 2012-05-19 01:26:04 UTC
From: Ralph Milnes
Topic: 389 Message: 402

I'm told that the 1P and maybe some other 1st generation Wouxun handhelds will not accept a 4 decimal frequency, e.g. xxx.xx25.

BUT using both UV-Commander and the original Wouxun software, I am able to enter a 4 decimal frequency that ends in xxx.xx75 but not one that ends in xxx.xx25 (?!) And I my radio will accept the .xx75 if written by the software.

Am I doing something wrong that I can't enter .xx25 -- or is it just a bug that I can enter .xx75?

Ralph NM5RM

403. Re: Four Decimal Frequencies in the 1P

Yahoo group: KG-UV_Commander
Date: 2012-05-19 01:36:46 UTC
From: jwheatleyus
Topic: 389 Message: 403

You need 2.5KHz Step and the 1P doesn't have 2.5 Step.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Ralph Milnes" <ralphmilnes@...> wrote:
>
> I'm told that the 1P and maybe some other 1st generation Wouxun handhelds
> will not accept a 4 decimal frequency, e.g. xxx.xx25.
>
>
>
> BUT using both UV-Commander and the original Wouxun software, I am able to
> enter a 4 decimal frequency that ends in xxx.xx75 but not one that ends in
> xxx.xx25 (?!) And I my radio will accept the .xx75 if written by the
> software.
>
>
>
> Am I doing something wrong that I can't enter .xx25 -- or is it just a bug
> that I can enter .xx75?
>
> Ralph NM5RM
>

404. Re: [KG-UV_Commander] Four Decimal Frequencies in the 1P

Yahoo group: KG-UV_Commander
Date: 2012-05-19 02:07:30 UTC
From: David A. Behar
Topic: 389 Message: 404

The pre-UV6D radios will accommodate any frequency which is a multiple of 5.00 kHz or 6.25 kHz. The 6D will accommodate 2.50 kHz and 6.25 kHz steps.

David

On 5/18/12, Ralph Milnes <ralphmilnes@...> wrote:
> I'm told that the 1P and maybe some other 1st generation Wouxun handhelds
> will not accept a 4 decimal frequency, e.g. xxx.xx25.
>
>
>
> BUT using both UV-Commander and the original Wouxun software, I am able to
> enter a 4 decimal frequency that ends in xxx.xx75 but not one that ends in
> xxx.xx25 (?!) And I my radio will accept the .xx75 if written by the
> software.
>
>
>
> Am I doing something wrong that I can't enter .xx25 -- or is it just a bug
> that I can enter .xx75?
>
> Ralph NM5RM
>
>
>
>

405. Re: Control thru internet

Yahoo group: KG-UV_Commander
Date: 2012-05-19 17:56:56 UTC
From: charles_boling
Topic: 393 Message: 405

Kudos for a clever hack, David! I had never considered using that method just to change the current freq.

406. Find Com Port in Win 7 ?

Yahoo group: KG-UV_Commander
Date: 2012-05-25 03:34:38 UTC
From: KB5ILY - Travis W. Burton
Topic: 373 Message: 406

I am sure this has been discussed before, but I didn't find it searching the archives.

I just moved my HT programing duties to my Dell N5040 64-bit laptop under Win 7. This is my first experience with Win 7, so I have not managed to locate how to find the com port to put in Commander. Any help would be appreciated.

73 de Travis KB5ILY

--
Travis W. Burton, NP, ESQ., KB5ILY / Arkadelphia AR
President, DeGray Amateur Radio club, Inc.
EC - Clark County AR / SW Arkansas District Emergency Coord.
SATERN, ARRL Instructor & VE, AREC I, II & III
W5YI Instructor
Internet: mailto:kb5ily@...
http://www.radioreference.com/apps/audio/?feedId=9877
WWW: http://www.kb5ily.org
GOD BLESS THE UNITED STATES of AMERICA
Only he who Attempts the Ridiculous can Achieve the Impossible. (WILL HENRY)
Linux is my operating system of choice.

Computers are like Air Conditioners,
they stop working correctly when you open windows.

407. Re: Find Com Port in Win 7 ?

Yahoo group: KG-UV_Commander
Date: 2012-05-25 12:05:04 UTC
From: jwheatleyus
Topic: 373 Message: 407

Download FindComPort.exe from www.wouxun.us- It is a handy utility for checking Com ports.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "KB5ILY - Travis W. Burton" <kb5ily@...> wrote:
>
> I am sure this has been discussed before, but I didn't find it searching
> the archives.
>
> I just moved my HT programing duties to my Dell N5040 64-bit laptop under
> Win 7. This is my first experience with Win 7, so I have not managed to
> locate how to find the com port to put in Commander. Any help would be
> appreciated.
>
> 73 de Travis KB5ILY
>
> --
> Travis W. Burton, NP, ESQ., KB5ILY / Arkadelphia AR
> President, DeGray Amateur Radio club, Inc.
> EC - Clark County AR / SW Arkansas District Emergency Coord.
> SATERN, ARRL Instructor & VE, AREC I, II & III
> W5YI Instructor
> Internet: mailto:kb5ily@...
> http://www.radioreference.com/apps/audio/?feedId=9877
> WWW: http://www.kb5ily.org
> GOD BLESS THE UNITED STATES of AMERICA
> Only he who Attempts the Ridiculous can Achieve the Impossible. (WILL HENRY)
> Linux is my operating system of choice.
>
> Computers are like Air Conditioners,
> they stop working correctly when you open windows.
>

408. Re: Find Com Port in Win 7 ?

Yahoo group: KG-UV_Commander
Date: 2012-05-25 14:42:52 UTC
From: Dave Robinson
Topic: 373 Message: 408

On your desktop, right click COMPUTER or MY COMPUTER
Select MANAGE
In the left hand window select DEVICE MANAGER
In the right hand window you should find COM PORTS
From there, it's like most other later versions of windows.

Dave KB7GP

Sent from my iPad

409. Re: Find Com Port in Win 7 ?

Yahoo group: KG-UV_Commander
Date: 2012-05-25 14:46:49 UTC
From: Dave Robinson
Topic: 373 Message: 409

If MY COMPUTER or COMPUTER is not on your desktop, you can find it under the START button on the right side,

Dave KB7GP

Sent from my iPad

On May 25, 2012, at 7:42, Dave Robinson <calaser@...> wrote:

> On your desktop, right click COMPUTER or MY COMPUTER
> Select MANAGE
> In the left hand window select DEVICE MANAGER
> In the right hand window you should find COM PORTS
> From there, it's like most other later versions of windows.
>
> Dave KB7GP
>
> Sent from my iPad

410. Re: [KG-UV_Commander] Re: Find Com Port in Win 7 ?

Yahoo group: KG-UV_Commander
Date: 2012-05-25 14:58:04 UTC
From: n1evh@verizon.net
Topic: 373 Message: 410

Also... when you click on "Start"... if you see "Control Panel" on the right-hand side... you can click on "Control Panel" and then look for "Device Manager" in the list (it should be near the top since the items are in alphabetical order).

Mike - N1EVH

-------Original Message-------

From: Dave Robinson
Date: 05/25/12 10:46:58
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Find Com Port in Win 7 ?

If MY COMPUTER or COMPUTER is not on your desktop, you can find it under the START button on the right side,

Dave KB7GP

Sent from my iPad

On May 25, 2012, at 7:42, Dave Robinson <calaser@...> wrote:

> On your desktop, right click COMPUTER or MY COMPUTER
> Select MANAGE
> In the left hand window select DEVICE MANAGER
> In the right hand window you should find COM PORTS
> From there, it's like most other later versions of windows.
>
> Dave KB7GP
>
> Sent from my iPad

Yahoo! Groups Links

411. VERY NICE!

Yahoo group: KG-UV_Commander
Date: 2012-05-28 01:59:12 UTC
From: Dave Knapp
Topic: 411 Message: 411

Jim, GREAT job on the new KG-UV6 programming software! Just used it for the first time and it worked flawlessly! THANKS!!

412. Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-07 23:14:12 UTC
From: larryscan29617
Topic: 412 Message: 412

Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry

413. Re: [KG-UV_Commander] Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-08 01:50:10 UTC
From: Michael H Cox
Topic: 412 Message: 413

Can you not change the com port assignment in Device Manager?

Thanks,

Michael Cox

On Jun 7, 2012, at 4:14 PM, "larryscan29617" <larryscan@...> wrote:

> Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry
>
>

414. Re: [KG-UV_Commander] Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-08 02:18:06 UTC
From: Larry Williams
Topic: 412 Message: 414

Tried that also. Still doesnt work. Wonder if anyone has used any other type cable. ??????

----- Original Message -----
From: Michael H Cox
To: KG-UV_Commander@yahoogroups.com
Sent: Thursday, June 07, 2012 9:50 PM
Subject: Re: [KG-UV_Commander] Another Comm Port Issue

Can you not change the com port assignment in Device Manager?

Thanks,

Michael Cox

On Jun 7, 2012, at 4:14 PM, "larryscan29617" <larryscan@...> wrote:

Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry

415. UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 04:52:02 UTC
From: Kuby
Topic: 415 Message: 415

I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.

I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.

I did the same thing with Menu-24 showing +, I want - ;
I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.

I held down 'menu' for 5sec - no change. I pushed the PTT - no change.

I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
What is not in the User guide?

416. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 05:06:33 UTC
From: thebigcritter
Topic: 415 Message: 416

My understanding is that, short answer, you CAN'T.

I had the same problem; then I found out that, for example, if I programmed channels, say, 1-10 with software, then I couldn't make changes to things on channels 1-10 manually (like pl tones, or offsets). This is supposedly to protect those banks from data corruption.

That said, with 1-10 programmed with software, there is nothing stopping me from programming, for example, channel 11 manually, with all new keypad-entered data, and making corrections/changes on the fly. I just can't manually change the ones already entered with software. To change those, I'd have to use the software.

It doesn't really make a lot of practical sense to me (I understand the corruption part to an extent, but still...), but that seems to be the way of it. I don't remember if I found that out from the internet, or if it is actually in the manual (albeit not terribly clearly spelled out).

HTH, and 73,
-dan

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
>
> I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
>
> I did the same thing with Menu-24 showing +, I want - ;
> I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
>
> I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
>
> I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> What is not in the User guide?
>

417. Re: [KG-UV_Commander] UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 08:55:53 UTC
From: Terry
Topic: 415 Message: 417

Kuby

It is my understanding, that you can't manually change individual parameters on a channel. What you have to do, if you want to change a single parameter, is delete the whole channel (Menu 28), and manually re-program all the information again, except this time including the new parameter.

--
Comint

>
> I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
>
> I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu& Exit but before I get to Exit it reverts back to 110.9.
>
> I did the same thing with Menu-24 showing +, I want - ;
> I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
>
> I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
>
> I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> What is not in the User guide?
>
>
>
>

418. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 12:50:49 UTC
From: jwheatleyus
Topic: 415 Message: 418

To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
>
> I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
>
> I did the same thing with Menu-24 showing +, I want - ;
> I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
>
> I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
>
> I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> What is not in the User guide?
>

419. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 14:20:50 UTC
From: Kuby
Topic: 415 Message: 419

Thanks guys, this new revelation that really makes the UV3 suck! I did not see it in the manual but then I wasn't looking at what I cannot program but how to change the memory programming. I'm sure it is some lil obscure ching-lish grammatically correct sentence somewhere. (But not in the PwrX cheat sheets).

Is this the same for all UV-1-2-6 ???

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> >
> > I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
> >
> > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
> >
> > I did the same thing with Menu-24 showing +, I want - ;
> > I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
> >
> > I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
> >
> > I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> > What is not in the User guide?
> >
>

420. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 14:39:18 UTC
From: jwheatleyus
Topic: 415 Message: 420

I think Delete to Change is the same in all of these new HTs. My Wouxun KG-UVD1P is the same.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
>
> Thanks guys, this new revelation that really makes the UV3 suck! I did not see it in the manual but then I wasn't looking at what I cannot program but how to change the memory programming. I'm sure it is some lil obscure ching-lish grammatically correct sentence somewhere. (But not in the PwrX cheat sheets).
>
> Is this the same for all UV-1-2-6 ???
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> > >
> > > I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
> > >
> > > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > > I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
> > >
> > > I did the same thing with Menu-24 showing +, I want - ;
> > > I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
> > >
> > > I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
> > >
> > > I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> > > What is not in the User guide?
> > >
> >
>

421. Re: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 14:47:47 UTC
From: Michael Cox
Topic: 415 Message: 421

remember that these radios are commercial radios, not ham radios. I don't
want employees making changes to radios after I program them at work.

On Sun, Jun 10, 2012 at 7:39 AM, jwheatleyus <taoswheat@...> wrote:

> **
>
>
> I think Delete to Change is the same in all of these new HTs. My Wouxun
> KG-UVD1P is the same.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@...> wrote:
> >
> > Thanks guys, this new revelation that really makes the UV3 suck! I did
> not see it in the manual but then I wasn't looking at what I cannot program
> but how to change the memory programming. I'm sure it is some lil obscure
> ching-lish grammatically correct sentence somewhere. (But not in the PwrX
> cheat sheets).
> >
> > Is this the same for all UV-1-2-6 ???
> >
> > --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@>
> wrote:
> > >
> > > To manually change anything in a saved channel, you must first delete
> the channel and resave all parameters.
> > > JohnW
> > > W5JHW
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> > > >
> > > > I wanted to change the PL tone in one of my memories. I followed the
> user manual/PwrX cheat-sheet (same data) and no matter what I do the
> parameter will not record into memory.
> > > >
> > > > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > > > I toggle to 77.0 and press 'menu' to save. It just moves the cursor
> up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I
> get to Exit it reverts back to 110.9.
> > > >
> > > > I did the same thing with Menu-24 showing +, I want - ;
> > > > I toggle to - and press 'menu' to save. It moves the cursor up to
> SFT-D and back to +.

> > > >
> > > > I held down 'menu' for 5sec - no change. I pushed the PTT - no
> change.
> > > >
> > > > I can program via PC A-OK, but cannot makes changes on the fly by
> hand. What am I doing wrong?
> > > > What is not in the User guide?
> > > >
> > >
> >
>
>
>

--

73'

Michael H. Cox
MichaelHCox@...
KF7EEC / WQJT342
A+, Network+, Security+, MCP, MCDST, CNE, CIW Web Design Specialist, CCENT,
CCNA, CIW Java Script Specialist
Volunteer with ARES, RACES, ERC, CERT, Skywarn, MARA, and American Red Cross

422. Re: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 14:48:43 UTC
From: David A. Behar
Topic: 415 Message: 422

Hi Friends,

There is a solution to this! As somebody mentioned, the radio has been designed to NORMALLY not let you change a channel parameter, but you can OVERRIDE this feature, and here's how...

Turn off the radio. Then hold down the "8" key and turn the radio on... and then after the radio is on release the "8" key. You will now be able to enter the "Dealer Mode" code, which is 268160.

The current "radio" ("A" or "B") will switch to Channel Number Mode (which you can easily change back), but the important things is that you will be in Dealer Mode until you power down the radio... and you will be able to change tone squelch parameters (and maybe a few more, like power, or maybe offset... I'm not sure).

David

----- Original Message -----
From: Kuby
To: KG-UV_Commander@yahoogroups.com
Sent: Sunday, June 10, 2012 7:20 AM
Subject: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Thanks guys, this new revelation that really makes the UV3 suck! I did not see it in the manual but then I wasn't looking at what I cannot program but how to change the memory programming. I'm sure it is some lil obscure ching-lish grammatically correct sentence somewhere. (But not in the PwrX cheat sheets).

Is this the same for all UV-1-2-6 ???

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> >
> > I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
> >
> > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
> >

> > I did the same thing with Menu-24 showing +, I want - ;
> > I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
> >
> > I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
> >
> > I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> > What is not in the User guide?
> >
>

423. RE: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 16:04:38 UTC
From: Greg DeChant W8GCD
Topic: 415 Message: 423

I believe using the KGUV software for the radio you have. In the configuration settings you can turn the keypad lock off.

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of David A. Behar
Sent: Sunday, June 10, 2012 10:49 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Hi Friends,

There is a solution to this! As somebody mentioned, the radio has been designed to NORMALLY not let you change a channel parameter, but you can OVERRIDE this feature, and here's how...

Turn off the radio. Then hold down the "8" key and turn the radio on... and then after the radio is on release the "8" key. You will now be able to enter the "Dealer Mode" code, which is 268160.

The current "radio" ("A" or "B") will switch to Channel Number Mode (which you can easily change back), but the important things is that you will be in Dealer Mode until you power down the radio... and you will be able to change tone squelch parameters (and maybe a few more, like power, or maybe offset... I'm not sure).

David

----- Original Message -----

From: Kuby <mailto:n6jsx@...>

To: KG-UV_Commander@yahoogroups.com

Sent: Sunday, June 10, 2012 7:20 AM

Subject: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Thanks guys, this new revelation that really makes the UV3 suck! I did not see it in the manual but then I wasn't looking at what I cannot program but how to change the memory programming. I'm sure it is some lil obscure ching-lish grammatically correct sentence somewhere. (But not in the PwrX cheat sheets).

Is this the same for all UV-1-2-6 ???

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "jwheatleyus" <taoswheat@...>
wrote:

>
> To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com <mailto:KG-UV_Commander%40yahoogroups.com> , "Kuby" <n6jsx@> wrote:
> >
> > I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
> >
> > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
> >
> > I did the same thing with Menu-24 showing +, I want - ;
> > I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
> >
> > I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
> >
> > I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> > What is not in the User guide?
> >
>

424. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 16:36:34 UTC
From: jwheatleyus
Topic: 415 Message: 424

This is not a Keypad lock issue. The radio will not allow changes to saved channels unless the channel is Deleted first or as David noted by using Dealer Mode.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "Greg DeChant W8GCD" <gcdechant@...> wrote:
>
> I believe using the KGUV software for the radio you have. In the
> configuration settings you can turn the keypad lock off.
>
>
>
> From: KG-UV_Commander@yahoogroups.com
> [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of David A. Behar
> Sent: Sunday, June 10, 2012 10:49 AM
> To: KG-UV_Commander@yahoogroups.com
> Subject: Re: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters
>
>
>
>
>
> Hi Friends,
>
>
>
> There is a solution to this! As somebody mentioned, the radio has been
> designed to NORMALLY not let you change a channel parameter, but you can
> OVERRIDE this feature, and here's how...
>
>
>
> Turn off the radio. Then hold down the "8" key and turn the radio on... and
> then after the radio is on release the "8" key. You will now be able to
> enter the "Dealer Mode" code, which is 268160.
>
>
>
> The current "radio" ("A" or "B") will switch to Channel Number Mode (which
> you can easily change back), but the important things is that you will be in
> Dealer Mode until you power down the radio... and you will be able to change
> tone squelch parameters (and maybe a few more, like power, or maybe
> offset... I'm not sure).
>
>

>
> David
>
>

425. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 17:00:38 UTC
From: Kuby
Topic: 415 Message: 425

This DLR Mode "worked for the PL" Memu-16.....

SFT-D Menu-24 did 'not' work in DLR Mode..... However, my Menu-24 shows + offset. But on PTT my radio properly TX 146.220 the 'minus' offset. So no memory error here, buttttttt.....
I think I know why; the TX freq was PC programmed both the RX and TX freq discretely into memory - this overrides the offset function and cannot be changed. To change the offset would mean the TX freq must be erased from that memory. And when doing manual programming we cannot program a specific TX freq (meaning no odd-split manual setups or simplex change if the repeater dies).

Now to create a label of this "DLR Mode" and stick it on the UV3 back heat-sink under the battery. So I never loose this info gem!

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi Friends,
>
> There is a solution to this! As somebody mentioned, the radio has been designed to NORMALLY not let you change a channel parameter, but you can OVERRIDE this feature, and here's how...
>
> Turn off the radio. Then hold down the "8" key and turn the radio on... and then after the radio is on release the "8" key. You will now be able to enter the "Dealer Mode" code, which is 268160.
>
> The current "radio" ("A" or "B") will switch to Channel Number Mode (which you can easily change back), but the important things is that you will be in Dealer Mode until you power down the radio... and you will be able to change tone squelch parameters (and maybe a few more, like power, or maybe offset... I'm not sure).
>
> David
>
> ----- Original Message -----
> From: Kuby
> To: KG-UV_Commander@yahoogroups.com
> Sent: Sunday, June 10, 2012 7:20 AM
> Subject: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters
>
>
>
> Thanks guys, this new revelation that really makes the UV3 suck! I did not see it in the manual but then I wasn't looking at what I cannot program but how to change the memory programming. I'm sure it is some lil obscure ching-lish grammatically correct sentence somewhere. (But not in the PwrX cheat sheets).
>

> Is this the same for all UV-1-2-6 ???
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > To manually change anything in a saved channel, you must first delete the channel and resave all parameters.
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, "Kuby" <n6jsx@> wrote:
> > >
> > > I wanted to change the PL tone in one of my memories. I followed the user manual/PwrX cheat-sheet (same data) and no matter what I do the parameter will not record into memory.
> > >
> > > I in memory 60 I have 146.820, Menu-16 shows 110.9, I want 77.0;
> > > I toggle to 77.0 and press 'menu' to save. It just moves the cursor up to T-CTC and shows 110.9. I've even done the Menu & Exit but before I get to Exit it reverts back to 110.9.
> > >
> > > I did the same thing with Menu-24 showing +, I want - ;
> > > I toggle to - and press 'menu' to save. It moves the cursor up to SFT-D and back to +.
> > >
> > > I held down 'menu' for 5sec - no change. I pushed the PTT - no change.
> > >
> > > I can program via PC A-OK, but cannot makes changes on the fly by hand. What am I doing wrong?
> > > What is not in the User guide?
> > >
> >
>

426. Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 17:04:18 UTC
From: Kuby
Topic: 415 Message: 426

"Roger" beep that OM..... What a wasted key!

--- In KG-UV_Commander@yahoogroups.com, Michael Cox <michaelhcox@...> wrote:
>
> remember that these radios are commercial radios, not ham radios. I don't
> want employees making changes to radios after I program them at work.

427. Re: [KG-UV_Commander] Re: UV3: Cannot manually SET parameters

Yahoo group: KG-UV_Commander
Date: 2012-06-10 21:14:50 UTC
From: Terry
Topic: 415 Message: 427

Greg

The "Keypad Lock" has absolutely nothing to do with the Topic
been discussed.

--
Comint

>
> I believe using the KGUV software for the radio you have. In the
> configuration settings you can turn the keypad lock off.
>

428. Replacement antenna ???

Yahoo group: KG-UV_Commander
Date: 2012-06-16 14:32:27 UTC
From: Kuby
Topic: 428 Message: 428

My rubber-duckie (aka helical dummy load) just came apart at the connector. It looks like the top rubber piece is crimped into the SMA lower section. Appears they compression fit the SMA inside barrel to the rubber-duckie wire (a very rotten connection method but easy to factory assemble).

Where can I get a replacement (type)?

What alternatives are there with the reverse SMA type connector?

I've been considering using SMA-BNC adapter with a Diamond RH77CA BNC, at least is is longer giving more radiation surface area.....

429. Re: [KG-UV_Commander] Replacement antenna ???

Yahoo group: KG-UV_Commander
Date: 2012-06-16 16:03:23 UTC
From: Daniel Engstrom
Topic: 428 Message: 429

http://www.powerwerx.com/wouxun-radios/

look toward to bottom of page!

God Bless you
73s from
Daniel J. Engstrom
Echolink #415939
KE7UUM (HAM)
WQJX969 (GMRS)
ke7uum@...
http://www.qrz.com/ke7uum
http://www.facebook.com/danieljengstrom
Google voice +1 (234) 206-1922 call/text

From: Kuby <n6jsx@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, June 16, 2012 7:32 AM
Subject: [KG-UV_Commander] Replacement antenna ???

My rubber-duckie (aka helical dummy load) just came apart at the connector. It looks like the top rubber piece is crimped into the SMA lower section. Appears they compression fit the SMA inside barrel to the rubber-duckie wire (a very rotten connection method but easy to factory assemble).

Where can I get a replacement (type)?

What alternatives are there with the reverse SMA type connector?

I've been considering using SMA-BNC adapter with a Diamond RH77CA BNC, at least is is longer giving more radiation surface area.....

430. Re: [KG-UV_Commander] Replacement antenna ???

Yahoo group: KG-UV_Commander
Date: 2012-06-16 18:41:12 UTC
From: Thomas Carpenter
Topic: 428 Message: 430

http://www.wouxun.us/category.php?category_id=47

-----Original Message-----
From: Kuby <n6jsx@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jun 16, 2012 10:32 am
Subject: [KG-UV_Commander] Replacement antenna ???

My rubber-duckie (aka helical dummy load) just came apart at the connector. It looks like the top rubber piece is crimped into the SMA lower section. Appears they compression fit the SMA inside barrel to the rubber-duckie wire (a very rotten connection method but easy to factory assemble).

Where can I get a replacement (type)?

What alternatives are there with the reverse SMA type connector?

I've been considering using SMA-BNC adapter with a Diamond RH77CA BNC, at least is is longer giving more radiation surface area.....

Yahoo! Groups Links

431. Re: Replacement antenna ???

Yahoo group: KG-UV_Commander
Date: 2012-06-16 19:12:38 UTC
From: jwheatleyus
Topic: 428 Message: 431

It is not a Reverse SMA- that is a special connector for WiFi applications. If your radio has a center pin (male) then you need an SMA Female antenna. They are available on eBay or better yet Wouxun.us.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Thomas Carpenter <Kb3hg@...> wrote:
>
> http://www.wouxun.us/category.php?category_id=47
>
>
>
> -----Original Message-----
> From: Kuby <n6jsx@...>
> To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
> Sent: Sat, Jun 16, 2012 10:32 am
> Subject: [KG-UV_Commander] Replacement antenna ???
>
>
> My rubber-duckie (aka helical dummy load) just came apart at the connector. It
> looks like the top rubber piece is crimped into the SMA lower section. Appears
> they compression fit the SMA inside barrel to the rubber-duckie wire (a very
> rotten connection method but easy to factory assemble).
>
> Where can I get a replacement (type)?
>
> What alternatives are there with the reverse SMA type connector?
>
> I've been considering using SMA-BNC adapter with a Diamond RH77CA BNC, at least
> is is longer giving more radiation surface area.....
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>

432. Re: Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-30 22:20:13 UTC
From: cobbcreek
Topic: 412 Message: 432

If you are using the proflic cable, you need to reset the driver to version 3.2.0.0. Microsoft updated the driver a couple of updates ago. Now you need to go backwards.
Roger
--- In KG-UV_Commander@yahoogroups.com, "Larry Williams" <larryscan@...> wrote:
>
> Tried that also. Still doesnt work. Wonder if anyone has used any other type cable. ??????
>
> ----- Original Message -----
> From: Michael H Cox
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thursday, June 07, 2012 9:50 PM
> Subject: Re: [KG-UV_Commander] Another Comm Port Issue
>
>
>
>
> Can you not change the com port assignment in Device Manager?
>
> Thanks,
>
>
> Michael Cox
>
>
>
>
> __________
>
> On Jun 7, 2012, at 4:14 PM, "larryscan29617" <larryscan@...> wrote:
>
>
>
> Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry
>

433. Re: [KG-UV_Commander] Re: Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-30 22:32:46 UTC
From: George Tucker
Topic: 412 Message: 433

as I have found out many times there may be more then one software trying to access ports at the same time get software program find port run it to find open port also be aware of antivirus software running that canbe problem I just bought a laptop put all my software for programing radio on it had very few problems rt cables will work with commander I dont know about the newer ones ver4 also there was a cable company that made a usb generic driver that works great with everything .....good luck George

_____
From: cobbcreek <sixspeed07@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, June 30, 2012 5:20 PM
Subject: [KG-UV_Commander] Re: Another Comm Port Issue

If you are using the proflic cable, you need to reset the driver to version 3.2.0.0. Microsoft updated the driver a couple of updates ago. Now you need to go backwards.
Roger
--- In KG-UV_Commander@yahoogroups.com, "Larry Williams" <larryscan@...> wrote:
>
> Tried that also. Still doesnt work. Wonder if anyone has used any other type cable. ??????
>
> ----- Original Message -----
> From: Michael H Cox
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thursday, June 07, 2012 9:50 PM
> Subject: Re: [KG-UV_Commander] Another Comm Port Issue
>
>
>
>
> Can you not change the com port assignment in Device Manager?
>
> Thanks,
>
>
> Michael Cox
>
>
>
>
> __________
>
> On Jun 7, 2012, at 4:14 PM, "larryscan29617" <larryscan@...> wrote:
>
>

>
> Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry
>

434. Re: [KG-UV_Commander] Re: Another Comm Port Issue

Yahoo group: KG-UV_Commander
Date: 2012-06-30 22:36:07 UTC
From: George Tucker
Topic: 412 Message: 434

also windows 7 does not like drivers even though it will load them I still use windows_xp and even windows 98 George

_____
From: cobbcreek <sixspeed07@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, June 30, 2012 5:20 PM
Subject: [KG-UV_Commander] Re: Another Comm Port Issue

If you are using the proflic cable, you need to reset the driver to version 3.2.0.0. Microsoft updated the driver a couple of updates ago. Now you need to go backwards.
Roger
--- In KG-UV_Commander@yahoogroups.com, "Larry Williams" <larryscan@...> wrote:
>
> Tried that also. Still doesnt work. Wonder if anyone has used any other type cable. ??????
>
> ----- Original Message -----
> From: Michael H Cox
> To: KG-UV_Commander@yahoogroups.com
> Sent: Thursday, June 07, 2012 9:50 PM
> Subject: Re: [KG-UV_Commander] Another Comm Port Issue
>
>
>
>
> Can you not change the com port assignment in Device Manager?
>
> Thanks,
>
>
> Michael Cox
>
>
>
>
> _____
>
> On Jun 7, 2012, at 4:14 PM, "larryscan29617" <larryscan@...> wrote:
>
>
>
> Device Mgr shows port 9. Tried everything I know to connect. Will not auto find or manual. PGM ready to load. I give up. SOS. Larry
>

435. KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 04:33:55 UTC
From: kd2kb
Topic: 435 Message: 435

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

436. RE: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 04:52:43 UTC
From: Chuck Graham
Topic: 435 Message: 436

Maybe find out what he smokes.

Chuck

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of kd2kb
Sent: Friday, July 06, 2012 9:34 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2012.0.2195 / Virus Database: 2437/5114 - Release Date: 07/06/12

437. RE: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 05:27:29 UTC
From: Greg DeChant
Topic: 435 Message: 437

Putting it bluntly: No, it will not Brick your radio.

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of kd2kb
Sent: Saturday, July 07, 2012 12:34 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

438. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 05:28:10 UTC
From: George Tucker
Topic: 435 Message: 438

I hav used the commander software on both wouxun radio and no problems George

---
From: kd2kb <zip.doe@...m>
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, July 6, 2012 11:33 PM
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

439. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 06:30:00 UTC
From: Daniel J Engstrom
Topic: 435 Message: 439

I have used both, on my radio, and on more then one computer!!
YES find out what he is smoking

Sent from my Verizon iPhone :)

On Jul 6, 2012, at 22:28, George Tucker <gtucker98@...> wrote:

> I hav used the commander software on both wouxun radio and no problems
>
>
> George
> From: kd2kb <zip.doe@...>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Friday, July 6, 2012 11:33 PM
> Subject: [KG-UV_Commander] KG-UV6D SOFTWARE
>
>
> THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
> THANKS X-KD2KB
>
>
>
>
>
>
>
>
>

440. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 10:12:20 UTC
From: Thomas Carpenter
Topic: 435 Message: 440

George,
Your using the 2 different Commander programs or the 5khz step and the 2.5khz step. Am I correct? Not the same same program for bot radios?

-----Original Message-----
From: George Tucker <gtucker98@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jul 7, 2012 1:28 am
Subject: Re: [KG-UV_Commander] KG-UV6D SOFTWARE

I hav used the commander software on both wouxun radio and no problems

George

From: kd2kb <zip.doe@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, July 6, 2012 11:33 PM
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

441. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 15:03:37 UTC
From: ZIP-G
Topic: 435 Message: 441

GEORGE,

I AM USING THE 2.5 KC STEP IN THE RADIO. THE DEALER INDICATES THAT ANY OTHER SOFTWARE WILL NOT
WORK ON THIS RADIO (KG-UV6D V2) AND THUS HIS CAUTION NOTICE. APPARENTLY THE WOUXUN SOFTWARE IS SUPPOSED TO BE THE ONLY ONE THAT WILL WORK. MY QUESTION WOULD BE 'HAS ANYONE PROGRAMMED THE KG-UV6D V2 WITH COMMANDER?

THANKS,
WAYNE
----- Original Message -----
From: Thomas Carpenter
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, July 07, 2012 06:12
Subject: Re: [KG-UV_Commander] KG-UV6D SOFTWARE

George,

Your using the 2 different Commander programs or the 5khz step and the 2.5khz step. Am I correct? Not the same same program for bot radios?

-----Original Message-----
From: George Tucker <gtucker98@yahoo.com>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jul 7, 2012 1:28 am
Subject: Re: [KG-UV_Commander] KG-UV6D SOFTWARE

I hav used the commander software on both wouxun radio and no problems

George

From: kd2kb <zip.doe@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, July 6, 2012 11:33 PM
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.

THANKS X-KD2KB

442. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 15:58:51 UTC
From: Dennis Smith
Topic: 435 Message: 442

http://lmgtfy.com/?q=netiquette+capital+letters

On 7 July 2012 16:03, ZIP-G <zip.doe@...> wrote:

> **
>
>
> *GEORGE,*
> **
> *I AM USING THE 2.5 KC STEP IN THE RADIO. THE DEALER INDICATES THAT ANY
> OTHER SOFTWARE WILL NOT*
> *WORK ON THIS RADIO (KG-UV6D V2) AND THUS HIS CAUTION NOTICE. APPARENTLY
> THE WOUXUN SOFTWARE*
> *IS SUPPOSED TO BE THE ONLY ONE THAT WILL WORK. MY QUESTION WOULD BE
> 'HAS ANYONE PROGRAMMED THE KG-UV6D V2 WITH COMMANDER?*
> **
> *THANKS,*
> *WAYNE*
>
> ----- Original Message -----
> *From:* Thomas Carpenter <Kb3hg@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Saturday, July 07, 2012 06:12
> *Subject:* Re: [KG-UV_Commander] KG-UV6D SOFTWARE
>
>
>
> George,
> Your using the 2 different Commander programs or the 5khz step and the
> 2.5khz step. Am I correct? Not the same same program for bot radios?
>
>
> -----Original Message-----
> From: George Tucker <gtucker98@...>
> To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
> Sent: Sat, Jul 7, 2012 1:28 am
> Subject: Re: [KG-UV_Commander] KG-UV6D SOFTWARE
>
> I hav used the commander software on both wouxun radio and no problems
>
> George
> ----------
> *From:* kd2kb <zip.doe@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Friday, July 6, 2012 11:33 PM

> *Subject:* [KG-UV_Commander] KG-UV6D SOFTWARE
>
>
>
>
> THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING
> THE KG-UV6D:"*Caution! If you use any other software to program this
> radio it will cause damage to the unit. You must use Wouxun KG-UV6D
> software to program this unit*. If you use aftermarket software or
> software for one of the other Wouxun models it will damage the unit. When
> using the correct software you can not use any other file that you may have
> saved from another application or from another wouxun model. . You can only
> use files saved from the 6D software to program this radio. Files saved
> from other programming software will damage this unit ,repairs can not be
> made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE
> KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A
> LITTLE WORRIED.
> THANKS X-KD2KB
>
>
>
>
>
>
>
>
>

443. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 20:04:34 UTC
From: David A. Behar
Topic: 435 Message: 443

Hi friends,

The issue here was that early versions of the Wouxun KG-UVD1 software, when used with the KG-UV6D radios, would corrupt the radio's memory.

The KG-UV Commander software works well with the earlier Wouxun dual-band radios (KG-UVD1, KG-UV2D, KG-UV3D), and the KG-UV6 Commander software works will with the KG-UV6D radios.

David

----- Original Message -----
From: kd2kb
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, July 06, 2012 9:33 PM
Subject: [KG-UV_Commander] KG-UV6D SOFTWARE

THE DEALER WHERE I PURCHASED THIS RADIO HAS THIS MESSAGE FOR PROGRAMMING THE KG-UV6D:"Caution! If you use any other software to program this radio it will cause damage to the unit. You must use Wouxun KG-UV6D software to program this unit. If you use aftermarket software or software for one of the other Wouxun models it will damage the unit. When using the correct software you can not use any other file that you may have saved from another application or from another wouxun model. . You can only use files saved from the 6D software to program this radio. Files saved from other programming software will damage this unit ,repairs can not be made under warranty if this happens" IN LIGHT OF THIS INFORMATION WILL THE KG-UV6 COMMANDER BRICK THE KG-UV6D 2.5KC UNIT? WHAT CAN I SAY, I AM A LITTLE WORRIED.
THANKS X-KD2KB

444. KG-UV6D v2.5 Commander ??'s

Yahoo group: KG-UV_Commander
Date: 2012-07-07 20:21:08 UTC
From: wjracing
Topic: 444 Message: 444

Wow, finally able to join this group. I've had the 6D v2.5 for a wk now & have a couple of ??'s regarding Commander.

After "Writing":
1.) Scan Mode (19) defaults back to "TO" from "CO"
2.) Menu (20) - if "Scan" has been programmed it will default back to RADIO.
3.) Auto Backlight (23) defaults back to "ON".

Commander is the "money" but having to re-program back in functions after writing is no party! Anyone else not feeling the love?

445. Re: [KG-UV_Commander] KG-UV6D SOFTWARE

Yahoo group: KG-UV_Commander
Date: 2012-07-07 20:46:02 UTC
From: ZIP-G
Topic: 435 Message: 445

GOOD AFTERNOON ALL,

THANK YOU FOR ALL OF YOUR INFORMATION REGARDING THIS ISSUE. I AM GOING TO USE COMMANDER BRICK IT OR NOT. THANKS TO KC8UNJ FOR HIS TIME AND EFFORT AND NOT GETTING TOO FANCY.

KARL GAVE ME THE INFO I WAS LOOKING FOR, THANK YOU. (KS9E)

TO GEORGE, I USE HI CASE FOR EVERYTHING BECAUSE OF SIGHT PROBLEMS. ARTHRITIS MAKES HITTING THE SHIFT KEY DIFFICULT. USING HI CASE FOR WAS OK FOR RTTY, IT'S GOOD ENOUGH FOR EMAIL. I TEND TO 'SHOUT' BECAUSE I AM HARD OF HEARING. THANKS FOR THE LINK BUT I DON'T SUBSCRIBE TO THAT LINE OF THINKING.

--... ...--
WAYNE,
WS3PC/N3PC
POTTER CO. PA - ACS/RACES

446. New Member

Yahoo group: KG-UV_Commander
Date: 2012-07-09 18:37:12 UTC
From: john
Topic: 446 Message: 446

Thanks for letting me Join this Group Purchased the KG-UVD1P at a Hamfest on July 7th and the Radio is Awesome for The Money I spent, Looking forward for other peoples comments on this model radio Thank You !

447. Re: KG-UV6D v2.5 Commander ??'s

Yahoo group: KG-UV_Commander
Date: 2012-07-10 01:18:58 UTC
From: wjracing
Topic: 444 Message: 447

BINGO! Just go into to Commander software you set up to enter your frequencies & click on the tab "Configuration Settings" and reconfigure the appropriate menu #/item. Thanks for all your help!

--- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@...> wrote:
>
> Wow, finally able to join this group. I've had the 6D v2.5 for a wk now & have a couple of ??'s regarding Commander.
>
> After "Writing":
> 1.) Scan Mode (19) defaults back to "TO" from "CO"
> 2.) Menu (20) - if "Scan" has been programmed it will default back to RADIO.
> 3.) Auto Backlight (23) defaults back to "ON".
>
> Commander is the "money" but having to re-program back in functions after writing is no party! Anyone else not feeling the love?
>

448. Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-10 01:24:31 UTC
From: wjracing
Topic: 448 Message: 448

Anyone else finding there are some codes you're trying to enter from the drop down menu(s) that aren't listed?

449. Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-10 12:58:55 UTC
From: jwheatleyus
Topic: 448 Message: 449

I did not check every code in the Commander list, but mine appears to have all of the standard CTCSS and DCN and DCI codes. Remember that in the case of digital codes there are more 'possible' codes than useable codes. The list includes the standard digital codes.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@...> wrote:
>
> Anyone else finding there are some codes you're trying to enter from the drop down menu(s) that aren't listed?
>

450. Re: [KG-UV_Commander] New Member

Yahoo group: KG-UV_Commander
Date: 2012-07-10 19:20:56 UTC
From: james macdonald
Topic: 446 Message: 450

Many happy hours of playing radio to you . 73s W9MAQ

From: john <n3zol@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Mon, July 9, 2012 1:37:20 PM
Subject: [KG-UV_Commander] New Member

Thanks for letting me Join this Group Purchased the KG-UVD1P at a Hamfest on July 7th and the Radio is Awesome for The Money I spent, Looking forward for other peoples comments on this model radio Thank You !

451. Re: [KG-UV_Commander] New Member

Yahoo group: KG-UV_Commander
Date: 2012-07-10 20:01:39 UTC
From: rfago@cox.net
Topic: 446 Message: 451

---- james macdonald <monza65@...> wrote:
> Many happy hours of playing radio to you . 73s W9MAQ
>
> john I have a kg-uv2d for about one and a half years.and have been happy with it....Bob WD4CEJ
>
>
> _____
> From: john <n3zol@...t>
> To: KG-UV_Commander@yahoogroups.com
> Sent: Mon, July 9, 2012 1:37:20 PM
> Subject: [KG-UV_Commander] New Member
>
>
> Thanks for letting me Join this Group Purchased the KG-UVD1P at a Hamfest on
> July 7th and the Radio is Awesome for The Money I spent, Looking forward for
> other peoples comments on this model radio Thank You !
>
>

452. Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-11 00:15:28 UTC
From: wjracing
Topic: 448 Message: 452

Thanks for your reply. I'll go back in when I get time and list some codes that I need and maybe someone could help me sort this out.

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> I did not check every code in the Commander list, but mine appears to have all of the standard CTCSS and DCN and DCI codes. Remember that in the case of digital codes there are more 'possible' codes than useable codes. The list includes the standard digital codes.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:
> >
> > Anyone else finding there are some codes you're trying to enter from the drop down menu(s) that aren't listed?
> >
>

453. 500th member

Yahoo group: KG-UV_Commander
Date: 2012-07-13 17:58:19 UTC
From: David A. Behar
Topic: 453 Message: 453

Hi friends,

Congratulations to new group member "barry.mertz"... member #500 in KG-UV Commander!

David

454. Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-15 18:47:55 UTC
From: wjracing
Topic: 448 Message: 454

These are the 2 Enc/Dec I need that aren't listed in the Commander.

Dec: D1466
Enc: D1754 & D1466

Does any have these?

--- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@...> wrote:
>
> Thanks for your reply. I'll go back in when I get time and list some codes that I need and maybe someone could help me sort this out.
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > I did not check every code in the Commander list, but mine appears to have all of the standard CTCSS and DCN and DCI codes. Remember that in the case of digital codes there are more 'possible' codes than useable codes. The list includes the standard digital codes.
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:
> > >
> > > Anyone else finding there are some codes you're trying to enter from the drop down menu(s) that aren't listed?
> > >
> >
>

455. Re: [KG-UV_Commander] Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-15 19:08:55 UTC
From: paul.linkous@gmail.com
Topic: 448 Message: 455

There is no such dpl tone.
Even in my Motorola/Kenwood radios there is no D1466 or D1754 DPL tone.
There is however a D I745 / D I466.
As in N / I as in inverted.
Try that you might be supprised.

-------Original Message-------

From: wjracing
Date: 07/15/12 14:48:00
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Encodes / Decodes not listed

These are the 2 Enc/Dec I need that aren't listed in the Commander.

Dec: D1466
Enc: D1754 & D1466

Does any have these?

--- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@...> wrote:
>
> Thanks for your reply. I'll go back in when I get time and list some
codes that I need and maybe someone could help me sort this out.
>
> --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> >
> > I did not check every code in the Commander list, but mine appears to
have all of the standard CTCSS and DCN and DCI codes. Remember that in the
case of digital codes there are more 'possible' codes than useable codes.
The list includes the standard digital codes.
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:
> > >
> > > Anyone else finding there are some codes you're trying to enter from
the drop down menu(s) that aren't listed?
> > >
> >
>

Yahoo! Groups Links

456. Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-15 22:57:28 UTC
From: wjracing
Topic: 448 Message: 456

BINGO! You hit it on the head. I would have kept lookin for those 2 codes waaaaaaaaaaay after the cows came home! I'm loading freqs from my buddy's Wouxun Factory Software where those codes were located and I looked & looked on my Commander but was at a loss. His "I's" sure did look like "1's". Mucho Gras!

--- In KG-UV_Commander@yahoogroups.com, "paul.linkous@..." <paul.linkous@...> wrote:
>
> There is no such dpl tone.
> Even in my Motorola/Kenwood radios there is no D1466 or D1754 DPL tone.
> There is however a D I745 / D I466.
> As in N / I as in inverted.
> Try that you might be supprised.
>
>
>
>
> -------Original Message-------
>
> From: wjracing
> Date: 07/15/12 14:48:00
> To: KG-UV_Commander@yahoogroups.com
> Subject: [KG-UV_Commander] Re: Encodes / Decodes not listed
>
> These are the 2 Enc/Dec I need that aren't listed in the Commander.
>
> Dec: D1466
> Enc: D1754 & D1466
>
> Does any have these?
>
> --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:
> >
> > Thanks for your reply. I'll go back in when I get time and list some
> codes that I need and maybe someone could help me sort this out.
> >
> > --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@> wrote:
> > >
> > > I did not check every code in the Commander list, but mine appears to
> have all of the standard CTCSS and DCN and DCI codes. Remember that in the
> case of digital codes there are more 'possible' codes than useable codes.
> The list includes the standard digital codes.
> > > JohnW
> > > W5JHW
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:

> > > >
> > > > Anyone else finding there are some codes you're trying to enter from
> the drop down menu(s) that aren't listed?
> > > >
> > >
> >
>
>
>
>
> ---
>
> Yahoo! Groups Links
>

457. Re: [KG-UV_Commander] Re: Encodes / Decodes not listed

Yahoo group: KG-UV_Commander
Date: 2012-07-16 00:45:15 UTC
From: Paul Linkous
Topic: 448 Message: 457

Glad I could help.
On Jul 15, 2012 6:57 PM, "wjracing" <wjracing@...> wrote:

> BINGO! You hit it on the head. I would have kept lookin for those 2
> codes waaaaaaaaaaay after the cows came home! I'm loading freqs from my
> buddy's Wouxun Factory Software where those codes were located and I looked
> & looked on my Commander but was at a loss. His "I's" sure did look like
> "1's". Mucho Gras!
>
> --- In KG-UV_Commander@yahoogroups.com, "paul.linkous@..." <paul.linkous@...>
> wrote:
> >
> > There is no such dpl tone.
> > Even in my Motorola/Kenwood radios there is no D1466 or D1754 DPL tone.
> > There is however a D I745 / D I466.
> > As in N / I as in inverted.
> > Try that you might be supprised.
> >
> >
> >
> >
> > -------Original Message-------
> >
> > From: wjracing
> > Date: 07/15/12 14:48:00
> > To: KG-UV_Commander@yahoogroups.com
> > Subject: [KG-UV_Commander] Re: Encodes / Decodes not listed
> >
> > These are the 2 Enc/Dec I need that aren't listed in the Commander.
> >
> > Dec: D1466
> > Enc: D1754 & D1466
> >
> > Does any have these?
> >
> > --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@> wrote:
> > >
> > > Thanks for your reply. I'll go back in when I get time and list some
> > codes that I need and maybe someone could help me sort this out.
> > >
> > > --- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@>
> wrote:
> > > >
> > > > I did not check every code in the Commander list, but mine appears to
> > have all of the standard CTCSS and DCN and DCI codes. Remember that in

> the
> > case of digital codes there are more 'possible' codes than useable codes.
> > The list includes the standard digital codes.
> > > > JohnW
> > > > W5JHW
> > > >
> > > > --- In KG-UV_Commander@yahoogroups.com, "wjracing" <wjracing@>
> wrote:
> > > > >
> > > > > Anyone else finding there are some codes you're trying to enter
> from
> > the drop down menu(s) that aren't listed?
> > > > >
> > > >
> > >
> >
> >
> >
> >
> > ---
> >
> > Yahoo! Groups Links
> >
>
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

458. "DPL" Decode Tones

Yahoo group: KG-UV_Commander
Date: 2012-07-23 00:12:47 UTC
From: wjracing
Topic: 458 Message: 458

RadioReference.com lists a frequency w/ a "411 DPL" Tone I would like program into my 6D. Commander shows TWO 411 Decodes = D411N & D411I. Which one do I use? Thanks, Jim

459. Re: "DPL" Decode Tones

Yahoo group: KG-UV_Commander
Date: 2012-07-23 01:32:24 UTC
From: charles_boling
Topic: 458 Message: 459

> Commander shows TWO 411 Decodes = D411N & D411I. Which one do I use?

Whichever one works. :-)

I'd try the (N)ormal one first, and if it doesn't trigger the squelch, try the (I)nverted polarity.

460. Re: "DPL" Decode Tones

Yahoo group: KG-UV_Commander
Date: 2012-07-23 01:35:23 UTC
From: wjracing
Topic: 458 Message: 460

That's too easy! I thought bout that but I sometimes get in my own way and tend to make things harder than they really are. Thanks

--- In KG-UV_Commander@yahoogroups.com, "charles_boling" <charles-yahoo@...> wrote:
>
> > Commander shows TWO 411 Decodes = D411N & D411I. Which one do I use?
>
> Whichever one works. :-)
>
> I'd try the (N)ormal one first, and if it doesn't trigger the squelch, try the (I)nverted polarity.
>

461. Re: [KG-UV_Commander] "DPL" Decode Tones

Yahoo group: KG-UV_Commander
Date: 2012-07-23 01:10:22 UTC
From: W4KRR
Topic: 458 Message: 461

Use D411N (Normal). I stands for "inverted". Usually if the tone is inverted it will say so.

Ken

----- Original Message -----
From: "wjracing" <wjracing@...>
To: <KG-UV_Commander@yahoogroups.com>
Sent: Sunday, July 22, 2012 8:12 PM
Subject: [KG-UV_Commander] "DPL" Decode Tones

> RadioReference.com lists a frequency w/ a "411 DPL" Tone I would like
> program into my 6D. Commander shows TWO 411 Decodes = D411N & D411I.
> Which one do I use? Thanks, Jim
>
>
>
> ----------
>
> Yahoo! Groups Links
>
>
>

462. Commander Instructions? (to create/import spreadsheet of memories)

Yahoo group: KG-UV_Commander
Date: 2012-07-24 02:33:18 UTC
From: w9xc_radio
Topic: 462 Message: 462

Hi all,

I've searched the files section, the posts archive and the KC8UNJ site, and haven't found this.

(Assuming it exists) could someone please point me to a set of instructions for using Commander (for the KG-UV6D/X)? Specifically, I need to create and upload (import) a spreadsheet containing a large number of repeater entries. I don't know the spreadsheet format needed -that is, the column headings and actual file format (.csv I imagine?).

A document of general instructions for Commander would also be nice, but the spreadsheet is my immediate need.

I do have Commander reading and writing from the radio just fine.

Thanks for any assistance.

- Les, W9XC

463. Re: Commander Instructions? (Answered my own question: see Help)

Yahoo group: KG-UV_Commander
Date: 2012-07-24 02:44:08 UTC
From: w9xc_radio
Topic: 462 Message: 463

Well, I just answered my own question - I found the readme file in Commander's Help menu, which contains everything needed. Sorry for the bandwidth; maybe someone else will find this msg if they make the same oversight. - Les, W9XC

--- In KG-UV_Commander@yahoogroups.com, "w9xc_radio" <gasserles@...> wrote:
>
> Hi all,
>
> I've searched the files section, the posts archive and the KC8UNJ site, and haven't found this.
>
> (Assuming it exists) could someone please point me to a set of instructions for using Commander (for the KG-UV6D/X)? Specifically, I need to create and upload (import) a spreadsheet containing a large number of repeater entries. I don't know the spreadsheet format needed -that is, the column headings and actual file format (.csv I imagine?).
>
> A document of general instructions for Commander would also be nice, but the spreadsheet is my immediate need.
>
> I do have Commander reading and writing from the radio just fine.
>
> Thanks for any assistance.
>
> - Les, W9XC
>

464. 514 enquiring minds want to know!

Yahoo group: KG-UV_Commander
Date: 2012-08-05 18:35:16 UTC
From: David A. Behar
Topic: 464 Message: 464

Hi friends,

According to Yahoo Groups we now have 514 members, including many who have joined over the past few months. Now is a great time to share with your fellow members how you are using KG-UV Commander software for the earlier Wouxun dual-band handheld radios, and how you are using KG-UV6 Commander software to program the KG-UV6D radios.

What is working? What doesn't work? What tricks have you learned to make programming easier? What problems have you solved, and how have you solved them?

ENQUIRING MINDS WANT TO KNOW!!!!

David / K7DB

465. Re: [KG-UV_Commander] 514 enquiring minds want to know!

Yahoo group: KG-UV_Commander
Date: 2012-08-06 00:14:03 UTC
From: Larry Williams
Topic: 464 Message: 465

OK, I'll start. My use of the 2D is just for a scanner. I've loaded all the UHF/VHF Publin Service channels for 2 countys in my area. About 80 items. I replaced the antenna with a MAXRAD VHF stubby. The reason for this is because I am close to a Mtn with high power UHF repeaters. The VHF stubby att's the UHF and is perfect for the VHF. All freqs have alpha text and PL/DPL. It replaces the UHF Safeceiver I've been using. With stubby ant and small size I just drop it in my shirt pocket. Larry

----- Original Message -----
From: David A. Behar
To: KG-UV Commander
Sent: Sunday, August 05, 2012 2:35 PM
Subject: [KG-UV_Commander] 514 enquiring minds want to know!

Hi friends,

467. Re: [KG-UV_Commander] 514 enquiring minds want to know!

Yahoo group: KG-UV_Commander
Date: 2012-08-07 18:29:25 UTC
From: james macdonald
Topic: 464 Message: 467

Same works for us in downtown Chicago. The Sears Tower and John Hancock building are towers of RF.

From: Larry Williams <larryscan@...>
To: KG-UV_Commander@yahoogroups.com
Sent: Sun, August 5, 2012 7:14:00 PM
Subject: Re: [KG-UV_Commander] 514 enquiring minds want to know!

OK, I'll start. My use of the 2D is just for a scanner. I've loaded all the UHF/VHF Publin Service channels for 2 countys in my area. About 80 items. I replaced the antenna with a MAXRAD VHF stubby. The reason for this is because I am close to a Mtn with high power UHF repeaters. The VHF stubby att's the UHF and is perfect for the VHF. All freqs have alpha text and PL/DPL. It replaces the UHF Safeceiver I've been using. With stubby ant and small size I just drop it in my shirt pocket. Larry

----- Original Message -----
>From: David A. Behar
>To: KG-UV Commander
>Sent: Sunday, August 05, 2012 2:35 PM
>Subject: [KG-UV_Commander] 514 enquiring minds want to know!
>
>
>Hi friends,

468. FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-27 10:39:45 UTC
From: Thomas Carpenter
Topic: 468 Message: 468

hi friend, see that! http://profitguruonline.com/poganini112.html?wgmailID=4ouy

469. Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 12:14:57 UTC
From: n4str
Topic: 468 Message: 469

This is spam. Please check to see if your email was hacked.

--- In KG-UV_Commander@yahoogroups.com, Thomas Carpenter <Kb3hg@...> wrote:
>
> hi friend, see that! http://profitguruonline.com/poganini112.html?wgmailID=4ouy
>

470. Re: [KG-UV_Commander] Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 13:21:01 UTC
From: Eddy
Topic: 468 Message: 470

Interesting.....I didn't have this problem until I signed up for this Yahoo Group!!!

--- On Tue, 8/28/12, n4str <n4str@...> wrote:

From: n4str <n4str@...>
Subject: [KG-UV_Commander] Re: FW:7
To: KG-UV_Commander@yahoogroups.com
Date: Tuesday, August 28, 2012, 5:14 AM

This is spam. Please check to see if your email was hacked.

--- In KG-UV_Commander@yahoogroups.com, Thomas Carpenter <Kb3hg@...> wrote:

>

> hi friend, see that! http://profitguruonline.com/poganini112.html?wgmailID=4ouy

>

471. Re: [KG-UV_Commander] Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 14:06:26 UTC
From: Lester Marshall
Topic: 468 Message: 471

Thanks, I'll change my password.
73
Lester
KF5LCA

On Tue, Aug 28, 2012 at 7:14 AM, n4str <n4str@...> wrote:

> **
>
>
> This is spam. Please check to see if your email was hacked.
>
> --- In KG-UV_Commander@yahoogroups.com, Thomas Carpenter <Kb3hg@...>
> wrote:
> >
> > hi friend, see that!
> http://profitguruonline.com/poganini112.html?wgmailID=4ouy
> >
>
>
>

--

Lester Marshall
KF5LCA
16403 Hibiscus Lane
Friendswood,Tx. 77546
Cell: 281-455-5037
==========
On May 18, 2011, Governor Rick Perry declared the week of June 20 - 26, 2011, to be Amateur Radio Operator Week. Governor Perry writes, "In times of crisis - such as Hurricane Ike or the terrorist attacks of September 11, 2001 - when other forms of communication may be inhibited or rendered unavailable, amateur radio operators relay critical information. At this time, I encourage all of Texas to learn more about amateur radio and to recognize the contributions amateur radio operators make to our great state, both in times of crisis and in times of calm."
==========
When the doctrine of allegiance to party can utterly up-end a man's moral constitution and make a temporary fool of him besides, what excuse are you going to offer for preaching it, teaching it, extending it, perpetuating it? Shall you say, the best good of the country demands allegiance to party? Shall you also say it demands that a man kick his truth and his conscience into the gutter, and become a mouthing lunatic, besides?ATTRIBUTION DETAIL »<http://quotes.dictionary.com/When_the_doctrine_of_allegiance_to_party_can>

Mark Twain <http://quotes.dictionary.com/author/Mark+Twain>

==========
" The enemies of Roman general Marcus Licinius Crassus reputedly finished him off by pouring molten gold down his throat as punishment for his seemingly unquenchable thirst for wealth and power."

472. Re: [KG-UV_Commander] Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 14:08:36 UTC
From: Lester Marshall
Topic: 468 Message: 472

Yeah, they join the group and then spam us, I guess.

--

Lester Marshall
KF5LCA
Friendswood,Tx.
==========
On May 18, 2011, Governor Rick Perry declared the week of June 20 - 26, 2011, to be Amateur Radio Operator Week. Governor Perry writes, "In times of crisis - such as Hurricane Ike or the terrorist attacks of September 11, 2001 - when other forms of communication may be inhibited or rendered unavailable, amateur radio operators relay critical information. At this time, I encourage all of Texas to learn more about amateur radio and to recognize the contributions amateur radio operators make to our great state, both in times of crisis and in times of calm."
==========
When the doctrine of allegiance to party can utterly up-end a man's moral constitution and make a temporary fool of him besides, what excuse are you going to offer for preaching it, teaching it, extending it, perpetuating it? Shall you say, the best good of the country demands allegiance to party? Shall you also say it demands that a man kick his truth and his conscience into the gutter, and become a mouthing lunatic, besides?ATTRIBUTION DETAIL »<http://quotes.dictionary.com/When_the_doctrine_of_allegiance_to_party_can>
Mark Twain <http://quotes.dictionary.com/author/Mark+Twain>

==========
" The enemies of Roman general Marcus Licinius Crassus reputedly finished him off by pouring molten gold down his throat as punishment for his seemingly unquenchable thirst for wealth and power."

473. Re: [KG-UV_Commander] Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 14:09:50 UTC
From: Jason Stone
Topic: 468 Message: 473

Mind was hacked too.

From: Lester Marshall
Sent: Tuesday, August 28, 2012 10:06 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: FW:7

Thanks, I'll change my password.
73
Lester
KF5LCA

On Tue, Aug 28, 2012 at 7:14 AM, n4str <n4str@...> wrote:

This is spam. Please check to see if your email was hacked.

--- In mailto:KG-UV_Commander%40yahoogroups.com, Thomas Carpenter <Kb3hg@...> wrote:
>
> hi friend, see that! http://profitguruonline.com/poganini112.html?wgmailID=4ouy
>

--

Lester Marshall
KF5LCA
16403 Hibiscus Lane
Friendswood,Tx. 77546
Cell: 281-455-5037
==========
On May 18, 2011, Governor Rick Perry declared the week of June 20 - 26,
2011, to be Amateur Radio Operator Week. Governor Perry writes, "In
times of crisis - such as Hurricane Ike or the terrorist attacks of
September 11, 2001 - when other forms of communication may be inhibited
or rendered unavailable, amateur radio operators relay critical
information. At this time, I encourage all of Texas to learn more about
amateur radio and to recognize the contributions amateur radio operators
make to our great state, both in times of crisis and in times of calm."
==========
When the doctrine of allegiance to party can utterly up-end a man's moral constitution and
make a temporary fool of him besides, what excuse are you going to offer for preaching it,
teaching it, extending it, perpetuating it? Shall you say, the best good of the country
demands allegiance to party? Shall you also say it demands that a man kick his truth and
his conscience into the gutter, and become a mouthing lunatic, besides?ATTRIBUTION DETAIL »

Mark Twain

==========

" The enemies of Roman general Marcus Licinius Crassus reputedly finished him off by pouring molten gold down his throat as punishment for his seemingly unquenchable thirst for wealth and power."

474. Re: [KG-UV_Commander] Re: FW:7

Yahoo group: KG-UV_Commander
Date: 2012-08-28 14:38:10 UTC
From: Jonathan Laico
Topic: 468 Message: 474

There is a ham/canned spam joke in here.

73 de KC2KEX, Jon

On Aug 28, 2012, at 10:06, Lester Marshall <lbmar01@...> wrote:

Thanks, I'll change my password.
73
Lester
KF5LCA

On Tue, Aug 28, 2012 at 7:14 AM, n4str <n4str@...> wrote:

> **
>
>
> This is spam. Please check to see if your email was hacked.
>
> --- In KG-UV_Commander@yahoogroups.com, Thomas Carpenter <Kb3hg@...>
> wrote:
> >
> > hi friend, see that!
> http://profitguruonline.com/poganini112.html?wgmailID=4ouy
> >
>
>

--

Lester Marshall
KF5LCA
16403 Hibiscus Lane
Friendswood,Tx. 77546
Cell: 281-455-5037
==========
On May 18, 2011, Governor Rick Perry declared the week of June 20 - 26, 2011, to be Amateur Radio Operator Week. Governor Perry writes, "In times of crisis - such as Hurricane Ike or the terrorist attacks of September 11, 2001 - when other forms of communication may be inhibited or rendered unavailable, amateur radio operators relay critical information. At this time, I encourage all of Texas to learn more about amateur radio and to recognize the contributions amateur radio operators make to our great state, both in times of crisis and in times of calm."
==========
When the doctrine of allegiance to party can utterly up-end a man's moral constitution and make a temporary fool of him besides, what excuse are you going to offer for preaching it, teaching it, extending it, perpetuating

it? Shall you say, the best good of the country demands allegiance to party? Shall you also say it demands that a man kick his truth and his conscience into the gutter, and become a mouthing lunatic, besides?ATTRIBUTION DETAIL »<http://quotes.dictionary.com/When_the_doctrine_of_allegiance_to_party_can> Mark Twain <http://quotes.dictionary.com/author/Mark+Twain>

==========
" The enemies of Roman general Marcus Licinius Crassus reputedly finished him off by pouring molten gold down his throat as punishment for his seemingly unquenchable thirst for wealth and power."

475. Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-04 16:19:55 UTC
From: hsumaverick01
Topic: 475 Message: 475

When trying to program my KG-UV1DP, I receive an error that says Error: no response from radio. I am trying to use the kg-uv commander software in place of my other software I have been using which would let me program the radio without any problems. It is detecting the port that my usb cable is on when I use auto-detect, but gives me this error? Has anyone else encountered an error like this?

Christopher Lagrone
N5HSU

476. Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-04 19:20:48 UTC
From: jwheatleyus
Topic: 475 Message: 476

I had some initial glitches using auto detect. Now I just select the proper Com Port and uncheck auto. Works every time.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "hsumaverick01" <hsumaverick01@...> wrote:
>
> When trying to program my KG-UV1DP, I receive an error that says Error: no response from radio. I am trying to use the kg-uv commander software in place of my other software I have been using which would let me program the radio without any problems. It is detecting the port that my usb cable is on when I use auto-detect, but gives me this error? Has anyone else encountered an error like this?
>
> Christopher Lagrone
> N5HSU
>

477. Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-05 13:44:54 UTC
From: GM1MQE@AOL.COM
Topic: 475 Message: 477

If you have a USB cable from China it normally does not work.....

Andy gm1mqe

478. Re: [KG-UV_Commander] Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-05 17:36:32 UTC
From: Dennis Smith
Topic: 475 Message: 478

All my USB cables are from China. They all work. I have many, multiple ones for a number of different radio's including duplicates from different suppliers. I only have 1 that just doesn't work and never has - a standard USB to serial adaptor made by Belkin, so no surprise there then.

Dennis Smith
M1DLG

On 5 September 2012 14:44, <GM1MQE@...> wrote:

> If you have a USB cable from China it normally does not work.....
>
> Andy gm1mqe
>
>
> ---
>
> Yahoo! Groups Links
>
>
>
>

479. RE: [KG-UV_Commander] Radio equipment from China

Yahoo group: KG-UV_Commander
Date: 2012-09-05 18:51:09 UTC
From: Chuck Graham
Topic: 475 Message: 479

Here at the Salvation Army SATERN unit in Concord CA we see lots of different radios and equipment. The real answer it seems is quality control from China. Some items are great and a great value for the money some are marginal with a question about the money. Some are really a problem. It comes down to you get what you pay for. If you understand the risk that everything is not perfect you'll be fine. Just be ready to return stuff that doesn't work right. Keep the wrapper and box.

73,

Chuck Graham, KI6DCD

EDS/SATERN Cochairman

Salvation Army Concord Corps

480. Re: [KG-UV_Commander] Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-05 19:38:16 UTC
From: Larry Williams
Topic: 475 Message: 480

Most likely it's a computer issue. Mine works on an older laptop but not my new one. Larry

----- Original Message -----
From: Dennis Smith
To: KG-UV_Commander@yahoogroups.com
Sent: Wednesday, September 05, 2012 1:36 PM

481. RE: [KG-UV_Commander] Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-05 21:10:05 UTC
From: Bob Hawkins
Topic: 475 Message: 481

I have the Chinese USB table. It works fine for me.

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of GM1MQE@...
Sent: Wednesday, September 05, 2012 8:45 AM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Error when programming KG-UV1DP

If you have a USB cable from China it normally does not work.....

Andy gm1mqe

482. Re: [KG-UV_Commander] Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-06 00:21:18 UTC
From: Thomas Carpenter
Topic: 475 Message: 482

Normally does not work? So it did at one time, what are you doing different? Is the connector fully seated? Do you know if the connector in the radio is good. Same usb physical port? There are many variables, did windows change comm ports on you for starts.

Tom Kb3hg

-----Original Message-----
From: GM1MQE <GM1MQE@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Wed, Sep 5, 2012 9:45 am
Subject: [KG-UV_Commander] Re: Error when programming KG-UV1DP

If you have a USB cable from China it normally does not work.....

Andy gm1mqe

Yahoo! Groups Links

483. Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-07 19:25:38 UTC
From: gm1mqe
Topic: 475 Message: 483

I should have been more careful regards the USB cables. The ones I have seen from China do not work with up to date Prolific software. There is a simple check. Display the devices and go to the Prolific USB/Serial port if it has an error code of 10 then either get old prolific software or a genuine cable with a prolific chip.

Andy

--- In KG-UV_Commander@yahoogroups.com, GM1MQE@... wrote:
>
> If you have a USB cable from China it normally does not work.....
>
> Andy gm1mqe
>

484. Re: [KG-UV_Commander] Re: Error when programming KG-UV1DP

Yahoo group: KG-UV_Commander
Date: 2012-09-08 07:01:18 UTC
From: Thomas Carpenter
Topic: 475 Message: 484

Andy, you may want to file this in the group files. This is the first remark i can recall about the error code 10.
Thanks for this information.

Tom Kb3hg

-----Original Message-----
From: gm1mqe <GM1MQE@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Fri, Sep 7, 2012 3:25 pm
Subject: [KG-UV_Commander] Re: Error when programming KG-UV1DP

I should have been more careful regards the USB cables. The ones I have seen from China do not work with up to date Prolific software. There is a simple check. Display the devices and go to the Prolific USB/Serial port if it has an error code of 10 then either get old prolific software or a genuine cable with a prolific chip.

Andy

--- In KG-UV_Commander@yahoogroups.com, GM1MQE@... wrote:
>
> If you have a USB cable from China it normally does not work.....
>
> Andy gm1mqe
>

Yahoo! Groups Links

485. New file uploaded to KG-UV_Commander

Yahoo group: KG-UV_Commander
Date: 2012-09-08 14:01:57 UTC
From: KG-UV_Commander@yahoogroups.com
Topic: 257 Message: 485

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the KG-UV_Commander
group.

File : /USB Cables.txt
Uploaded by : gm1mqe <GM1MQE@...>
Description : Problems with USB cables

You can access this file at the URL:
http://groups.yahoo.com/group/KG-UV_Commander/files/USB%20Cables.txt

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/l/us/yahoo/groups/original/members/web/index.html
Regards,

gm1mqe <GM1MQE@...>
```

487. Re: [KG-UV_Commander] Selling my KG-UV6X radio . . .

Yahoo group: KG-UV_Commander
Date: 2012-09-15 08:05:56 UTC
From: Thomas Carpenter
Topic: 487 Message: 487

What is a UV6X, X being the the point of interest. You ought to give more details as if it a 2.5 KHZ, 5 KHZ others are probably wondering what it is also. Links would help.

-----Original Message-----
From: k7plt <forums@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Sep 15, 2012 3:51 am
Subject: [KG-UV_Commander] Selling my KG-UV6X radio . . .

To ALL users of this group,

Wife doesn't want to get into HAM radio :(

So I am selling a <2 month old UV6X (w/receipt)
and a spare 1400mAh battery pack for $180.00

Please email me here: k7plt@...
if interested. Thanks

Sandy
K7PLT

488. Re: Selling my KG-UV6X radio . . .

Yahoo group: KG-UV_Commander
Date: 2012-09-15 11:47:57 UTC
From: Randy Pence
Topic: 487 Message: 488

Try this link.
First google hit.
http://www.powerwerx.com/wouxun-radios/kg-uv6x-dual-band-vhf-uhf-commercial.html

--
Randy Pence
N4JZY

489. Re: [KG-UV_Commander] Selling my KG-UV6X radio . . .

Yahoo group: KG-UV_Commander
Date: 2012-09-15 14:11:13 UTC
From: ZIP-G
Topic: 487 Message: 489

KEEP THE RADIO, SELL THE WIFE! HIHI
----- Original Message -----
From: k7plt
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, September 15, 2012 03:51
Subject: [KG-UV_Commander] Selling my KG-UV6X radio . . .

To ALL users of this group,

Wife doesn't want to get into HAM radio :(

So I am selling a <2 month old UV6X (w/receipt)
and a spare 1400mAh battery pack for $180.00

Please email me here: k7plt@digitalworx.us
if interested. Thanks

Sandy
K7PLT

490. Re: [KG-UV_Commander] Selling my KG-UV6X radio . . .

Yahoo group: KG-UV_Commander
Date: 2012-09-15 14:26:02 UTC
From: Daniel J Engstrom
Topic: 487 Message: 490

Lol

In all honesty, I know of 3 hams that
Regretted the radio after their wife's
Got licensed, because the radio is
Longer their hobby, it's a couples
Hobby!

Sent from my Verizon iPhone :)

On Sep 15, 2012, at 7:11, ZIP-G <zip.doe@...> wrote:

> KEEP THE RADIO, SELL THE WIFE! HIHI
> ----- Original Message -----
> From: k7plt
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, September 15, 2012 03:51
> Subject: [KG-UV_Commander] Selling my KG-UV6X radio . . .
>
>
> To ALL users of this group,
>
> Wife doesn't want to get into HAM radio :(
>
> So I am selling a <2 month old UV6X (w/receipt)
> and a spare 1400mAh battery pack for $180.00
>
> Please email me here: k7plt@...
> if interested. Thanks
>
> Sandy
> K7PLT
>
>
>
>
>
>
>
>

491. Wouxun KG-UVD1P 2M & 6M version

Yahoo group: KG-UV_Commander
Date: 2012-10-02 00:26:39 UTC
From: k1hjl
Topic: 491 Message: 491

Greetings All,
This message is a heads-up. http://www.maintradingcompany.com has a new version of the Wouxun KG-UVD1 which is a 2m & 6m radio. Since there is no mention, I presume that it's FM only.

73
Hal K1HJL

492. KG-UV Commander 0.1.4; problem to fill memory mode with autoshift and TX

Yahoo group: KG-UV_Commander
Date: 2012-10-06 11:14:24 UTC
From: dh2rtw
Topic: 492 Message: 492

HI,
i am new in this group but do not find an info about my problem with the nice version 0.1.4 with auto fill tx frequency and autoshift.
I am using EU-Version of an UV2D; I set the options auto fill transmission frequency and the autoshift. Edit the autoshift like this:

```
#FORMAT (All Freqs in MHz):
#MinFreq, MaxFreq, AutoShift

145.600, 145.799, -0.6 #my edit for the DL Frequencies
146.000, 146.399, +0.6
146.600, 146.999, -0.6
147.000, 147.399, +0.6
147.600, 147.999, -0.6
223.920, 224.980, -1.6
440.000, 444.999, +5.0
445.000, 449.999, -5.0
438.100, 439.500, -7.6 #my edit for the DL-Frequencies
```

Try to fill 145,67500 brings the 145,67500 and not 145,07500; with 146.075 works well; also 224,075 works well but no work at 438,55000 brings also only 438.55000. Where is my mistake ? When are these file autoshift.ini read by the commander ? I try also to edit the frequency in the format 145,100 and -0,6. Because 224 Section and 146 Section works well in this syntax with . instead of , I believe the entry with . are ok; I working with OS Win7-32bit and given also admin rights to the KG-UV Folder and subfolders.
Are there a limit of entries in the autoshift.ini ?
Should the entries are sorted from low to high ?

I also tried the further versions 0.1.2; but same bad result.

vy 73 de dh2rtw Rolf in Germany/Dabringhausen JO31OB

493. Re: [KG-UV_Commander] KG-UV Commander 0.1.4; problem to fill memory mode with autoshift and TX

Yahoo group: KG-UV_Commander
Date: 2012-10-06 12:27:18 UTC
From: Thomas Carpenter
Topic: 492 Message: 493

How'd you get the xx.x99? I have the US version.
trx, rcv
145.200, 145.800 @ -600
146.000, 146.600 @+600

440.000, 445.000 @ +5.0
445.000, 440.000 @ -5.0
I just pop in numbers never bothered with auto fill in list tone and keep it set for wide ADD label I have had mine for almost 2 years now. I enjoy it ,as it's easy to use and still works fine. No complaints.

-----Original Message-----
From: dh2rtw <dh2rtw@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Oct 6, 2012 7:14 am
Subject: [KG-UV_Commander] KG-UV Commander 0.1.4; problem to fill memory mode with autoshift and TX

HI,
i am new in this group but do not find an info about my problem with the nice version 0.1.4 with auto fill tx frequency and autoshift.
I am using EU-Version of an UV2D; I set the options auto fill transmission frequency and the autoshift. Edit the autoshift like this:
#FORMAT (All Freqs in MHz):
#MinFreq, MaxFreq, AutoShift

145.600, 145.799, -0.6 #my edit for the DL Frequencies
146.000, 146.399, +0.6
146.600, 146.999, -0.6
147.000, 147.399, +0.6
147.600, 147.999, -0.6
223.920, 224.980, -1.6
440.000, 444.999, +5.0
445.000, 449.999, -5.0
438.100, 439.500, -7.6 #my edit for the DL-Frequencies

Try to fill 145,67500 brings the 145,67500 and not 145,07500; with 146.075 works well; also 224,075 works well but no work at 438,55000 brings also only 438.55000. Where is my mistake ? When are these file autoshift.ini read by the commander ? I try also to edit the frequency in the format 145,100 and -0,6. Because 224 Section and 146 Section works well in this syntax with . instead of , I believe the entry with . are ok; I working with OS Win7-32bit and given also admin rights to the KG-UV Folder and subfolders.
Are there a limit of entries in the autoshift.ini ?
Should the entries are sorted from low to high ?

I also tried the further versions 0.1.2; but same bad result.

vy 73 de dh2rtw Rolf in Germany/Dabringhausen JO31OB

Yahoo! Groups Links

494. Re: KG-UV Commander 0.1.4; problem to fill memory mode with autoshift and TX

Yahoo group: KG-UV_Commander
Date: 2012-10-08 10:02:38 UTC
From: jimbo_48393
Topic: 492 Message: 494

Hi Rolf,

The file does not support comments except for the entire line, where "#" is the first character. With the example you posted, Commander would use your comments as part of the AutoShift frequency, which would evaluate to a 0, resulting in no shift.

So, remove your comments "#my edit for the DL Frequencies" from the lines, and it should work as expected.

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "dh2rtw" <dh2rtw@...> wrote:
>
> HI,
> i am new in this group but do not find an info about my problem with the nice version 0.1.4 with auto fill tx frequency and autoshift.
> I am using EU-Version of an UV2D; I set the options auto fill transmission frequency and the autoshift. Edit the autoshift like this:
> #FORMAT (All Freqs in MHz):
> #MinFreq, MaxFreq, AutoShift
>
> 145.600, 145.799, -0.6 #my edit for the DL Frequencies
> 146.000, 146.399, +0.6
> 146.600, 146.999, -0.6
> 147.000, 147.399, +0.6
> 147.600, 147.999, -0.6
> 223.920, 224.980, -1.6
> 440.000, 444.999, +5.0
> 445.000, 449.999, -5.0
> 438.100, 439.500, -7.6 #my edit for the DL-Frequencies
>
> Try to fill 145,67500 brings the 145,67500 and not 145,07500; with 146.075 works well; also 224,075 works well but no work at 438,55000 brings also only 438.55000. Where is my mistake ? When are these file autoshift.ini read by the commander ? I try also to edit the frequency in the format 145,100 and -0,6. Because 224 Section and 146 Section works well in this syntax with . instead of , I believe the entry with . are ok; I working with OS Win7-32bit and given also admin rights to the KG-UV Folder and subfolders.
> Are there a limit of entries in the autoshift.ini ?
> Should the entries are sorted from low to high ?
>
> I also tried the further versions 0.1.2; but same bad result.
>
> vy 73 de dh2rtw Rolf in Germany/Dabringhausen JO31OB
>

495. Running uv-commander on Ubuntu linux

Yahoo group: KG-UV_Commander
Date: 2012-10-08 15:41:48 UTC
From: hsumaverick01
Topic: 495 Message: 495

Has anyone been able to run the uv-commaneder programming software using the wine platform on Ubuntu linux? I am considering trying to make my macbook laptop dual-bootable using Ubuntu and wondering if anyone has may have been able to do this.

73
Christopher Lagrone
N5HSU

496. Re: [KG-UV_Commander] Re: KG-UV Commander 0.1.4; problem to fill memory mode with autoshift and TX

Yahoo group: KG-UV_Commander
Date: 2012-10-08 15:50:21 UTC
From: dh2rtw via gmx.de
Topic: 492 Message: 496

Am 08.10.2012 12:02, schrieb jimbo_48393:
Hi Jim,
thanks for your answer; my autoshift.ini are really without the comments in the posting. I put this only in the yahoo-posting to explain what I edit in the autoshift.ini. Sorry but it does?nt work on my Workstations. I expected it would work, but only the autofill frequency runs well. After modified a lot in my autoshift.ini it do not work with the 146.000 or 224.000; now i am a little bit confused; I also delete the commander folder and re-run the setup again; but the same result. But really I have seen that the funktion works with the 146.000 and 224.000 input; but now my "workstation and the windows 7" doesn?t "like me".

I will try the setup on a new workstation and see what happens.

vy 73 de dh2rtw rolf

sorry I answer directly and not via the yahoo group because I do not what to create "Spam" to the usergroup

> Hi Rolf,
>
> The file does not support comments except for the entire line, where
> "#" is the first character. With the example you posted, Commander
> would use your comments as part of the AutoShift frequency, which
> would evaluate to a 0, resulting in no shift.
>
> So, remove your comments "#my edit for the DL Frequencies" from the
> lines, and it should work as expected.
>
> Jim
> KC8UNJ
>
> --- In KG-UV_Commander@yahoogroups.com
> <mailto:KG-UV_Commander%40yahoogroups.com>, "dh2rtw" <dh2rtw@...> wrote:
> >
> > HI,
> > i am new in this group but do not find an info about my problem with
> the nice version 0.1.4 with auto fill tx frequency and autoshift.
> > I am using EU-Version of an UV2D; I set the options auto fill
> transmission frequency and the autoshift. Edit the autoshift like this:
> > #FORMAT (All Freqs in MHz):
> > #MinFreq, MaxFreq, AutoShift
> >
> > 145.600, 145.799, -0.6 #my edit for the DL Frequencies
> > 146.000, 146.399, +0.6

> > 146.600, 146.999, -0.6
> > 147.000, 147.399, +0.6
> > 147.600, 147.999, -0.6
> > 223.920, 224.980, -1.6
> > 440.000, 444.999, +5.0
> > 445.000, 449.999, -5.0
> > 438.100, 439.500, -7.6 #my edit for the DL-Frequencies
> >
> > Try to fill 145,67500 brings the 145,67500 and not 145,07500; with
> 146.075 works well; also 224,075 works well but no work at 438,55000
> brings also only 438.55000. Where is my mistake ? When are these file
> autoshift.ini read by the commander ? I try also to edit the frequency
> in the format 145,100 and -0,6. Because 224 Section and 146 Section
> works well in this syntax with . instead of , I believe the entry with
> . are ok; I working with OS Win7-32bit and given also admin rights to
> the KG-UV Folder and subfolders.
> > Are there a limit of entries in the autoshift.ini ?
> > Should the entries are sorted from low to high ?
> >
> > I also tried the further versions 0.1.2; but same bad result.
> >
> > vy 73 de dh2rtw Rolf in Germany/Dabringhausen JO31OB
> >
>
>

497. RE: Autoshift running fine also in 0.1.4 KG-UV Commander - many Thanks to Jim

Yahoo group: KG-UV_Commander
Date: 2012-10-09 18:43:02 UTC
From: dh2rtw
Topic: 497 Message: 497

Hi Jim,

it´s GREAT ! - It works; many thanks for your answer and I want to paste your solution also in the group here

"drag and drop by dh2rtw":
>Hi Rolf,

>Thank you very much for the feedback!

>I found the problem: In several places, Commander uses the Val() >function as an easy way to evaluate strings containing numeric >values. Unfortunately, on systems which are set to use a comma "," >for the decimal separator, this function only evaluates the >non-decimal portion of the number.

>As a workaround, you can go into Regional settings in the Windows >Control Panel, and temporarily change the decimal symbol to a period >"." when running Commander, and set it back when finished.

>I will work to resolve this in a future release of Commander, but >the Val() function is used in many places, so it will take some work.

>Jim
>KC8UNJ
"END pasting...."

I make the changes in the region settings (sorry bad German layout windows 7 instead of english version) and it works directly fine.
Oh sorry; my "greatest Bug" was that I have an Multilanguage Enterprise Version of the W7 but never switch it back to the original
en-Version. Now I remember that we have in the company an similar Problem with the installation of a database software which need to switch the language settings in the setup routine to Österreich instead of german. After the setup are completed you can switch back to your local language settings and the software still runs.

Fine; thanks for your quickly answer and finding the (or my) BUG.

Autoshift in 0.1.4 works well - when using the right decimal separation character . instead of , (in german !). hihi

de dh2rtw rolf

498. Test message.

Yahoo group: KG-UV_Commander
Date: 2012-11-10 20:17:22 UTC
From: andyfoad@rocketmail.com
Topic: 498 Message: 498

ignore

499. Copying Data from Excel into Commander

Yahoo group: KG-UV_Commander
Date: 2012-11-13 04:44:24 UTC
From: Rich Stiebel
Topic: 499 Message: 499

I just started to use commander. I have my frequencies, offsets, PLs, etc. in an Excel spread sheet. I was told I could simply copy data from Excel into Commander, but I've tried using the typical Excel Copy and Paste, but the data does not transfer.

Any suggestions about what I'm doing wrong?

BTW: The radio is not connected to the computer when I try to do this. I'm using a PC running Windows XP.

Thanks

Rich

500. Re: Copying Data from Excel into Commander

Yahoo group: KG-UV_Commander
Date: 2012-11-13 19:30:34 UTC
From: Dave Hartman
Topic: 499 Message: 500

Rich,

As you've discovered, copy-paste doesn't work, but Export-Import does.

Load a data file into Commander, or download from your radio, then
File-EXPORTit to a CSV file. Leave the check boxes unchecked.
Start Excel (or Calc) and use File-Open, select Files of type Text TXT,
CSV then wander to where you've saved the CSV from Commander and open it.

Make your changes in Excel then save the file asCSV (ignore the warnings
about loss of features)
Then in Commanderuse File-IMPORT the CSV that you just saved from Excel.

73 Dave AC2GL

501. Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 16:20:44 UTC
From: Peter C
Topic: 501 Message: 501

I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000

What I would like to do is separate and channel A:440.000 B:146.73

Nothing that I have read in the groups explains how to seprate these frequencies.

502. Re: [KG-UV_Commander] Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 16:38:53 UTC
From: Jardy Dawson
Topic: 501 Message: 502

Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).

Jardy Dawson
WA7JRD

Nobody cares what you send your messages on!!

On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@...> wrote:

> I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
>
> What I would like to do is separate and channel A:440.000 B:146.73
>
> Nothing that I have read in the groups explains how to seprate these frequencies.
>
>

503. Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 18:00:01 UTC
From: Peter C
Topic: 501 Message: 503

Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.

--- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
>
> Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
>
> Jardy Dawson
> WA7JRD
>
> Nobody cares what you send your messages on!!
>
> On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@...> wrote:
>
> > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> >
> > What I would like to do is separate and channel A:440.000 B:146.73
> >
> > Nothing that I have read in the groups explains how to seprate these frequencies.
> >
> >
>

504. Re: [KG-UV_Commander] Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 18:54:20 UTC
From: Jardy Dawson
Topic: 501 Message: 504

The software is used to load the memories to the radio, not to choose what freqs you want to use. If you want to change channels, it would be very inconvenient to have to hook up to the computer every time you wanted to change repeaters. Just pick manually, and those two channels will still be there next time you turn on the radio.

Jardy Dawson
WA7JRD

Nobody cares what you send your messages on!!

On Nov 22, 2012, at 10:00 AM, "Peter C" <pc2053@...> wrote:

> Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.
>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
> >
> > Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Nobody cares what you send your messages on!!
> >
> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@...> wrote:
> >
> > > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> > >
> > > What I would like to do is separate and channel A:440.000 B:146.73
> > >
> > > Nothing that I have read in the groups explains how to seprate these frequencies.
> > >
> > >
> >
>
>

505. Re: [KG-UV_Commander] Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 19:05:04 UTC
From: Paul Linkous
Topic: 501 Message: 505

This does not have dual vfo.
There is only one. Therefore you can not set it to show 2 different frequencies for the same channel.
You can set A to RX/TX on channel 5 and B to RX/TX on channel 2 but you can not program 2different frequencies for the same channel. The A/B is for display only it is not 2 totally different banks of memory channels.
On Nov 22, 2012 1:00 PM, "Peter C" <pc2053@...> wrote:

> Not sure I understand. I am using software. There is nothing in there that
> allows me to send VHF to A and UHF to B,,can you give step by step as I
> just load the FREQ list in Commander and its there for both channels. I can
> do it manually no problem.. but want to use software.
>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
> >
> > Using the 'a/b' button, highlight the one you want to change. Either
> rotate the dial to change channels or the keyboard (005 to go to channel 5
> or punch in the freq if you are in VFO mode).
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Nobody cares what you send your messages on!!
> >
> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@...> wrote:
> >
> > > I have used the Commander program with much success. However, when I
> send data to the radio it fills both A & B channels with the same
> information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> > >
> > > What I would like to do is separate and channel A:440.000 B:146.73
> > >
> > > Nothing that I have read in the groups explains how to seprate these
> frequencies.
> > >
> > >
> >
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links

>
>
>
>

506. Re: [KG-UV_Commander] Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-22 19:12:36 UTC
From: Jardy Dawson
Topic: 501 Message: 506

Press the S/D button. Should bring up 2 channels.

Jardy Dawson
WA7JRD

Nobody cares what you send your messages on!!

On Nov 22, 2012, at 11:05 AM, Paul Linkous <paul.linkous@...> wrote:

> This does not have dual vfo.
> There is only one. Therefore you can not set it to show 2 different frequencies for the same channel.
> You can set A to RX/TX on channel 5 and B to RX/TX on channel 2 but you can not program 2different frequencies for the same channel. The A/B is for display only it is not 2 totally different banks of memory channels.
>
> On Nov 22, 2012 1:00 PM, "Peter C" <pc2053@gmail.com> wrote:
>> Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.
>>
>> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
>> >
>> > Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
>> >
>> > Jardy Dawson
>> > WA7JRD
>> >
>> > Nobody cares what you send your messages on!!
>> >
>> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@...> wrote:
>> >
>> > > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
>> > >
>> > > What I would like to do is separate and channel A:440.000 B:146.73
>> > >
>> > > Nothing that I have read in the groups explains how to seprate these frequencies.
>> > >
>> > >
>> >

```
>>
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>
```

507. Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-23 00:09:15 UTC
From: Peter C
Topic: 501 Message: 507

The reason behind the question is that I want as I think I stated to have VHF on BANK A and UHF on B. That was the only reason.

--- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
>
> Press the S/D button. Should bring up 2 channels.
>
> Jardy Dawson
> WA7JRD
>
> Nobody cares what you send your messages on!!
>
> On Nov 22, 2012, at 11:05 AM, Paul Linkous <paul.linkous@...> wrote:
>
> > This does not have dual vfo.
> > There is only one. Therefore you can not set it to show 2 different frequencies for the same channel.
> > You can set A to RX/TX on channel 5 and B to RX/TX on channel 2 but you can not program 2different frequencies for the same channel. The A/B is for display only it is not 2 totally different banks of memory channels.
> >
> > On Nov 22, 2012 1:00 PM, "Peter C" <pc2053@...> wrote:
> >> Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.
> >>
> >> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@> wrote:
> >> >
> >> > Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
> >> >
> >> > Jardy Dawson
> >> > WA7JRD
> >> >
> >> > Nobody cares what you send your messages on!!
> >> >
> >> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@> wrote:
> >> >
> >> > > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> >> > >
> >> > > What I would like to do is separate and channel A:440.000 B:146.73

> >> > >
> >> > > Nothing that I have read in the groups explains how to seprate these frequencies.
> >> > >
> >> > >
> >> >
> >>
> >>
> >>
> >>
> >> ----------
> >>
> >> Yahoo! Groups Links
> >>
> >>
> >>
> >
>

508. Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-23 13:26:02 UTC
From: Steve V
Topic: 501 Message: 508

There are not two "banks". There is only one set of memories and you can select any of them to be either A or B display at any time given time. Any memory can be any frequency within the range of the radio.

509. Re: [KG-UV_Commander] Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-23 16:41:30 UTC
From: Jardy Dawson
Topic: 501 Message: 509

You only have one set of memories. You can have v/v, u/v, v/u, or u/u. I don't think you understand how your radio works.

Jardy Dawson
WA7JRD

Nobody cares what you send your messages on!!

On Nov 22, 2012, at 4:09 PM, "Peter C" <pc2053@...> wrote:

> The reason behind the question is that I want as I think I stated to have VHF on BANK A and UHF on B. That was the only reason.
>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@...> wrote:
> >
> > Press the S/D button. Should bring up 2 channels.
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Nobody cares what you send your messages on!!
> >
> > On Nov 22, 2012, at 11:05 AM, Paul Linkous <paul.linkous@...> wrote:
> >
> > > This does not have dual vfo.
> > > There is only one. Therefore you can not set it to show 2 different frequencies for the same channel.
> > > You can set A to RX/TX on channel 5 and B to RX/TX on channel 2 but you can not program 2different frequencies for the same channel. The A/B is for display only it is not 2 totally different banks of memory channels.
> > >
> > > On Nov 22, 2012 1:00 PM, "Peter C" <pc2053@...> wrote:
> > >> Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.
> > >>
> > >> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@> wrote:
> > >> >
> > >> > Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
> > >> >
> > >> > Jardy Dawson
> > >> > WA7JRD

> > >> >
> > >> > Nobody cares what you send your messages on!!
> > >> >
> > >> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@> wrote:
> > >> >
> > >> > > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> > >> > >
> > >> > > What I would like to do is separate and channel A:440.000 B:146.73
> > >> > >
> > >> > > Nothing that I have read in the groups explains how to seprate these frequencies.
> > >> > >
> > >> > >
> > >> >
> > >>
> > >>
> > >>
> > >>
> > >> ------------------------------------
> > >>
> > >> Yahoo! Groups Links
> > >>
> > >>
> > >>
> > >
> >
>
>

510. Re:Using Channels A&B importing difference frequencies.

Yahoo group: KG-UV_Commander
Date: 2012-11-23 21:34:22 UTC
From: rrblackmun
Topic: 501 Message: 510

There are no 'banks' (A vs. B) on the KG-UV HT's -- there are 128 (199 on the new KG-UV6D) channels that can be programmed with whatever frequencies (within the design limits of your HT as specified on the label inside the battery compartment) you want to TX & RX -- they can be any combination of VHF & UHF.

The HT has two displays -- A and B -- and you can select any channel that you want in either display. The two displays aren't limited to VHF vs. UHF and can display and TX and RX on any channel that you've programmed (manually or using Commander or the Wouxun software or the TWEdit Excel software and perhaps others).

The 'dual watch' feature of the Wouxun HT means that the HT will monitor whatever channel is selected in A and also the channel displayed in B; you'll hear whichever one is active first. The A/B switch on the HT is used to select the display that shows the channel that you'll be using when you transmit (press the PTT). If you only want to display (and hear) a single channel and both RX & TX on it, press the TDR button.

One other note -- contrary to 'typical' ham radios, the Wouxun HT's don't operate with RX +/- offsets. Some of the programming software packages support offsets, but they're actually converted into the corresponding RX & TX combination (which is why / how you can program channels the have either VHF or UHF frequencies as TX and RX).

-Bob KK4ATB

--- In KG-UV_Commander@yahoogroups.com, "Peter C" <pc2053@...> wrote:
>
> The reason behind the question is that I want as I think I stated to have VHF on BANK A and UHF on B. That was the only reason.
>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@> wrote:
> >
> > Press the S/D button. Should bring up 2 channels.
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Nobody cares what you send your messages on!!
> >
> > On Nov 22, 2012, at 11:05 AM, Paul Linkous <paul.linkous@> wrote:
> >
> > > This does not have dual vfo.
> > > There is only one. Therefore you can not set it to show 2 different frequencies for the same channel.
> > > You can set A to RX/TX on channel 5 and B to RX/TX on channel 2 but you can not program 2different frequencies for the same channel. The A/B is for display only it is not 2 totally different banks of memory channels.
> > >

> > > On Nov 22, 2012 1:00 PM, "Peter C" <pc2053@> wrote:
> > >> Not sure I understand. I am using software. There is nothing in there that allows me to send VHF to A and UHF to B,,can you give step by step as I just load the FREQ list in Commander and its there for both channels. I can do it manually no problem.. but want to use software.
> > >>
> > >> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson <JARDY72@> wrote:
> > >> >
> > >> > Using the 'a/b' button, highlight the one you want to change. Either rotate the dial to change channels or the keyboard (005 to go to channel 5 or punch in the freq if you are in VFO mode).
> > >> >
> > >> > Jardy Dawson
> > >> > WA7JRD
> > >> >
> > >> > Nobody cares what you send your messages on!!
> > >> >
> > >> > On Nov 22, 2012, at 8:20 AM, "Peter C" <pc2053@> wrote:
> > >> >
> > >> > > I have used the Commander program with much success. However, when I send data to the radio it fills both A & B channels with the same information. For example: channel 10 frequency:Ch.A 444.000 Ch. B 444.000
> > >> > >
> > >> > > What I would like to do is separate and channel A:440.000 B:146.73
> > >> > >
> > >> > > Nothing that I have read in the groups explains how to seprate these frequencies.
> > >> > >
> > >> > >
> > >> >
> > >>
> > >>
> > >>
> > >>
> > >> ------------------------------------
> > >>
> > >> Yahoo! Groups Links
> > >>
> > >>
> > >>
> > >
> >
>

511. Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-24 15:12:07 UTC
From: Michael A
Topic: 511 Message: 511

Hi All,

Thanks for reading. I am trying to program a narrowband Frequency (156.1425)into my portable but for some reason it is not taking. I did change from wide band to narrow band on both Commander and the Wouxun programs but no luck. Is there something I am missing or is it that this radio will not do narrowrband period? Thanks in advance for your responses back.

Mike N2JVE
Niverville, N.Y.

512. Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-24 15:37:35 UTC
From: n1evh@verizon.net
Topic: 511 Message: 512

If you're trying to program in a narrow band frequency that requires
a 2.5KHz step... then you're not going to be able to do with with the
UV-3D.

This radio doesn't have 2.5KHz step capabilities in it.

Mike - N1EVH

-------Original Message-------

From: Michael A
Date: 11/24/12 10:12:11
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Hi All,

Thanks for reading. I am trying to program a narrowband Frequency (156
1425)into my portable but for some reason it is not taking. I did change
from wide band to narrow band on both Commander and the Wouxun programs but
no luck. Is there something I am missing or is it that this radio will not
do narrowrband period? Thanks in advance for your responses back.

Mike N2JVE
Niverville, N.Y.

Yahoo! Groups Links

513. Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-24 18:15:49 UTC
From: Jardy Dawson
Topic: 511 Message: 513

You need the KG-UV6 version with the 2.5 step.

Jardy Dawson
WA7JRD

Nobody cares what you send your messages on!!

On Nov 24, 2012, at 7:12 AM, "Michael A" <n2jve@...> wrote:

> Hi All,
>
> Thanks for reading. I am trying to program a narrowband Frequency (156.1425)into my portable but for some reason it is not taking. I did change from wide band to narrow band on both Commander and the Wouxun programs but no luck. Is there something I am missing or is it that this radio will not do narrowrband period? Thanks in advance for your responses back.
>
> Mike N2JVE
> Niverville, N.Y.
>
>

514. Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-24 18:33:30 UTC
From: Daniel J Engstrom
Topic: 511 Message: 514

Yes you can!
Change your step to 6.25, then after you get the frequency programmed in change it back to the .5 step, if you want to!

Sent from KE7UUM's Verizon iPhone!

On Nov 24, 2012, at 7:12, "Michael A" <n2jve@...m> wrote:

> Hi All,
>
> Thanks for reading. I am trying to program a narrowband Frequency (156.1425)into my portable but for some reason it is not taking. I did change from wide band to narrow band on both Commander and the Wouxun programs but no luck. Is there something I am missing or is it that this radio will not do narrowrband period? Thanks in advance for your responses back.
>
> Mike N2JVE
> Niverville, N.Y.
>
>

515. Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-24 18:59:16 UTC
From: David A. Behar
Topic: 511 Message: 515

Technically, "No you can't"... but you can get close.

With the step size set to 6.25 kHz, you can program 156.14375 mHz. That is offset from your target frequency by 1.25 kHz, and -- although not optimal -- will likely work.

David

----- Original Message -----
From: Daniel J Engstrom
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, November 24, 2012 10:33 AM
Subject: Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D

Yes you can!
Change your step to 6.25, then after you get the frequency programmed in change it back to the .5 step, if you want to!

Sent from KE7UUM's Verizon iPhone!

On Nov 24, 2012, at 7:12, "Michael A" <n2jve@...> wrote:

Hi All,

Thanks for reading. I am trying to program a narrowband Frequency (156.1425)into my portable but for some reason it is not taking. I did change from wide band to narrow band on both Commander and the Wouxun programs but no luck. Is there something I am missing or is it that this radio will not do narrowrband period? Thanks in advance for your responses back.

Mike N2JVE
Niverville, N.Y.

516. Re: Programming Narrowband into a Wouxun UV-3D

Yahoo group: KG-UV_Commander
Date: 2012-11-27 14:39:20 UTC
From: Michael A
Topic: 511 Message: 516

Thanks for all who responded to my question. I was hoping for the best but figuring on the worse so to say.

Mike N2JVE
Niverville,N.Y.

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Technically, "No you can't"... but you can get close.
>
> With the step size set to 6.25 kHz, you can program 156.14375 mHz. That is offset from your target frequency by 1.25 kHz, and -- although not optimal -- will likely work.
>
> David
>
> ----- Original Message -----
> From: Daniel J Engstrom
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, November 24, 2012 10:33 AM
> Subject: Re: [KG-UV_Commander] Programming Narrowband into a Wouxun UV-3D
>
>
>
>
> Yes you can!
> Change your step to 6.25, then after you get the frequency programmed in change it back to the .5 step, if you want to!
>
> Sent from KE7UUM's Verizon iPhone!
>
> On Nov 24, 2012, at 7:12, "Michael A" <n2jve@...> wrote:
>
>
>
> Hi All,
>
> Thanks for reading. I am trying to program a narrowband Frequency (156.1425)into my portable but for some reason it is not taking. I did change from wide band to narrow band on both Commander and the Wouxun programs but no luck. Is there something I am missing or is it that this radio will not do narrowrband period? Thanks in advance for your responses back.
>
> Mike N2JVE
> Niverville, N.Y.
>

517. Baofeng UV-5R PGM ???

Yahoo group: KG-UV_Commander
Date: 2012-11-29 14:09:29 UTC
From: Kuby
Topic: 517 Message: 517

Is there any intent to create a UV-5R programming program? If so, when will 'beta' be seen?

518. Use of Commander with 6M version Wouxun

Yahoo group: KG-UV_Commander
Date: 2012-11-30 15:10:10 UTC
From: Chuck Gysi
Topic: 518 Message: 518

I'm awaiting delivery of my sixth Wouxun HT, the 6M version from Main Trading Co. in Texas.

Here's a link to the radio description:

http://www.maintradingcompany.com/cart/Wouxun-KG-UVD1P-VHF-plus-Six-Meters%2521-Handheld-119-95-Shipped%2521-Sale-Price.239?layout=list&filters=6_20meter-s

There's a warning at the bottom of that web page that says:

Do not use any other software for this radio other than the software we supply. Using any other software or programming files from another version will damage the radio

Has anyone else used Commander with this radio successfully ...or even tried? I'd much rather use Commander than Wouxun's wonky software. If you've used Commander with the 6M version, let me know. I've used Commander with my high and low UHF versions, my 350-MHz version and my 220-MHz version successfully. I hope I can use Commander on the 6M version, too.

Thanks and 73,
Chuck, N2DUP | scanning1.com

519. Re: [KG-UV_Commander] Use of Commander with 6M version Wouxun

Yahoo group: KG-UV_Commander
Date: 2012-11-30 15:38:38 UTC
From: Thomas Carpenter
Topic: 518 Message: 519

Does the unlock work on the 6m version radio?

-----Original Message-----
From: Chuck Gysi <N2DUP@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Fri, Nov 30, 2012 10:10 am
Subject: [KG-UV_Commander] Use of Commander with 6M version Wouxun

There's a warning at the bottom of that web page that says:

Do not use any other software for this radio other than the software we supply. Using any other software or programming files from another version will damage the radio

Has anyone else used Commander with this radio successfully ...or even tried? I'd much rather use Commander than Wouxun's wonky software. If you've used Commander with the 6M version, let me know. I've used Commander with my high and low UHF versions, my 350-MHz version and my 220-MHz version successfully. I hope I can use Commander on the 6M version, too.

Thanks and 73,
Chuck, N2DUP | scanning1.com

520. Re: [KG-UV_Commander] Use of Commander with 6M version Wouxun

Yahoo group: KG-UV_Commander
Date: 2012-11-30 16:32:44 UTC
From: David A. Behar
Topic: 518 Message: 520

Hi friends,

I see three issues regarding the use of KG-UV Commander for the 6M Wouxun handheld radios:
a.. Is the internal memory structure of the radio identical to that of the other Wouxun dual-band radios?
b.. Is the communications protocol identical to that of the other Wouxun dual-band radios?
c.. Does KG-UV Commander perform validation checks for programmed frequencies which would cause it to reject the frequency range of the 6M radio?
If we can have a "volunteer from the audience" I think I can help find answers to these questions. The first task would be to use a serial sniffer utility to record communications session during a radio read session and radio write session using the Wouxun-supplied software. Free sniffer software is available at http://www.serial-port-monitor.com/. I'll look at the results of someone will provide them.

The next step -- if we confirm that the communications protocol is the same -- is to grab a few memory images from the radio. The Linux Command Line Utility (which also runs on Windows when installed properly for Windows) will do this. See http://owx.chmurka.net/. I'll look at these results if someone will provide them.

Once the first two issues are resolved, the best way to resolve the last issue is to ask Jim Mitchell, the developer and publisher of the Commander series of programming software.

David / K7DB

----- Original Message -----
From: Chuck Gysi
To: KG-UV_Commander@yahoogroups.com
Sent: Friday, November 30, 2012 7:10 AM
Subject: [KG-UV_Commander] Use of Commander with 6M version Wouxun

I'm awaiting delivery of my sixth Wouxun HT, the 6M version from Main Trading Co. in Texas.

Here's a link to the radio description:

http://www.maintradingcompany.com/cart/Wouxun-KG-UVD1P-VHF-plus-Six-Meters%2521-Handheld-119-95-Shipped%2521-Sale-Price.239?layout=list&filters=6_20meter-s

There's a warning at the bottom of that web page that says:

Do not use any other software for this radio other than the software we supply. Using any other software or programming files from another version will damage the radio

Has anyone else used Commander with this radio successfully ...or even tried? I'd much rather use Commander than Wouxun's wonky software. If you've used Commander with the 6M version, let me know. I've used Commander with my high and low UHF versions, my 350-MHz version and my 220-MHz version successfully. I hope I can use Commander on the 6M version, too.

Thanks and 73,
Chuck, N2DUP | scanning1.com

521. wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-01 20:48:56 UTC
From: cochin007
Topic: 518 Message: 521

Hi ,
I have got uv-6d and want to remotely change the frequency .
Is it possible using commander? or any way to do it
I am in UK and rig is in India . I have broadband and listen to it but unable to change Frequncy
George

522. Re: wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-02 00:46:17 UTC
From: jwheatleyus
Topic: 518 Message: 522

I can think of two ways- neither elegant or easy.
1 Stepper motor drive on the channel knob.
2 Use a Remote Control program on your PC and run the programming software to change frequency and other parameters of only one channel. After writing to the radio, the same channel would come up active on the new frequency just loaded. This would require a hack to the programming cable to get Rx audio out of the radio with the programming cable plugged in.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "cochin007" <cochin007@...> wrote:
>
> Hi ,
> I have got uv-6d and want to remotely change the frequency .
> Is it possible using commander? or any way to do it
> I am in UK and rig is in India . I have broadband and listen to it but unable to change Frequncy
> George
>

523. Re: wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-02 02:26:25 UTC
From: Grant Rothwell
Topic: 518 Message: 523

Maybe, buy another portable and use IRLP/Echolink.....

524. Re: [KG-UV_Commander] Re: wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-02 04:02:12 UTC
From: David A. Behar
Topic: 518 Message: 524

Hi friends,

1) In my judgment, choice #2 seems very feasible.

2) Instead of chopping up the programming cable, you can create a new double-"Y" cable -- which splits both audio lines from the radio into either the programming cable, or to your interface to computer audio. Either the radio would need to be remotely switched between the programming cable and the audio interface, or perhaps a suitable device could be made which would not require switching (e.g., audio always coupled through a transformer or something between the radio and the audio interface, while at the same time the programming cable is also always connected to the radio).

David

----- Original Message -----
From: jwheatleyus
To: KG-UV_Commander@yahoogroups.com
Sent: Saturday, December 01, 2012 4:46 PM
Subject: [KG-UV_Commander] Re: wozun uv-6d

I can think of two ways- neither elegant or easy.
1 Stepper motor drive on the channel knob.
2 Use a Remote Control program on your PC and run the programming software to change frequency and other parameters of only one channel. After writing to the radio, the same channel would come up active on the new frequency just loaded. This would require a hack to the programming cable to get Rx audio out of the radio with the programming cable plugged in.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "cochin007" <cochin007@...> wrote:
>
> Hi ,
> I have got uv-6d and want to remotely change the frequency .
> Is it possible using commander? or any way to do it
> I am in UK and rig is in India . I have broadband and listen to it but unable to change Frequncy
> George
>

525. Re: wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-02 14:06:00 UTC
From: jwheatleyus
Topic: 518 Message: 525

I have not built this but I believe it will work.
1. Get a USB-RS-232 Adapter like-
http://www.ebay.com/sch/i.html?_trksid=p3984.m570.l1313&_nkw=CP2102+Module+USB+to+USART%28UART%29+3.3V+TTL+USB+To+COM&_sacat=0&_from=R40
2. Get 2.5mm and 3.5mm Stereo Plugs
3. Connect Data Gnd to 2.5mm Sleeve
TX Data to 2.5mm Ring
RX Data to 3.5mm Sleeve
4. Connect Ext Speaker to 2.5mm Tip and 3.5mm Sleeve (Gnd)
I have made a number of BlueTooth and similar interfaces to the KG-UVD1P that work fine. I have not made a programming cable using the eBay USB module.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi friends,
>
> 1) In my judgment, choice #2 seems very feasible.
>
> 2) Instead of chopping up the programming cable, you can create a new double-"Y" cable -- which splits both audio lines from the radio into either the programming cable, or to your interface to computer audio. Either the radio would need to be remotely switched between the programming cable and the audio interface, or perhaps a suitable device could be made which would not require switching (e.g., audio always coupled through a transformer or something between the radio and the audio interface, while at the same time the programming cable is also always connected to the radio).
>
> David
>
> ----- Original Message -----
> From: jwheatleyus
> To: KG-UV_Commander@yahoogroups.com
> Sent: Saturday, December 01, 2012 4:46 PM
> Subject: [KG-UV_Commander] Re: wozun uv-6d
>
>
>
> I can think of two ways- neither elegant or easy.
> 1 Stepper motor drive on the channel knob.
> 2 Use a Remote Control program on your PC and run the programming software to change frequency and other parameters of only one channel. After writing to the radio, the same channel would come up active on the new frequency just loaded. This would require a hack to the programming cable to get Rx audio out of the radio with the programming cable plugged in.

> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "cochin007" <cochin007@> wrote:
> >
> > Hi ,
> > I have got uv-6d and want to remotely change the frequency .
> > Is it possible using commander? or any way to do it
> > I am in UK and rig is in India . I have broadband and listen to it but unable to change Frequncy
> > George
> >
>

526. Re: wozun uv-6d

Yahoo group: KG-UV_Commander
Date: 2012-12-02 14:57:41 UTC
From: jwheatleyus
Topic: 518 Message: 526

OOPS.... I did not think before posting. An easier way to attack this problem will allow use of an existing programming cable-- Just get two Stereo Jacks and two Stereo Plugs. Jacks go on the programming cable and plugs go to the radio. Wire jacks to plugs per the post below.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, "jwheatleyus" <taoswheat@...> wrote:
>
> I have not built this but I believe it will work.
> 1. Get a USB-RS-232 Adapter like-
> http://www.ebay.com/sch/i.html?_trksid=p3984.m570.l1313&_nkw=CP2102+Module+USB+to+USART%28UART%29+3.3V+TTL+USB+To+COM&_sacat=0&_from=R40
> 2. Get 2.5mm and 3.5mm Stereo Plugs
> 3. Connect Data Gnd to 2.5mm Sleeve
> TX Data to 2.5mm Ring
> RX Data to 3.5mm Sleeve
> 4. Connect Ext Speaker to 2.5mm Tip and 3.5mm Sleeve (Gnd)
> I have made a number of BlueTooth and similar interfaces to the KG-UVD1P that work fine. I have not made a programming cable using the eBay USB module.
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@> wrote:
> >
> > Hi friends,
> >
> > 1) In my judgment, choice #2 seems very feasible.
> >
> > 2) Instead of chopping up the programming cable, you can create a new double-"Y" cable -- which splits both audio lines from the radio into either the programming cable, or to your interface to computer audio. Either the radio would need to be remotely switched between the programming cable and the audio interface, or perhaps a suitable device could be made which would not require switching (e.g., audio always coupled through a transformer or something between the radio and the audio interface, while at the same time the programming cable is also always connected to the radio).
> >
> > David
> >
> > ----- Original Message -----
> > From: jwheatleyus
> > To: KG-UV_Commander@yahoogroups.com
> > Sent: Saturday, December 01, 2012 4:46 PM
> > Subject: [KG-UV_Commander] Re: wozun uv-6d
> >

> >
> >
> > I can think of two ways- neither elegant or easy.
> > 1 Stepper motor drive on the channel knob.
> > 2 Use a Remote Control program on your PC and run the programming software to change frequency and other parameters of only one channel. After writing to the radio, the same channel would come up active on the new frequency just loaded. This would require a hack to the programming cable to get Rx audio out of the radio with the programming cable plugged in.
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, "cochin007" <cochin007@> wrote:
> > >
> > > Hi ,
> > > I have got uv-6d and want to remotely change the frequency .
> > > Is it possible using commander? or any way to do it
> > > I am in UK and rig is in India . I have broadband and listen to it but unable to change Frequncy
> > > George
> > >
> >
>

527. KG-UV2D and Error 75: Path/file access error

Yahoo group: KG-UV_Commander
Date: 2012-12-07 21:17:01 UTC
From: johnoberlin@ymail.com
Topic: 527 Message: 527

Greetings,

I am a new member and hope to learn from the group as I start following the discussions. In the meantime I have a problem/question.

When trying to download from my KG-UV2D using KG-UV Commander I get a popup box that says "Error 75: Path/file access error." I have just installed the software on a new PC running Windows 8. There was no problem on my old PC.

I'm stuck, stumped, baffled, and confused. All that aside, can anyone tell me what the problem with the software/PC/radio is?

Thanks,
John KJ4GDX

528. Re: [KG-UV_Commander] KG-UV2D and Error 75: Path/file access error

Yahoo group: KG-UV_Commander
Date: 2012-12-07 23:59:13 UTC
From: Rob
Topic: 527 Message: 528

On 8/12/2012 05:17, johnoberlin@... wrote:

> When trying to download from my KG-UV2D using KG-UV Commander I get a
> popup box that says "Error 75: Path/file access error." I have just
> installed the software on a new PC running Windows 8. There was no
> problem on my old PC.
>

You can get this error when an application accesses a serial port and
there is a problem with the port. Does the serial port exist? Is
something else using the port? Are the correct drivers installed? Does
your serial device use Prolific USB drivers?
Use device manager (or whatever the exquivalent is with Win 8) to see
what ports are available and whether they are functioning.

--
Rob, VK6UFO, VK6RN

529. Re: KG-UV2D and Error 75: Path/file access error

Yahoo group: KG-UV_Commander
Date: 2012-12-08 06:13:52 UTC
From: jimbo_48393
Topic: 527 Message: 529

I haven't tested the software at all on Windows 8. However, I do know that the "Error 75" occurs under Win7/Vista when running old versions of the software (0.1.2 beta and earlier) as a non-administrator.

So, I would recommend the following:
- If you are using an old version, upgrade to the latest (from www.kc8unj.com)

- Try running the program as an administrator (should be right-click -> run as administrator or similar)

Jim
KC8UNJ

--- In KG-UV_Commander@yahoogroups.com, "johnoberlin@..." <1cocomon@...> wrote:
>
> Greetings,
>
> I am a new member and hope to learn from the group as I start following the discussions. In the meantime I have a problem/question.
>
> When trying to download from my KG-UV2D using KG-UV Commander I get a popup box that says "Error 75: Path/file access error." I have just installed the software on a new PC running Windows 8. There was no problem on my old PC.
>
> I'm stuck, stumped, baffled, and confused. All that aside, can anyone tell me what the problem with the software/PC/radio is?
>
> Thanks,
> John KJ4GDX
>

530. New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-13 16:18:27 UTC
From: wade
Topic: 530 Message: 530

I have two UDV-1P units on the way. I have installed KG-UV commander. I have a couple of questions.

When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??

Any tips or suggestions for the use of commander. The help file is minimal and since I have not yet tried I dont know if it provides all that I will need.

Thanks Van W4GIW a ham for 59 years.

531. Re: [KG-UV_Commander] New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-13 16:58:31 UTC
From: Thomas Carpenter
Topic: 530 Message: 531

Van,
Assuming both radios are about the same age and you downloaded both radios of the initial programming into commander, save a copy of each if there is a problem (two file names). Once written in the program (saved under another file name), it should be able to down loaded to both radios. Save files to avoid head aches.
That done the radios should be clones of each other.
73,
Tom Kb3hg 35+ years of tickling the Ether

-----Original Message-----
From: wade <giw@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Thu, Dec 13, 2012 11:18 am
Subject: [KG-UV_Commander] New owner of KG-UVD1P-440

I have two UDV-1P units on the way. I have installed KG-UV commander. I have a couple of questions.

When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??

Any tips or suggestions for the use of commander. The help file is minimal and since I have not yet tried I dont know if it provides all that I will need.

Thanks Van W4GIW a ham for 59 years.

Yahoo! Groups Links

532. Re: [KG-UV_Commander] New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-14 00:29:48 UTC
From: van
Topic: 530 Message: 532

Thanks for your help. Van
----- Original Message -----
From: Thomas Carpenter
To: KG-UV_Commander@yahoogroups.com
Sent: Thursday, December 13, 2012 11:58 AM
Subject: Re: [KG-UV_Commander] New owner of KG-UVD1P-440

Van,

Assuming both radios are about the same age and you downloaded both radios of the initial programming into commander, save a copy of each if there is a problem (two file names). Once written in the program (saved under another file name), it should be able to down loaded to both radios. Save files to avoid head aches.
That done the radios should be clones of each other.
73,
Tom Kb3hg 35+ years of tickling the Ether

-----Original Message-----
From: wade <giw@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Thu, Dec 13, 2012 11:18 am
Subject: [KG-UV_Commander] New owner of KG-UVD1P-440

I have two UDV-1P units on the way. I have installed KG-UV commander. I have a couple of questions.

When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??

Any tips or suggestions for the use of commander. The help file is minimal and since I have not yet tried I dont know if it provides all that I will need.

Thanks Van W4GIW a ham for 59 years.

Yahoo! Groups Links

533. Re: [KG-UV_Commander] New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-14 04:45:29 UTC
From: Terry
Topic: 530 Message: 533

Wade

That is a bit of a vague question.

For example:

In VFO (Frequency) Mode, you set a Repeater Offset (eg 600 kHz, 5 MHz, etc.) whereas in Memory (Channel) mode, you enter both the Transmit Frequency, and the Receive Frequency, rather than the calculated Offset..

--
Comint

> When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??
>
>

534. ARRL Travel Plus and the KG Commander

Yahoo group: KG-UV_Commander
Date: 2012-12-17 18:59:24 UTC
From: David F
Topic: 534 Message: 534

I am using the ARRL's Travel Plus Repeater Directory program to gather the repeater frequencies along a route that I have imported from Google Earth Maps.

The Travel plus puts the list in a tpl extension format. How do I get to converted to the tpe format said to be used by the commander.

thanks and MERRY CHRISTMAS.

535. Re: New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-18 16:00:59 UTC
From: Peter C
Topic: 530 Message: 535

--- In KG-UV_Commander@yahoogroups.com, "wade" wrote:

I have two UDV-1P units on the way. I have installed KG-UV commander. I have a couple of questions.

When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??

Any tips or suggestions for the use of commander. The help file is minimal and since I have not yet tried I don't know if it provides all that I will need.

Thanks Van W4GIW a ham for 59 years.
++

I have a UDV-1P and a KG-UV6D, the Commander DOE work for the UV6D but NOT for the 1P. I have to use the manufacturer software for the 1P.
Please let me know if you get the Commander to work for the 1P. It is excellent software.
Might be that the 1P is older than the 6D. Not sure.
Hope you get it working..

536. Wouxun 6D: UHF Freqs no longer working

Yahoo group: KG-UV_Commander
Date: 2012-12-18 17:00:22 UTC
From: Ralph Milnes
Topic: 536 Message: 536

A word of warning ..

I have the UV6D. I realize the UHF frequencies are no longer working - no receive, no transmit.

I talked to my vendor, Richard at Main Trading Company, and he tells me this is a very common problem *if you use the wrong software to program the radio*. He tells me that, if that is the case, this problem is not warrantied by Wouxun. Any software other than the Wouxun software is not warrantied.

Indeed, I may well have used the wrong software. I own a UVD1P as well, so I may have inadvertently used the Wouxun 1P software on the 6D.

I also have UV Commander and UV6 Commander for their respective radios. I use the UV6 Commander all the time on my 6D. But again, I may have inadvertently tried UV Commander (for the 1P) on the 6D.

And are we sure that UV6 Commander won't harm the radio? I really like that software, so I hope not.

So I don't know if I used the "wrong" software on the 6D.

My questions for the group:
* Has anyone experienced a similar problem - loss of the UHF channels - on a 6D?
* Can you clearly attribute it to using a specific software type?

Needless to say, I'm not very happy with my Wouxun 6D now. Just as I wasn't very happy with the its Wouxun-provided software before.

Ralph NM5RM

537. Re: [KG-UV_Commander] Wouxun 6D: UHF Freqs no longer working

Yahoo group: KG-UV_Commander
Date: 2012-12-18 17:12:32 UTC
From: Reg Boudinot
Topic: 536 Message: 537

Ralph:

It has long been posted on the forums that you can’t use different versions of the Wauxun software on different model radios without corrupting the tables and data which the radio interprets. That said, I suspect that you could use the UV6 software and a known good backup/database to restore a good load. This might set everything right inside your radio. If you don’t have a backup of a known good configuration for your radio I would be glad to send one to you via email. If the restore from my backup works your radio will be fully functional again, however, the frequencies set for my frequencies. From there you can reprogram it for your local frequencies.

Reg, AA4GI

From: Ralph Milnes
Sent: Tuesday, December 18, 2012 11:00 AM
To: KG-UV_Commander@yahoogroups.com ; Wouxun_KG-UVD1@yahoogroups.com
Subject: [KG-UV_Commander] Wouxun 6D: UHF Freqs no longer working

A word of warning ..

I have the UV6D. I realize the UHF frequencies are no longer working – no receive, no transmit.

I talked to my vendor, Richard at Main Trading Company, and he tells me this is a very common problem *if you use the wrong software to program the radio*. He tells me that, if that is the case, this problem is not warrantied by Wouxun. Any software other than the Wouxun software is not warrantied.

Indeed, I may well have used the wrong software. I own a UVD1P as well, so I may have inadvertently used the Wouxun 1P software on the 6D.

I also have UV Commander and UV6 Commander for their respective radios. I use the UV6 Commander all the time on my 6D. But again, I may have inadvertently tried UV Commander (for the 1P) on the 6D.

And are we sure that UV6 Commander won’t harm the radio? I really like that software, so I hope not.

So I don’t know if I used the “wrong” software on the 6D.

My questions for the group:

· Has anyone experienced a similar problem – loss of the UHF channels – on a 6D?

· Can you clearly attribute it to using a specific software type?

Needless to say, I’m not very happy with my Wouxun 6D now. Just as I wasn’t very happy with the its Wouxun-provided software before.

Ralph NM5RM

538. Re: [KG-UV_Commander] Re: New owner of KG-UVD1P-440

Yahoo group: KG-UV_Commander
Date: 2012-12-18 21:24:29 UTC
From: van
Topic: 530 Message: 538

The UV commander that is stated to work with the 1P works great, no problems. Make sure it is the program for the 1P, dowload , install and run. Van W4GIW
----- Original Message -----
From: Peter C
To: KG-UV_Commander@yahoogroups.com
Sent: Tuesday, December 18, 2012 11:00 AM
Subject: [KG-UV_Commander] Re: New owner of KG-UVD1P-440

--- In KG-UV_Commander@yahoogroups.com, "wade" wrote:

I have two UDV-1P units on the way. I have installed KG-UV commander. I have a couple of questions.

When configuration is done and installed in machine do these values remain the same for both modes of operation on any freq.??

Any tips or suggestions for the use of commander. The help file is minimal and since I have not yet tried I don't know if it provides all that I will need.

Thanks Van W4GIW a ham for 59 years.
++

I have a UDV-1P and a KG-UV6D, the Commander DOE work for the UV6D but NOT for the 1P. I have to use the manufacturer software for the 1P.
Please let me know if you get the Commander to work for the 1P. It is excellent software.
Might be that the 1P is older than the 6D. Not sure.
Hope you get it working..

539. Re: ARRL Travel Plus and the KG Commander

Yahoo group: KG-UV_Commander
Date: 2012-12-19 01:29:12 UTC
From: David F
Topic: 534 Message: 539

Can or will some please help me with the KG Commander program.

Thanks.

540. RE: [KG-UV_Commander] Re: ARRL Travel Plus and the KG Commander

Yahoo group: KG-UV_Commander
Date: 2012-12-19 02:15:49 UTC
From: Bob Reiff
Topic: 534 Message: 540

You are trying to do it the hard way! During export from the ARRL program use the .csv (comma separated values) format. During Commander use .csv to import. Don't always go for the default value. Look around a little bit. I just looked and they are there in both programs.

Bob, WA8ULW

From: David F [mailto:fullerdavid63601@...]
Sent: December 18, 2012 20:29
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: ARRL Travel Plus and the KG Commander

Can or will some please help me with the KG Commander program.

Thanks.

m

541. Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-01-01 22:19:57 UTC
From: David A. Behar
Topic: 541 Message: 541

Hi friends,

Here is an email from the developer of the Commander software (appended below). However, note that as per the terms of the software license, any use of any version of Commander software on any radio is at the risk of the user.

David

----- Original Message -----
From: Jim Mitchell
To: David A. Behar
Sent: Tuesday, January 01, 2013 8:47 AM
Subject: Re: KG-UV Commander for KG-UVD1P 6 meter / 2 meter version

Hi David,

Happy Holidays!

As long as the memory structure and protocol is the same as the others, it should work fine. There's no way to know for sure if that is the case without testing the actual radio. If reading from the radio works properly, and the settings are interpreted correctly by the software, then that implies that it should work OK.

Jim
KC8UNJ

From: Terry <comint@...>
To: Wouxun_KG-UVD1@yahoogroups.com
Sent: Wednesday, December 26, 2012 9:16 PM
Subject: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

roz062852

There is currently NO version of KGUV Commander suitable for your
version of radio.

You run a serious risk of 'bricking' your radio by using the incorrect
software.

If you 'brick' your radio, it is NOT covered by Warranty.

--
Comint

542. Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-05 16:39:28 UTC
From: Mike
Topic: 542 Message: 542

I'm setting up a new computer with Windows 7 Professional 64-bit on it.
I've trying to get my Wouxon USB cable setup on the computer. I'm using
the USB7VISTA.EXE driver from the Powerwerx website (I think this is
the same driver that I'm using on a Win 7 Pro 64-bit laptop).

When I plug the programming cable into my USB port... popup window
appears down in the system tray saying that the driver wasn't installed.
I then went into the Device Manager... told it to update the driver...
and to search for a driver. Windows then told me that I had already
had the best driver installed for it.

When looking at the Properties for the device... in the "Device Status"
window, it says...

This device cannot start. (Code 10).
I used the USB cable on another computer about 2 weeks ago... so the
cable "should" be good.
Anyone have any insight on this???
Mike - N1EVH

543. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-05 17:23:34 UTC
From: Thomas Carpenter
Topic: 542 Message: 543

Mike, go to import communications and get the if all else fails driver and give it a try.

http://www.wouxun.us/item.php?item_id=222&category_id=50

USB Drivers

READ THIS BEFORE DOWNLOADING DRIVERS

FindComPort.exe

How to use FindComPort.txt

USB Driver for Vista & Win7

USB Driver for XP

USB IF-ALL-ELSE-FAILS Driver

-----Original Message-----
From: Mike <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jan 5, 2013 11:39 am
Subject: [KG-UV_Commander] Can't get USB programming cable to work...

I'm setting up a new computer with Windows 7 Professional 64-bit on it.
I've trying to get my Wouxon USB cable setup on the computer. I'm using
the USB7VISTA.EXE driver from the Powerwerx website (I think this is the
same driver that I'm using on a Win 7 Pro 64-bit laptop).

When I plug the programming cable into my USB port... popup window
appears down in the system tray saying that the driver wasn't installed. I
then went into the Device Manager... told it to update the driver... and to
search for a driver. Windows then told me that I had already had the best
driver installed for it.

When looking at the Properties for the device... in the "Device Status" window,
it says...

This device cannot start. (Code 10).

I used the USB cable on another computer about 2 weeks ago... so the cable
"should" be good.

Anyone have any insight on this???

Mike - N1EVH

544. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-05 19:38:41 UTC
From: n1evh@verizon.net
Topic: 542 Message: 544

I went to Import Communication site and downloaded the... USB If All Else Fails... driver... and it failed :-(

I turned on my laptop that also has Win 7 Professional 64-bit and plugged my USB Programming into it. When it said the driver was installed... I looked
at the device manager to see what it said it had for a driver. It said the driver
was written by Prolific and it was version 3.2.0.0.

So... I went to Google to search this version Prolific driver and I came across
this website...

http://www.miklor.com/uv5r/UV5R-Drivers.html#install

I scrolled down to Step 6 in the "Installing the Proper New Prolific PL-2303 Drivers 3.2.0.0... and followed the steps in there. When I did... the device manager now says in the Device Status...

This device is working properly.

So now things seem to be working with the USB programming cable.

Mike - N1EVH

-------Original Message-------

From: Thomas Carpenter
Date: 01/05/13 12:23:43
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Can't get USB programming cable to work...

Mike, go to import communications and get the if all else fails driver and give it a try.

http://www.wouxun.us/item.php?item_id=222&category_id=50
USB Drivers

READ THIS BEFORE DOWNLOADING DRIVERS
FindComPort.exe

How to use FindComPort.txt

USB Driver for Vista & Win7

USB Driver for XP

USB IF-ALL-ELSE-FAILS Driver

-----Original Message-----
From: Mike <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jan 5, 2013 11:39 am
Subject: [KG-UV_Commander] Can't get USB programming cable to work...

I'm setting up a new computer with Windows 7 Professional 64-bit on it. I've trying to get my Wouxon USB cable setup on the computer. I'm using the USB7VISTA.EXE driver from the Powerwerx website (I think this is the same driver that I'm using on a Win 7 Pro 64-bit laptop).

When I plug the programming cable into my USB port... popup window appears down in the system tray saying that the driver wasn't installed. I then went into the Device Manager... told it to update the driver... and to search for a driver. Windows then told me that I had already had the best driver installed for it.

When looking at the Properties for the device... in the "Device Status" window,
it says...

This device cannot start. (Code 10).

I used the USB cable on another computer about 2 weeks ago... so the cable "should" be good.

Anyone have any insight on this???

Mike - N1EVH

545. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-05 22:28:34 UTC
From: Thomas Carpenter
Topic: 542 Message: 545

Glad you got it working.
Tom

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jan 5, 2013 2:38 pm
Subject: Re: [KG-UV_Commander] Can't get USB programming cable to work...

I went to Import Communication site and downloaded the... USB If All Else Fails... driver... and it failed :-(

I turned on my laptop that also has Win 7 Professional 64-bit and plugged my USB Programming into it. When it said the driver was installed... I looked at the device manager to see what it said it had for a driver. It said the driver was written by Prolific and it was version 3.2.0.0.

So... I went to Google to search this version Prolific driver and I came across this website...

http://www.miklor.com/uv5r/UV5R-Drivers.html#install

I scrolled down to Step 6 in the "Installing the Proper New Prolific PL-2303 Drivers 3.2.0.0... and followed the steps in there. When I did... the device manager now says in the Device Status...

This device is working properly.

So now things seem to be working with the USB programming cable.

Mike - N1EVH

-------Original Message-------

From: Thomas Carpenter
Date: 01/05/13 12:23:43
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Can't get USB programming cable to work...

Mike, go to import communications and get the if all else fails driver and give it a try.

http://www.wouxun.us/item.php?item_id=222&category_id=50

USB Drivers

READ THIS BEFORE DOWNLOADING DRIVERS

FindComPort.exe

How to use FindComPort.txt

USB Driver for Vista & Win7

USB Driver for XP

USB IF-ALL-ELSE-FAILS Driver

-----Original Message-----
From: Mike <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sat, Jan 5, 2013 11:39 am
Subject: [KG-UV_Commander] Can't get USB programming cable to work...

I'm setting up a new computer with Windows 7 Professional 64-bit on it. I've trying to get my Wouxon USB cable setup on the computer. I'm using the USB7VISTA.EXE driver from the Powerwerx website (I think this is the same driver that I'm using on a Win 7 Pro 64-bit laptop).

When I plug the programming cable into my USB port... popup window appears down in the system tray saying that the driver wasn't installed. I then went into the Device Manager... told it to update the driver... and to search for a driver. Windows then told me that I had already had the best driver installed for it.

When looking at the Properties for the device... in the "Device Status" window, it says...

This device cannot start. (Code 10).

I used the USB cable on another computer about 2 weeks ago... so the cable "should" be good.

Anyone have any insight on this???

Mike - N1EVH

546. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-06 07:14:23 UTC
From: Jardy Dawson
Topic: 542 Message: 546

Uninstall the driver, Then install the driver before plugging in the cable. Should work better.

Jardy Dawson WA7JRD Ham Radio Sent by WHO CARES!!!

>_____
> From: Mike <n1evh@verizon.net>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Saturday, January 5, 2013 8:39 AM
>Subject: [KG-UV_Commander] Can't get USB programming cable to work...
>
>
>
>
>I'm setting up a new computer with Windows 7 Professional 64-bit on it.
>I've trying to get my Wouxon USB cable setup on the computer. I'm using
>the USB7VISTA.EXE driver from the Powerwerx website (I think this is the
>same driver that I'm using on a Win 7 Pro 64-bit laptop).
>
>
>When I plug the programming cable into my USB port... popup window
>appears down in the system tray saying that the driver wasn't installed. I
>then went into the Device Manager... told it to update the driver... and to
>search for a driver. Windows then told me that I had already had the best
>driver installed for it.
>
>
>When looking at the Properties for the device... in the "Device Status" window,
>it says...
>
>
>This device cannot start. (Code 10).
>
>I used the USB cable on another computer about 2 weeks ago... so the cable
>"should" be good.
>
>Anyone have any insight on this???

>
>Mike - N1EVH
>

547. Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-06 14:14:47 UTC
From: Andrew Norrie
Topic: 542 Message: 547

WARNING. If you get code 10 error on trying to load the drivers you have a Chinese copy of the Prolific chip that does the USB to serial. This is a KNOWN problem. It might work under Linux but that is not a lot of use. Prolific changed the drivers some time ago with a trap that if it detects a clone chip it will not load the drivers and you get a code 10 if you look in device manager.

Cheers, Andy GM1MQE

--- In KG-UV_Commander@yahoogroups.com, Jardy Dawson wrote:
>
> Uninstall the driver, Then install the driver before plugging in the cable.Â Should work better.
>
>
> Jardy DawsonÂ WA7JRD Ham Radio Sent by WHO CARES!!!
>
>
> >_____
> > From: Mike
> >To: KG-UV_Commander@yahoogroups.com
> >Sent: Saturday, January 5, 2013 8:39 AM
> >Subject: [KG-UV_Commander] Can't get USB programming cable to work...
> >
> >
> >Â
> >
> >I'm setting up a new computer with Windows 7 Professional 64-bit on
> it.
> >I've trying to get my Wouxon USB cable setup on the computer. I'm
> using
> >the USB7VISTA.EXE driver from the Powerwerx website (I think this is
> the
> >same driver that I'm using on a Win 7 Pro 64-bit laptop).
> >
> >
> >When I plug the programming cable into my USB port... popup window
> >appears down in the system tray saying that the driver wasn't installed.
> I
> >then went into the Device Manager... told it to update the driver... and
> to
> >search for a driver. Windows then told me that I had already had the
> best
> >driver installed for it.
> >
> >

> >When looking at the Properties for the device... in the "Device Status"
> window,
> >it says...
> >
> >
> >This device cannot start. (Code 10).
> >
> >I used the USB cable on another computer about 2 weeks ago... so the
> cable
> >"should" be good.
> >
> >Anyone have any insight on this???
> >
> >Mike - N1EVH
> >
>

548. Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 13:49:51 UTC
From: rrblackmun
Topic: 542 Message: 548

This has been covered very thoroughly in the Baofeng UV-5R group and is referenced in another reply in this group on this topic. It really doesn't need to be 're-invented' again!

-Bob KK4ATB

--- In KG-UV_Commander@yahoogroups.com, "Andrew Norrie" wrote:
>
> WARNING. If you get code 10 error on trying to load the drivers you have a Chinese copy of the Prolific chip that does the USB to serial. This is a KNOWN problem. It might work under Linux but that is not a lot of use. Prolific changed the drivers some time ago with a trap that if it detects a clone chip it will not load the drivers and you get a code 10 if you look in device manager.
>
> Cheers, Andy GM1MQE
>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson wrote:
> >
> > Uninstall the driver, Then install the driver before plugging in the cable.Â Should work better.
> >
> >
> > Jardy DawsonÂ WA7JRD Ham Radio Sent by WHO CARES!!!
> >
> >
> > >_____
> > > From: Mike
> > >To: KG-UV_Commander@yahoogroups.com
> > >Sent: Saturday, January 5, 2013 8:39 AM
> > >Subject: [KG-UV_Commander] Can't get USB programming cable to work...
> > >
> > >
> > >Â
> > >
> > >I'm setting up a new computer with Windows 7 Professional 64-bit on
> > it.
> > >I've trying to get my Wouxon USB cable setup on the computer. I'm
> > using
> > >the USB7VISTA.EXE driver from the Powerwerx website (I think this is
> > the
> > >same driver that I'm using on a Win 7 Pro 64-bit laptop).
> > >
> > >
> > >When I plug the programming cable into my USB port... popup window
> > >appears down in the system tray saying that the driver wasn't installed.

```
> > I
> > >then went into the Device Manager... told it to update the driver... and
> > to
> > >search for a driver. Windows then told me that I had already had the
> > best
> > >driver installed for it.
> > >
> > >
> > >When looking at the Properties for the device... in the "Device Status"
> > window,
> > >it says...
> > >
> > >
> > >This device cannot start. (Code 10).
> > >
> > >I used the USB cable on another computer about 2 weeks ago... so the
> > cable
> > >"should" be good.
> > >
> > >Anyone have any insight on this???
> > >
> > >Mike - N1EVH
> > >
> >
>
```

549. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 15:05:36 UTC
From: n1evh@verizon.net
Topic: 542 Message: 549

Well... I'm NOT a member of the Baofeng UV-5R group... so I don't know
how thoroughly this topic has been covered in that group.

If you re-read my original message...you'll see that I have the programming
cable WORKING on a laptop running Win 7 Pro 64-bit... but I wasn't able to
get it to work on a desktop that I was setting up that was also running Win
7
Pro 64-bit (and I was trying to use the SAME drivers that I was using on the
laptop).

I then followed up with a SECOND message saying that after doing a Google
search... I found a website that said to do something and I did get it to
work
on the desktop computer running Win 7 Pro 64-bit.

As for the people saying... the programming cable uses a Chinese copy of
the Prolific chip and the problem is with the drivers... if the programming
cable AND drivers are working on one computer running Win 7 Pro 64-it,
then wouldn't that make someone think that the SAME drivers and SAME
programming cable SHOULD work on another computer with the SAME
operating system???

Mike - N1EVH

-------Original Message-------

From: rrblackmun
Date: 01/07/13 08:49:59
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: Can't get USB programming cable to work...

This has been covered very thoroughly in the Baofeng UV-5R group and is
referenced in another reply in this group on this topic. It really doesn't
need to be 're-invented' again!

-Bob KK4ATB

--- In KG-UV_Commander@yahoogroups.com, "Andrew Norrie" wrote:
>
> WARNING. If you get code 10 error on trying to load the drivers you have a
Chinese copy of the Prolific chip that does the USB to serial. This is a
KNOWN problem. It might work under Linux but that is not a lot of use.
Prolific changed the drivers some time ago with a trap that if it detects a
clone chip it will not load the drivers and you get a code 10 if you look in
device manager.
>
> Cheers, Andy GM1MQE

>
> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson wrote:
> >
> > Uninstall the driver, Then install the driver before plugging in the
cable.Â Should work better.
> >
> >
> > Jardy DawsonÂ WA7JRD Ham Radio Sent by WHO CARES!!!
> >
> >
> > >_____
> > > From: Mike
> > >To: KG-UV_Commander@yahoogroups.com
> > >Sent: Saturday, January 5, 2013 8:39 AM
> > >Subject: [KG-UV_Commander] Can't get USB programming cable to work...
> > >
> > >
> > >Â
> > >
> > >I'm setting up a new computer with Windows 7 Professional 64-bit on
> > it.
> > >I've trying to get my Wouxon USB cable setup on the computer. I'm
> > using
> > >the USB7VISTA.EXE driver from the Powerwerx website (I think this is
> > the
> > >same driver that I'm using on a Win 7 Pro 64-bit laptop).
> > >
> > >
> > >When I plug the programming cable into my USB port... popup window
> > >appears down in the system tray saying that the driver wasn't installed

> > I
> > >then went into the Device Manager... told it to update the driver...
and
> > to
> > >search for a driver. Windows then told me that I had already had the
> > best
> > >driver installed for it.
> > >
> > >
> > >When looking at the Properties for the device... in the "Device Status"
> > window,
> > >it says...
> > >
> > >
> > >This device cannot start. (Code 10).
> > >
> > >I used the USB cable on another computer about 2 weeks ago... so the
> > cable
> > >"should" be good.

> > >
> > >Anyone have any insight on this???
> > >
> > >Mike - N1EVH

550. RE: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 15:21:26 UTC
From: John L. Wilkerson Jr.
Topic: 542 Message: 550

Make sure you use the same try

Apologies for not trimming quoted material. Windows phone editors Suck!

-----Original Message-----
From: n1evh@verizon.net
Sent: 1/7/2013 10:06 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Well... I'm NOT a member of the Baofeng UV-5R group... so I don't know

how thoroughly this topic has been covered in that group.

If you re-read my original message...you'll see that I have the programming

cable WORKING on a laptop running Win 7 Pro 64-bit... but I wasn't able to

get it to work on a desktop that I was setting up that was also running Win 7

Pro 64-bit (and I was trying to use the SAME drivers that I was using on the

laptop).

I then followed up with a SECOND message saying that after doing a Google

search... I found a website that said to do something and I did get it to work

on the desktop computer running Win 7 Pro 64-bit.

As for the people saying... the programming cable uses a Chinese copy of

the Prolific chip and the problem is with the drivers... if the programming

cable AND drivers are working on one computer running Win 7 Pro 64-it,

then wouldn't that make someone think that the SAME drivers and SAME

programming cable SHOULD work on another computer with the SAME

operating system???

Mike - N1EVH

-------Original Message-------

From: rrblackmun

Date: 01/07/13 08:49:59

To: KG-UV_Commander@yahoogroups.com

Subject: [KG-UV_Commander] Re: Can't get USB programming cable to work...

This has been covered very thoroughly in the Baofeng UV-5R group and is referenced in another reply in this group on this topic. It really doesn't need to be 're-invented' again!

-Bob KK4ATB

--- In KG-UV_Commander@yahoogroups.com, "Andrew Norrie" wrote:

>

> WARNING. If you get code 10 error on trying to load the drivers you have a Chinese copy of the Prolific chip that does the USB to serial. This is a KNOWN problem. It might work under Linux but that is not a lot of use. Prolific changed the drivers some time ago with a trap that if it detects a clone chip it will not load the drivers and you get a code 10 if you look in device manager.

>

> Cheers, Andy GM1MQE

>

> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson wrote:

> >

> > Uninstall the driver, Then install the driver before plugging in the cable.Â Should work better.

> >

> >

> > Jardy DawsonÂ WA7JRD Ham Radio Sent by WHO CARES!!!

> >

> >

> > >_____

> > > From: Mike

> > >To: KG-UV_Commander@yahoogroups.com

> > >Sent: Saturday, January 5, 2013 8:39 AM

> > >Subject: [KG-UV_Commander] Can't get USB programming cable to work...

> > >

> > >

> > >Â

> > >

> > >I'm setting up a new computer with Windows 7 Professional 64-bit on

> > it.

> > >I've trying to get my Wouxon USB cable setup on the computer. I'm

> > using

> > >the USB7VISTA.EXE driver from the Powerwerx website (I think this is

> > the

> > >same driver that I'm using on a Win 7 Pro 64-bit laptop).

> > >

> > >

> > >When I plug the programming cable into my USB port... popup window

> > >appears down in the system tray saying that the driver wasn't installed.

> > I

> > >then went into the Device Manager... told it to update the driver... and

> > to

> > >search for a driver. Windows then told me that I had already had the

> > best

> > >driver installed for it.

> > >

> > >

> > >When looking at the Properties for the device... in the "Device Status"

> > window,

> > >it says...

> > >

> > >

> > >This device cannot start. (Code 10).

> > >

> > >I used the USB cable on another computer about 2 weeks ago... so the

> > cable

> > >"should" be good.

> > >

> > >Anyone have any insight on this???

> > >

> > >Mike - N1EVH

551. RE: [KG-UV_Commander] Re: Can't get USB programming cable towork...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 15:27:51 UTC
From: John L. Wilkerson Jr.
Topic: 551 Message: 551

Sorry...make sure you use the same USB port you installed the driver on every time.

Apologies for not trimming quoted material. Windows phone editors Suck!

-----Original Message-----
From: John L. Wilkerson Jr.
Sent: 1/7/2013 10:22 AM
To: KG-UV_Commander@yahoogroups.com
Subject: RE: [KG-UV_Commander] Re: Can't get USB programming cable towork...

Make sure you use the same try

Apologies for not trimming quoted material. Windows phone editors Suck!

From: n1evh@...
Sent: 1/7/2013 10:06 AM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Well... I'm NOT a member of the Baofeng UV-5R group... so I don't know

how thoroughly this topic has been covered in that group.

If you re-read my original message...you'll see that I have the programming

cable WORKING on a laptop running Win 7 Pro 64-bit... but I wasn't able to

get it to work on a desktop that I was setting up that was also running Win 7

Pro 64-bit (and I was trying to use the SAME drivers that I was using on the

laptop).

I then followed up with a SECOND message saying that after doing a Google

search... I found a website that said to do something and I did get it to work

on the desktop computer running Win 7 Pro 64-bit.

As for the people saying... the programming cable uses a Chinese copy of

the Prolific chip and the problem is with the drivers... if the programming

cable AND drivers are working on one computer running Win 7 Pro 64-it,

then wouldn't that make someone think that the SAME drivers and SAME

programming cable SHOULD work on another computer with the SAME

operating system???

Mike - N1EVH

-------Original Message-------

From: rrblackmun

Date: 01/07/13 08:49:59

To: KG-UV_Commander@yahoogroups.com

Subject: [KG-UV_Commander] Re: Can't get USB programming cable to work...

This has been covered very thoroughly in the Baofeng UV-5R group and is referenced in another reply in this group on this topic. It really doesn't need to be 're-invented' again!

-Bob KK4ATB

--- In KG-UV_Commander@yahoogroups.com, "Andrew Norrie" wrote:

>

> WARNING. If you get code 10 error on trying to load the drivers you have a Chinese copy of the Prolific chip that does the USB to serial. This is a KNOWN problem. It might work under Linux but that is not a lot of use. Prolific changed the drivers some time ago with a trap that if it detects a clone chip it will not load the drivers and you get a code 10 if you look in device manager.

>

> Cheers, Andy GM1MQE

>

> --- In KG-UV_Commander@yahoogroups.com, Jardy Dawson wrote:

> >

> > Uninstall the driver, Then install the driver before plugging in the cable.Â Should work better.

> >

> >

> > Jardy DawsonÂ WA7JRD Ham Radio Sent by WHO CARES!!!

> >

> >

> > >_____

> > > From: Mike

> > >To: KG-UV_Commander@yahoogroups.com

> > >Sent: Saturday, January 5, 2013 8:39 AM

> > >Subject: [KG-UV_Commander] Can't get USB programming cable to work...

> > >

> > >

> > >Â

> > >

> > >I'm setting up a new computer with Windows 7 Professional 64-bit on

> > it.

> > >I've trying to get my Wouxon USB cable setup on the computer. I'm

> > using

> > >the USB7VISTA.EXE driver from the Powerwerx website (I think this is

> > the

> > >same driver that I'm using on a Win 7 Pro 64-bit laptop).

> > >

> > >

> > >When I plug the programming cable into my USB port... popup window

> > >appears down in the system tray saying that the driver wasn't installed.

> > I

> > >then went into the Device Manager... told it to update the driver... and

> > to

> > >search for a driver. Windows then told me that I had already had the

> > best

> > >driver installed for it.

> > >

> > >

> > >When looking at the Properties for the device... in the "Device Status"

> > window,

> > >it says...

> > >

> > >

> > >This device cannot start. (Code 10).

> > >

> > >I used the USB cable on another computer about 2 weeks ago... so the

> > cable

> > >"should" be good.

> > >

> > >Anyone have any insight on this???

> > >

> > >Mike - N1EVH

552. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 17:52:21 UTC
From: Thomas Carpenter
Topic: 542 Message: 552

Mike,
I found that on a few occasions I had to uninstall some usb ports in device manager and drivers reboot and start over loading drivers and plugging in the USB to serial converter. The dell laptop was funny loaded Wouxun but not Icom.

Tom Kb3hg

-----Original Message-----
From: n1evh <n1evh@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Mon, Jan 7, 2013 10:05 am
Subject: Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

553. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-07 18:08:03 UTC
From: n1evh@verizon.net
Topic: 542 Message: 553

Howdy Tom.

Well... as I said... I posted a website here that I found after doing a Google
search for installing the Prolific 3.2.0.0 drivers Steps 1 thru 5 is what I was
getting After following Steps 6-11... things started to work.

Strange... the laptop in which I have the programming cable working on is
a Dell E4300... and I had no problems in getting the cable/drivers to work
properly on that computer. However... the desktop computer is a Dell... and
I had a problem getting it to work properly on this computer.

After following Steps 6 thru 11 on that website... I installed the KG-UV
Commander software and read/wrote data to my radio. I then installed
software for my Kenwood TH-F6A HT and read/wrote data to that radio.
I like being able to use the same USB programming cable for both of
these radios... as my Kenwood programming cable has a BIG DB-25
connector on it.

Again... this is the website that I used info on for getting everything to
work properly...

http://www.miklor.com/uv5r/UV5R-Drivers.html#install

Mike - N1EVH

-------Original Message-------

From: Thomas Carpenter
Date: 1/7/2013 12:52:25 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: Can't get USB programming cable to work..

Mike,
I found that on a few occasions I had to uninstall some usb ports in device
manager and drivers reboot and start over loading drivers and plugging in
the USB to serial converter. The dell laptop was funny loaded Wouxun but not
Icom.

Tom Kb3hg

554. Re: Can't get USB programming cable towork...

Yahoo group: KG-UV_Commander
Date: 2013-01-08 15:16:18 UTC
From: GM1MQE@AOL.COM
Topic: 551 Message: 554

Re code 10. I have also had one system work with a cable while another one fails. I put it doen to the Prolific drivers as when this problem came up some systems carried on working while others failed. I know this is overkill and have not tried it but if you have a linux system use the virtual box to run say WinXP or ReactOS and attach the cable to that and connect the usb port (logitally) to your system. As Linux drivers are doing the I/O to the cable. If I have time I will have a look next weekend.

Last thing. All the "bad" cables have the end with a long rectangular piece at the and with all the edges well rounded A real Wouxun cable is very square with very little rounding.

In the long run I wish I had bought the real ones at the start :-(

I have passed all this to the importer here (Martin Lynch) who has taken note of this.but he does not have the clone ones.

Andy GM1MQE

555. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-08 17:08:49 UTC
From: Robert Terzi
Topic: 542 Message: 555

On 1/7/2013 1:08 PM, n1evh wrote:

> Well... as I said... I posted a website here that I found after doing a Google
> search for installing the Prolific 3.2.0.0 drivers Steps 1 thru 5 is what I was getting
>After following Steps 6-11... things started to work.

Yes,
In that document, steps 6-11 are the steps that *actually* install the *correct* driver.

Steps 1-5 just let windows (attempt) to install the default driver.

Where a lot of the confusion comes from is that the latest drivers from Prolific
which are delivered via Microsoft Windows Update attempt to detect the counterfeit
chips and refuse to work.

The behavior people saw depends on timing and windows updates. For some people the older
driver that came with Windows 7 and would still work with the non-genuine chips. A
subsequent update would cause the cable to stop working.

Since the Baofeng UV-5R came out after the wouxun a lot more of those owners
had windows 7 and went through the cable problems. By that point they were better
understood. K3NXU with the help of others put a great site together with the resources
for the frequently asked questions.

--Rob

556. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2013-01-08 17:31:49 UTC
From: n1evh@verizon.net
Topic: 542 Message: 556

Well with my Dell laptop running Win 7 Pro 64-bit SP`... when I got that, I first installed the drivers from the Powerwerx site and then plugged the programming cable into a USB port on the laptop... Windows said the device driver WAS properly installed. When I looked at the Device Manager...everything was listed as working properly.

When doing the SAME thing with my desktop running Win 7 Pro 64-bit SP1... the driver didn't install correctly. I used the same drivers from the
Powerwerx website... I used the same programming cable... I did the same steps (installed the driver first and then plugged in the programming cable)... but Windows said the driver wasn't properly installed.

If I didn't get everything to work... I could've always programmed my Wouixon and Kenwood HT's with my laptop... but most of the time when I'm home... my laptop is turned off and in the carrying cas. So using my desktop is just a bit easier for programming the radios.

In the worst case scenario... I could've used the programming cable for my Kenwood HT to program the radio... but its a serial cable with a big and bulky
DB-25 on it (which means I would need a DB-25 to DB-9 adaptor to plug it into my USB to Serial adaptor).

Mike - N1EVH

-------Original Message-------

From: Robert Terzi
Date: 01/08/13 12:08:49
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Re: Can't get USB programming cable to work..

On 1/7/2013 1:08 PM, n1evh wrote:

> Well... as I said... I posted a website here that I found after doing a Google
> search for installing the Prolific 3.2.0.0 drivers Steps 1 thru 5 is what I was getting
>After following Steps 6-11... things started to work.

Yes,
In that document, steps 6-11 are the steps that *actually* install the *correct* driver.

Steps 1-5 just let windows (attempt) to install the default driver.

Where a lot of the confusion comes from is that the latest drivers from Prolific
which are delivered via Microsoft Windows Update attempt to detect the counterfeit
chips and refuse to work.

The behavior people saw depends on timing and windows updates. For some people the older
driver that came with Windows 7 and would still work with the non-genuine chips. A
subsequent update would cause the cable to stop working.

Since the Baofeng UV-5R came out after the wouxun a lot more of those owners
had windows 7 and went through the cable problems. By that point they were better
understood. K3NXU with the help of others put a great site together with the resources
for the frequently asked questions.

--Rob

557. UK Repeaters and commander

Yahoo group: KG-UV_Commander
Date: 2013-01-23 22:16:11 UTC
From: kat2uk2006
Topic: 557 Message: 557

are there any UK KG-UV6D hams that have used commander to write in UK repeaters ? any advice very much appreciated
G4XCP

558. Re: UK Repeaters and commander

Yahoo group: KG-UV_Commander
Date: 2013-01-23 22:46:59 UTC
From: hsncorrosion
Topic: 557 Message: 558

I'm not sure what you mean?
Just how to program it?

From what I can tell the UK band plan is quite similar to the US band plan. The radio should support 2m/70cm

--- In KG-UV_Commander@yahoogroups.com, "kat2uk2006" wrote:
>
> are there any UK KG-UV6D hams that have used commander to write in UK repeaters ? any advice very much appreciated
> G4XCP
>

559. Re: UK Repeaters and commander

Yahoo group: KG-UV_Commander
Date: 2013-01-25 06:01:17 UTC
From: ukscanner
Topic: 557 Message: 559

--- In KG-UV_Commander@yahoogroups.com, "kat2uk2006" wrote:
>
> are there any UK KG-UV6D hams that have used commander to write in UK repeaters ? any advice very much appreciated
> G4XCP
>

I use Commander for both my UV6D and UVD1P (different versions of course). The 6D has all my local repeaters for 2m and 70cm (Epsom area), plus simplex channels for both bands, various PMR channels of interest and marine channels.

All were entered with KG-UV6 Commander, and it really was as easy as it sounds. I can't think of any advice to give, but if you have specific questions I'd be happy to try and answer them.

Graham, M3UQO

560. Setting Xmit band limits.

Yahoo group: KG-UV_Commander
Date: 2013-03-05 15:54:12 UTC
From: wb7out
Topic: 560 Message: 560

The latest release of the Commander software doesn't allow me to change the transmit band limits like the first release did. It was in the MEMORY pull down. Where is it now?

561. Program not working

Yahoo group: KG-UV_Commander
Date: 2013-03-05 21:45:55 UTC
From: Daniel J. Engstrom
Topic: 561 Message: 561

I wondering if anyone else is having an issue with the Commander software, here is what goin on!!

I have been using the one for the UV3 for over a year never had a problem!
I got a KG-UV6d and down loaded the program for it and it wont work and now my 3 wont program either!
The cable works fine when I use the Powerwerx software (i like the Commander better) and it works there!
I have uninstalled the software and reinstalled it too!!

ANY ideas ????

God Bless you
73s from
Daniel J. Engstrom
Echolink #415939
KE7UUM (HAM)
WQJX969 (GMRS)
ke7uum@...
http://www.qrz.com/ke7uum
http://www.facebook.com/danieljengstrom
Google voice +1 (234) 206-1922 call/text

562. Re: [KG-UV_Commander] Program not working

Yahoo group: KG-UV_Commander
Date: 2013-03-05 22:35:20 UTC
From: n9ptc@...
Topic: 561 Message: 562

Did you try to load the file from your 3D to your 6D directly? If your trying top use one file for both radios, that's your problem. The programing file for each radio is not compatible with the other one.

Gary N9PTC

-------Original Message-------
From: Daniel J. Engstrom [ghoinn_1972@yahoo.com]
Date: Tue, Mar 5, 2013
To: KG-UV_Commander@yahoogroups.com [KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com]
Subject: [KG-UV_Commander] Program not working

I wondering if anyone else is having an issue with the Commander software, here is what goin on!!

I have been using the one for the UV3 for over a year never had a problem!
I got a KG-UV6d and down loaded the program for it and it wont work and now my 3 wont program either!
The cable works fine when I use the Powerwerx software (i like the Commander better) and it works there!
I have uninstalled the software and reinstalled it too!!

ANY ideas ????

God Bless you
73s from
Daniel J. Engstrom
Echolink #415939
KE7UUM (HAM)
WQJX969 (GMRS) ke7uum@winlink.org http://www.qrz.com/ke7uum
http://www.facebook.com/danieljengstrom Google voice +1 (234) 206-1922 call/text

563. Re: Setting Xmit band limits.

Yahoo group: KG-UV_Commander
Date: 2013-03-11 02:38:06 UTC
From: kn4fa
Topic: 560 Message: 563

--- In KG-UV_Commander@yahoogroups.com, "wb7out" <bc994@...> wrote:
>
> The latest release of the Commander software doesn't allow me to change the transmit band limits like the first release did. It was in the MEMORY pull down. Where is it now?
>

It was removed after version 12. If you need it you will have to go back to that version.

564. Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-17 23:04:23 UTC
From: Jeffrey
Topic: 564 Message: 564

I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?

Thanks

Jeff

565. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-17 23:32:38 UTC
From: Jerry Burn
Topic: 564 Message: 565

I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.

Jerry KA7UQO

Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!

On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@...> wrote:

> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>
> Thanks
>
> Jeff
>
>

566. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-17 23:45:09 UTC
From: Michael H Cox
Topic: 564 Message: 566

I have a heck of a time on 64bit OS. I ended up getting a USB to serial and a separate serial programming cable

Thanks,

Michael Cox
KF7EEC/WQJT342

On Mar 17, 2013, at 4:32 PM, Jerry Burn <ka7uqo@...> wrote:

> I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>
> Jerry KA7UQO
>
> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>
> On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@...> wrote:
>
>>
>> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>>
>> Thanks
>>
>> Jeff
>
>

567. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-17 23:58:54 UTC
From: Jeff Mayo
Topic: 564 Message: 567

I'm pretty sure it is a driver issue. I'm not really worried about a windows update on the old computer b/c I really only use that computer for programming and I don't regularly connect it to the Internet. But it would be nice to be able to make some changes on my radio from my regular computer & not have to keep an old computer laying around.

Thanks
Jeff

Sent from my iPad

On Mar 17, 2013, at 7:32 PM, Jerry Burn <ka7uqo@...> wrote:

> I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>
> Jerry KA7UQO
>
> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>
> On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@...> wrote:
>
>>
>> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>>
>> Thanks
>>
>> Jeff
>
>

568. Re: Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-18 01:57:52 UTC
From: kg4jry
Topic: 564 Message: 568

--- In KG-UV_Commander@yahoogroups.com, "Jeffrey" <jmayo726@...> wrote:
>
> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>
> Thanks
>
> Jeff
>
Do a search for prolific driver ver:3.2.0.0

569. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-18 01:02:19 UTC
From: Jardy
Topic: 564 Message: 569

Uninstall the drivers, then reinstall the drivers before plugging in the cable.

Jardy Dawson
WA7JRD
Sent by something that worked, apparently....

On Mar 17, 2013, at 16:58, Jeff Mayo <jmayo726@...> wrote:

> I'm pretty sure it is a driver issue. I'm not really worried about a windows update on the old computer b/c I really only use that computer for programming and I don't regularly connect it to the Internet. But it would be nice to be able to make some changes on my radio from my regular computer & not have to keep an old computer laying around.
>
>
> Thanks
> Jeff
>
> Sent from my iPad
>
> On Mar 17, 2013, at 7:32 PM, Jerry Burn <ka7uqo@yahoo.com> wrote:
>
>>
>> I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>>
>> Jerry KA7UQO
>>
>> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>
>> On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@yahoo.com> wrote:
>>
>>>
>>> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>>>
>>> Thanks
>>>
>>> Jeff
>>>

>
>

570. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-18 05:37:30 UTC
From: Jerry Burn
Topic: 564 Message: 570

And where do I find the drivers?

Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!

On Mar 17, 2013, at 18:02, Jardy <JARDY72@...> wrote:

> Uninstall the drivers, then reinstall the drivers before plugging in the cable.
>
> Jardy Dawson
> WA7JRD
> Sent by something that worked, apparently....
>
> On Mar 17, 2013, at 16:58, Jeff Mayo <jmayo726@...> wrote:
>
>>
>> I'm pretty sure it is a driver issue. I'm not really worried about a windows update on the old computer b/c I really only use that computer for programming and I don't regularly connect it to the Internet. But it would be nice to be able to make some changes on my radio from my regular computer & not have to keep an old computer laying around.
>>
>>
>> Thanks
>> Jeff
>>
>> Sent from my iPad
>>
>> On Mar 17, 2013, at 7:32 PM, Jerry Burn <ka7uqo@...> wrote:
>>
>>>
>>> I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>>>
>>> Jerry KA7UQO
>>>
>>> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>>
>>> On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@...> wrote:
>>>
>>>>
>>>> I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails'

drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>>>>
>>>> Thanks
>>>>
>>>> Jeff
>
>

571. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-18 05:57:36 UTC
From: Jardy Dawson
Topic: 564 Message: 571

Try http://www.powerwerx.com/ or if your cable came with a cd, try that.

Jardy Dawson WA7JRD Ham Radio Sent by WHO CARES!!!

>_____
> From: Jerry Burn <ka7uqo@...>
>To: "KG-UV_Commander@yahoogroups.com" <KG-UV_Commander@yahoogroups.com>
>Cc: "KG-UV_Commander@yahoogroups.com" <KG-UV_Commander@yahoogroups.com>
>Sent: Sunday, March 17, 2013 10:37 PM
>Subject: Re: [KG-UV_Commander] Programming Issue
>
>
>
>
>And where do I find the drivers?
>Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>On Mar 17, 2013, at 18:02, Jardy <JARDY72@...M> wrote:
>
>>Uninstall the drivers, then reinstall the drivers before plugging in the cable. Jardy Dawson
>>WA7JRD
>>Sent by something that worked, apparently....
>>On Mar 17, 2013, at 16:58, Jeff Mayo <jmayo726@...> wrote:
>>
>>>I'm pretty sure it is a driver issue. I'm not really worried about a windows update on the old computer b/c I really only use that computer for programming and I don't regularly connect it to the Internet. But it would be nice to be able to make some changes on my radio from my regular computer & not have to keep an old computer laying around.
>>>
>>>
>>>
>>>Thanks
>>>Jeff
>>>
>>>Sent from my iPad
>>>On Mar 17, 2013, at 7:32 PM, Jerry Burn <ka7uqo@...> wrote:
>>>
>>>>I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>>>>
>>>>
>>>>Jerry KA7UQO

>>>>Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>>>On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@...> wrote:
>>>>
>>>>>I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ?
>>>>>
>>>>>Thanks
>>>>>
>>>>>Jeff
>>>>>
>>>>>
>

572. Re: [KG-UV_Commander] Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-19 19:36:39 UTC
From: Jeffrey Mayo
Topic: 564 Message: 572

I tried un-installing and re-installing the drivers and I downloaded them from Wouxun.us. When that didn't work I un installed them and tried again this time downloading them from powerwerx.com

any other suggestions ?

Thanks for your help

Jeff

_____
From: Jardy Dawson <JARDY72@...>
To: "KG-UV_Commander@yahoogroups.com" <KG-UV_Commander@yahoogroups.com>
Sent: Monday, March 18, 2013 1:57 AM
Subject: Re: [KG-UV_Commander] Programming Issue

Try http://www.powerwerx.com/ or if your cable came with a cd, try that.

Jardy Dawson WA7JRD Ham Radio Sent by WHO CARES!!!

>_____
> From: Jerry Burn <ka7uqo@...>
>To: "KG-UV_Commander@yahoogroups.com" <KG-UV_Commander@yahoogroups.com>
>Cc: "KG-UV_Commander@yahoogroups.com" <KG-UV_Commander@yahoogroups.com>
>Sent: Sunday, March 17, 2013 10:37 PM
>Subject: Re: [KG-UV_Commander] Programming Issue
>
>
>And where do I find the drivers?
>Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>On Mar 17, 2013, at 18:02, Jardy <JARDY72@...> wrote:
>
>>Uninstall the drivers, then reinstall the drivers before plugging in the cable. Jardy Dawson
>>WA7JRD
>>Sent by something that worked, apparently....
>>On Mar 17, 2013, at 16:58, Jeff Mayo <jmayo726@yahoo.com> wrote:
>>
>>>I'm pretty sure it is a driver issue. I'm not really worried about a windows update on the old computer b/c I really only use that computer for programming and I don't regularly connect it to the Internet. But it would be nice to be able to make some changes on my radio from my regular computer & not have to keep an old computer laying around.
>>>
>>>
>>>
>>>Thanks

>>>Jeff
>>>
>>>Sent from my iPad
>>>On Mar 17, 2013, at 7:32 PM, Jerry Burn <ka7uqo@...> wrote:
>>>
>>>>I had the same problem and even though I haven't fixed it yet, my windows 7 machine did a drivers update and locked me out, I need to revert the drivers to get around that. As far as a windows 8 machine, you will probably have to download the driver(s) to fix it. Sorry I can't be if more help.
>>>>
>>>>
>>>>Jerry KA7UQO
>>>>Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>>>On Mar 17, 2013, at 16:04, "Jeffrey" <jmayo726@yahoo.com> wrote:
>>>>
>>>>>I am trying to program my KG-UV2D using the Commander software. I previously used it with no problems, but I am using a newer computer now. I'm using a PC running with Vista and the comp wont run the drivers. I tried the Vista Drivers and the ' if all else fails' drivers but I keep getting an error message ' ERROR: Radio not found'. The same software, cable and radio had no issues on the older computer. I also checked to make sure I was in the correct comm port. Any suggestions ? Thanks Jeff

573. Re: Programming Issue

Yahoo group: KG-UV_Commander
Date: 2013-03-20 10:14:51 UTC
From: k6rel k6rel
Topic: 564 Message: 573

*I programmed two Radios last night for friends. One went smooth and the other did not. The second radio was brand new and I realized the cable wasn't snapped all the way in the radio. Perhaps the connecter was new stiff and needed a little more pressure to connect.

-- *
*73 to all
*
"Have a great day unless you've made other plans"
* *
*Richard E Lueck *
*K6REL & WQKS440
k6relk6rel@...
Concord SATERN - Concord EDS - and Concord Canteen event schedules **&
times and schedules can be found at http://www.saternconcord.org *

574. Re: ARRL Travel Plus and the KG Commander

Yahoo group: KG-UV_Commander
Date: 2013-04-10 09:20:32 UTC
From: ac0rv
Topic: 534 Message: 574

thanks

576. KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 00:38:27 UTC
From: Jeff
Topic: 576 Message: 576

Heya Peeps,

Neither KG UV Commander nor CHIRP will install on my computer, have tried admin mode and compatibility mode with the installers. I keep getting errors that the uninstall files cannot be created and the install aborts. Anyone else ever had these issues?

Jeff

577. Re: KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 00:44:48 UTC
From: jwheatleyus
Topic: 576 Message: 577

What OS are you running?
JohnW
W5JHW

--- In KG-UV_Commander@...m, "Jeff" <gijeff@...> wrote:
>
> Heya Peeps,
>
> Neither KG UV Commander nor CHIRP will install on my computer, have tried admin mode and compatibility mode with the installers. I keep getting errors that the uninstall files cannot be created and the install aborts. Anyone else ever had these issues?
>
> Jeff
>

578. Re: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 01:06:02 UTC
From: George Tucker
Topic: 576 Message: 578

CHECK to see how muck room you have available for install

George

>_____
> From: jwheatleyus <taoswheat@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Monday, June 24, 2013 7:44 PM
>Subject: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install get file access errors
>
>
>
>
>What OS are you running?
>JohnW
>W5JHW
>
>--- In KG-UV_Commander@yahoogroups.com, "Jeff" <gijeff@...> wrote:
>>
>> Heya Peeps,
>>
>> Neither KG UV Commander nor CHIRP will install on my computer, have tried admin mode and compatibility mode with the installers. I keep getting errors that the uninstall files cannot be created and the install aborts. Anyone else ever had these issues?
>>
>> Jeff
>>
>
>
>
>
>

579. Re: KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 02:09:57 UTC
From: Jeff
Topic: 576 Message: 579

Windows 7 ultimate 64 bit, and I have 600 gig available.

--- In KG-UV_Commander@yahoogroups.com, "Jeff" <gijeff@...> wrote:
>
> Heya Peeps,
>
> Neither KG UV Commander nor CHIRP will install on my computer, have tried admin mode and compatibility mode with the installers. I keep getting errors that the uninstall files cannot be created and the install aborts. Anyone else ever had these issues?
>
> Jeff
>

580. RE: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 02:14:57 UTC
From: Harold Giddings KR0SIV
Topic: 576 Message: 580

Update windows, install windows installer 4.5 and .net 3.6 and 4.0

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Jeff
Sent: Monday, June 24, 2013 22:10
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install
get file access errors

Windows 7 ultimate 64 bit, and I have 600 gig available.

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "Jeff" <gijeff@...> wrote:
>
> Heya Peeps,
>
> Neither KG UV Commander nor CHIRP will install on my computer, have tried
admin mode and compatibility mode with the installers. I keep getting errors
that the uninstall files cannot be created and the install aborts. Anyone
else ever had these issues?
>
> Jeff
>

581. RE: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install get file access errors

Yahoo group: KG-UV_Commander
Date: 2013-06-25 03:25:11 UTC
From: Gary Desler
Topic: 576 Message: 581
Attachments: 2 described; binary payloads are missing from this source WARC

I run widows 7 64 bit and have zero problems with either program. I keep am current date with all of the updates

Thanks

Gary

KG7CBV

I own that I am not a friend to a very energetic government. It is always oppressive.
<http://www.brainyquote.com/quotes/quotes/t/thomasjeff136277.html> Thomas Jefferson

From: KG-UV_Commander@yahoogroups.com
[mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Jeff
Sent: Monday, June 24, 2013 7:10 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Re: KG UV Commander and CHIRP both won't install get file access errors

Windows 7 ultimate 64 bit, and I have 600 gig available.

--- In KG-UV_Commander@yahoogroups.com
<mailto:KG-UV_Commander%40yahoogroups.com> , "Jeff" <gijeff@...> wrote:
>
> Heya Peeps,
>
> Neither KG UV Commander nor CHIRP will install on my computer, have tried admin mode and compatibility mode with the installers. I keep getting errors that the uninstall files cannot be created and the install aborts. Anyone else ever had these issues?
>
> Jeff
>

582. commander has stopped reading and writing to the radio all of a sudden

Yahoo group: KG-UV_Commander
Date: 2013-07-03 21:47:55 UTC
From: Doc
Topic: 582 Message: 582

i have been using commander since day one and it has performed flawlessly up in till yesterday.

it is installed on a laptop running windows xp service pack3. this laptop is only used to program radios with. i also have chirp software installed and the same programming cables worked without issued when reading and writing to the baofeng uv-5r's which i did first before these two wouxun's that i needed to do also.

the last time i used the commander software was two weeks after we conducted a massive search and rescue operation over 4 towns looking for a missing female teen. i had reprogrammed 20 of our kg-uvd1p radios for the sar team without error or issue.

last night while trying to read from 2 more kg-uvd1p's and using 4 programming cables, the commander software kept telling me: error no radio found or something to that effect.

verified that the usb cable was using whichever comm port i was plugged into. made sure that matched the comm port in commander software.

i have completely uninstalled the commander software and the drivers for the programming cable.

i reinstalled the driver for the programming cable first, restarted the laptop and then installed the software. still a big fat nogo on the commander software, but yet the programming cable still works on the chirp software reading and writing to the uv-5rs.

i am stumped.

583. Re: [KG-UV_Commander] commander has stopped reading and writing to the radio all of a sudden

Yahoo group: KG-UV_Commander
Date: 2013-07-03 23:54:27 UTC
From: Jardy Dawson
Topic: 582 Message: 583

Make sure you are using the right version software on the right radio. DO NOT use UV-6 software on a UV-1, 2, or 3, etc.

Jardy Dawson
WA7JRD

Sent using hammer and chisel on slate.

On Jul 3, 2013, at 14:47, "Doc" <18dmedic@...> wrote:

> i have been using commander since day one and it has performed flawlessly up in till yesterday.
>
> it is installed on a laptop running windows xp service pack3. this laptop is only used to program radios with. i also have chirp software installed and the same programming cables worked without issued when reading and writing to the baofeng uv-5r's which i did first before these two wouxun's that i needed to do also.
>
> the last time i used the commander software was two weeks after we conducted a massive search and rescue operation over 4 towns looking for a missing female teen. i had reprogrammed 20 of our kg-uvd1p radios for the sar team without error or issue.
>
> last night while trying to read from 2 more kg-uvd1p's and using 4 programming cables, the commander software kept telling me: error no radio found or something to that effect.
>
> verified that the usb cable was using whichever comm port i was plugged into. made sure that matched the comm port in commander software.
>
> i have completely uninstalled the commander software and the drivers for the programming cable.
>
> i reinstalled the driver for the programming cable first, restarted the laptop and then installed the software. still a big fat nogo on the commander software, but yet the programming cable still works on the chirp software reading and writing to the uv-5rs.
>
> i am stumped.
>
>

584. KG-UV3X PRO

Yahoo group: KG-UV_Commander
Date: 2013-07-04 02:56:08 UTC
From: Bernard
Topic: 584 Message: 584

I have been using the commander software for my KG-UV3D for some time and it works great.

However, for my SAR team, we need to have a radio that does the 2.5KHz step to get some of the public service frequencies so I was looking at the UV3X PRO which does the 2.5 step.

Will the KG-UV Commander software still program that radio? The guy at Powerwerx is telling me I have to buy the RT Systems software and that it is the only software that will work... is that true? do I need to get a new cable and software for the 3X PRO?

585. Re: [KG-UV_Commander] KG-UV3X PRO

Yahoo group: KG-UV_Commander
Date: 2013-07-04 03:00:06 UTC
From: Jardy Dawson
Topic: 584 Message: 585

Go with the KG -UV 6 and the UV6 Commander software. Works great!

Jardy Dawson
WA7JRD

Sent using hammer and chisel on slate.

On Jul 3, 2013, at 19:56, "Bernard" <bscruz@...> wrote:

> I have been using the commander software for my KG-UV3D for some time and it works great.
>
> However, for my SAR team, we need to have a radio that does the 2.5KHz step to get some of the public service frequencies so I was looking at the UV3X PRO which does the 2.5 step.
>
> Will the KG-UV Commander software still program that radio? The guy at Powerwerx is telling me I have to buy the RT Systems software and that it is the only software that will work... is that true? do I need to get a new cable and software for the 3X PRO?
>
>

586. Re: [KG-UV_Commander] KG-UV3X PRO

Yahoo group: KG-UV_Commander
Date: 2013-07-04 05:16:53 UTC
From: David A. Behar
Topic: 584 Message: 586

Hi there,

First, I'm sure that the KG-UV Commander software won't let you enter a 2.5 kHz channel (like 155.2575 mHz), so as of now you are probably out of luck.

However, if the KG-UV3X PRO has the same internal memory map as the earlier Wouxun dual-band handheld radios, it might be possible for the developer (Jim, KC8UNJ) to update the software.

Perhaps a good first step is for us to determine whether the PRO does in fact have the same memory map. If you can program the radio manually, and then use OWX <http://owx.chmurka.net/> software to download a memory image, I can probably figure that out.

But another option (as someone has already pointed out) is the KG-UV6D radio. I have it and it works great. (But I did one mod on that radio to make it work better for me... it is possible to lock the keyboard *but not* the channel knob, and it requires so little torque to turn the knob that you can change channels without realizing it. Therefore, I just used clear fingernail polish to set the knob so it won't move, and I can restore functionality with fingernail polish remover if I ever want to do so.)

David / K7DB

On Wed, Jul 3, 2013 at 7:56 PM, Bernard <bscruz@...> wrote:

> **
>
>
> I have been using the commander software for my KG-UV3D for some time and
> it works great.
>
> However, for my SAR team, we need to have a radio that does the 2.5KHz
> step to get some of the public service frequencies so I was looking at the
> UV3X PRO which does the 2.5 step.
>
> Will the KG-UV Commander software still program that radio? The guy at
> Powerwerx is telling me I have to buy the RT Systems software and that it
> is the only software that will work... is that true? do I need to get a new
> cable and software for the 3X PRO?
>
>
>

587. Re: KG-UV3X PRO

Yahoo group: KG-UV_Commander
Date: 2013-07-04 15:34:35 UTC
From: Bernard
Topic: 584 Message: 587

Thanks for all the feedback - I guess the 6 is the way to go - Will I be able to use the same programming cable?

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi there,
>
> First, I'm sure that the KG-UV Commander software won't let you enter a 2.5
> kHz channel (like 155.2575 mHz), so as of now you are probably out of luck.
>
> However, if the KG-UV3X PRO has the same internal memory map as the earlier
> Wouxun dual-band handheld radios, it might be possible for the developer
> (Jim, KC8UNJ) to update the software.
>
> Perhaps a good first step is for us to determine whether the PRO does in
> fact have the same memory map. If you can program the radio manually, and
> then use OWX <http://owx.chmurka.net/> software to download a memory image,
> I can probably figure that out.
>
> But another option (as someone has already pointed out) is the KG-UV6D
> radio. I have it and it works great. (But I did one mod on that radio to
> make it work better for me... it is possible to lock the keyboard *but not* the
> channel knob, and it requires so little torque to turn the knob that you
> can change channels without realizing it. Therefore, I just used clear
> fingernail polish to set the knob so it won't move, and I can restore
> functionality with fingernail polish remover if I ever want to do so.)
>
> David / K7DB
>
>
> On Wed, Jul 3, 2013 at 7:56 PM, Bernard <bscruz@...> wrote:
>
> > **
> >
> >
> > I have been using the commander software for my KG-UV3D for some time and
> > it works great.
> >
> > However, for my SAR team, we need to have a radio that does the 2.5KHz
> > step to get some of the public service frequencies so I was looking at the
> > UV3X PRO which does the 2.5 step.
> >
> > Will the KG-UV Commander software still program that radio? The guy at
> > Powerwerx is telling me I have to buy the RT Systems software and that it
> > is the only software that will work... is that true? do I need to get a new

> > cable and software for the 3X PRO?
> >
> >
> >
>

588. Re: commander has stopped reading and writing to the radio all of a

Yahoo group: KG-UV_Commander
Date: 2013-07-04 16:56:13 UTC
From: Kevin Badger
Topic: 588 Message: 588

jardy, did you really read my posting all the way through because your comment implies you did not. thank you cpt obvious.

--
Doc

590. Baofeng UV-5R considerations ???

Yahoo group: KG-UV_Commander
Date: 2013-08-25 20:49:19 UTC
From: Kuby
Topic: 590 Message: 590

Is KG having any consideration in adding the BF UV-5R into the program? The UV5R uses the same programming cable as a Wouxun and looks to be near the same programming structure (minus the Roger beep).

Sure like to see BF UV-5R added, and it has become so popular due to being so CHEAP (defining throw away dual-band HT). And true to form becoming typical of CN radios, the manual really sucks making manual programming a real pain.

591. RE: [KG-UV_Commander] Baofeng UV-5R considerations ???

Yahoo group: KG-UV_Commander
Date: 2013-08-25 21:23:03 UTC
From: John LaMartina
Topic: 590 Message: 591

I couldn't agree with you more. The UV5R manual should be a textbook case of how Not to write.

Have you had a chance to review the miklor.com site? http://www.miklor.com

It has the drivers, software, FAQs etc to make like in the LCR world a lot easier. Check under manuals and you'll see a UV5R manual
that was totally rewritten from scratch as a group project.

Enjoy your new toys...

John K3NXU http://www.miklor.com

From: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com] On Behalf Of Kuby
Sent: Sunday, August 25, 2013 4:49 PM
To: KG-UV_Commander@yahoogroups.com
Subject: [KG-UV_Commander] Baofeng UV-5R considerations ???

Is KG having any consideration in adding the BF UV-5R into the program? The UV5R uses the same programming cable as a Wouxun and
looks to be near the same programming structure (minus the Roger beep).

Sure like to see BF UV-5R added, and it has become so popular due to being so CHEAP (defining throw away dual-band HT). And true to
form becoming typical of CN radios, the manual really sucks making manual programming a real pain.

No virus found in this message.
Checked by AVG - www.avg.com
Version: 2013.0.3392 / Virus Database: 3211/6606 - Release Date: 08/25/13

592. Re: [KG-UV_Commander] Baofeng UV-5R considerations ???

Yahoo group: KG-UV_Commander
Date: 2013-08-26 09:32:07 UTC
From: David A. Behar
Topic: 590 Message: 592

Hi there,

The developer of the Commander programming software is Jim Mitchell, KC8UNJ. (You can see his website at http://www.kc8unj.com/.)

For KG-UV Commander and KG-UV6 Commander, I was able to help out a bit by figuring out the internal memory maps for these radios (but I don't have time now to do this for any more radios). However, the group that produces the CHIRP programming software has apparently figured out the memory map for a few of the Baofeng radios, and it looks like CHIRP will work with the UV-5R radio. (Check out http://chirp.danplanet.com/projects/chirp/wiki/Home .)

David

On Sun, Aug 25, 2013 at 1:49 PM, Kuby <n6jsx@...> wrote:

> **
>
>
> Is KG having any consideration in adding the BF UV-5R into the program?
> The UV5R uses the same programming cable as a Wouxun and looks to be near
> the same programming structure (minus the Roger beep).
>
> Sure like to see BF UV-5R added, and it has become so popular due to being
> so CHEAP (defining throw away dual-band HT). And true to form becoming
> typical of CN radios, the manual really sucks making manual programming a
> real pain.
>
>
>

593. Re: Baofeng UV-5R considerations ???

Yahoo group: KG-UV_Commander
Date: 2013-08-26 19:40:46 UTC
From: john_k3nxu
Topic: 590 Message: 593

Dave is correct. CHIRP will run with all firmware versions of UV5R. Detailed information about the CHIRP interface can be found at http://www.miklor.com/COM/UV_CHIRP.php

Hope this helps...
John K3NXU
http://www.miklor.com

--- In KG-UV_Commander@yahoogroups.com, "David A. Behar" <david271@...> wrote:
>
> Hi there,
>
> The developer of the Commander programming software is Jim Mitchell,
> KC8UNJ. (You can see his website at http://www.kc8unj.com/.)
>
> For KG-UV Commander and KG-UV6 Commander, I was able to help out a bit by
> figuring out the internal memory maps for these radios (but I don't have
> time now to do this for any more radios). However, the group that produces
> the CHIRP programming software has apparently figured out the memory map
> for a few of the Baofeng radios, and it looks like CHIRP will work with the
> UV-5R radio. (Check out http://chirp.danplanet.com/projects/chirp/wiki/Home
> .)
>
> David
>
>
>
>
> On Sun, Aug 25, 2013 at 1:49 PM, Kuby <n6jsx@...> wrote:
>
> > **
> >
> >
> > Is KG having any consideration in adding the BF UV-5R into the program?
> > The UV5R uses the same programming cable as a Wouxun and looks to be near
> > the same programming structure (minus the Roger beep).
> >
> > Sure like to see BF UV-5R added, and it has become so popular due to being
> > so CHEAP (defining throw away dual-band HT). And true to form becoming
> > typical of CN radios, the manual really sucks making manual programming a
> > real pain.
> >
> >
> >
>

594. RE: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 13:12:42 UTC
From: <stewart.revell@...>
Topic: 541 Message: 594

Hello David & Jim & Group Members,

I'm new to this Group, I have just received a KG-UVD1P.
It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)

I bought a USB Programming cable and mini DC.
So, HOW can I Test the USB cable / Software is correct
for my particular model?
How can I be sure I have the correct Drivers,
I may have (automatically) installed the wrong ones? (Windows7 here)

At the moment when doing a 'receive' / Read from the HT,
I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.

Thanks for any comments,

Stewart G3PMJ UK

---In kg-uv_commander@yahoogroups.com, <david271@...> wrote:

☐ Hi friends,

Here is an email from the developer of the Commander software (appended below). However, note that as per the terms of the software license, any use of any version of Commander software on any radio is at the risk of the user.

David

----- Original Message ----- From: Jim Mitchell
To: David A. Behar
Sent: Tuesday, January 01, 2013 8:47 AM
Subject: Re: KG-UV Commander for KG-UVD1P 6 meter / 2 meter version

Hi David,

Happy Holidays!

As long as the memory structure and protocol is the same as the others, it should work fine. There's no way to know for sure if that is the case without testing the actual radio. If reading from the radio works properly, and the settings are interpreted correctly by the software, then that implies that it should work OK.

Jim
KC8UNJ

From: Terry <comint@... mailto:comint@...>
To: Wouxun_KG-UVD1@yahoogroups.com mailto:Wouxun_KG-UVD1@yahoogroups.com
Sent: Wednesday, December 26, 2012 9:16 PM
Subject: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

roz062852

There is currently NO version of KGUV Commander suitable for your version of radio.

You run a serious risk of 'bricking' your radio by using the incorrect software.

If you 'brick' your radio, it is NOT covered by Warranty.

--
Comint

595. Re: [KG-UV_Commander] RE: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 13:17:29 UTC
From: Jardy Dawson
Topic: 541 Message: 595

Go to device manager and make sure you have the right comm port.

Jardy Dawson
WA7JRD

Sent using sidewalk chalk.

> On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
>
> Hello David & Jim & Group Members,
>
>
>
> I'm new to this Group, I have just received a KG-UVD1P.
>
> It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
>
>
>
> I bought a USB Programming cable and mini DC.
>
> So, HOW can I Test the USB cable / Software is correct
>
> for my particular model?
>
> How can I be sure I have the correct Drivers,
>
> I may have (automatically) installed the wrong ones? (Windows7 here)
>
>
>
> At the moment when doing a 'receive' / Read from the HT,
>
> I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
>
>
>
> Thanks for any comments,
>
>
>
> Stewart G3PMJ UK
>

>
>
>
>
>
>
> ---In kg-uv_commander@yahoogroups.com, <david271@...> wrote:
>
> □
> Hi friends,
>
> Here is an email from the developer of the Commander software (appended below). However, note that as per the terms of the software license, any use of any version of Commander software on any radio is at the risk of the user.
>
> David
>
> ----- Original Message -----
> From: Jim Mitchell
> To: David A. Behar
> Sent: Tuesday, January 01, 2013 8:47 AM
> Subject: Re: KG-UV Commander for KG-UVD1P 6 meter / 2 meter version
>
> Hi David,
>
> Happy Holidays!
>
> As long as the memory structure and protocol is the same as the others, it should work fine. There's no way to know for sure if that is the case without testing the actual radio. If reading from the radio works properly, and the settings are interpreted correctly by the software, then that implies that it should work OK.
>
> Jim
> KC8UNJ
> From: Terry <comint@...>
> To: Wouxun_KG-UVD1@yahoogroups.com
> Sent: Wednesday, December 26, 2012 9:16 PM
> Subject: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT
>
> roz062852
>
> There is currently NO version of KGUV Commander suitable for your
> version of radio.
>
> You run a serious risk of 'bricking' your radio by using the incorrect
> software.
>
> If you 'brick' your radio, it is NOT covered by Warranty.
>
> --
> Comint

>

596. Re: [KG-UV_Commander] RE: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 14:17:53 UTC
From: Stewart Revell
Topic: 541 Message: 596

Thanks WA7JRD,

Fine on my checking the device manager.
How will I know I have the correct one?
Is there only one Com Port that is 'correct' ?
I am wishing to use the Software >>>
http://www.kc8unj.com/kguv014b.zip

Stewart G3PMJ UK

On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:

> **
>
>
> Go to device manager and make sure you have the right comm port.
>
> Jardy Dawson
> WA7JRD
>
> Sent using sidewalk chalk.
>
>
>
> On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
>
>
>
> Hello David & Jim & Group Members,
>
> I'm new to this Group, I have just received a KG-UVD1P.
>
> It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
>
> I bought a USB Programming cable and mini DC.
>
> So, HOW can I Test the USB cable / Software is correct
>
> for my particular model?
>
> How can I be sure I have the correct Drivers,
>
> I may have (automatically) installed the wrong ones? (Windows7 here)
>
> At the moment when doing a 'receive' / Read from the HT,

>
> I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
>
> Thanks for any comments,
>
> Stewart G3PMJ UK
>
>
>
>
>
>

597. Re: [KG-UV_Commander] RE: Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 14:37:46 UTC
From: Connect
Topic: 541 Message: 597

Designated Com port in device mgr must be set in commander program.

Sent from my iPad

> On 28 Oct 2013, at 14:17, Stewart Revell <stewart.revell@gmail.com> wrote:
>
> Thanks WA7JRD,
>
> Fine on my checking the device manager.
> How will I know I have the correct one?
> Is there only one Com Port that is 'correct' ?
> I am wishing to use the Software >>>
> http://www.kc8unj.com/kguv014b.zip
>
> Stewart G3PMJ UK
>
>
>> On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:
>>
>> Go to device manager and make sure you have the right comm port.
>>
>> Jardy Dawson
>> WA7JRD
>>
>> Sent using sidewalk chalk.
>>
>>
>>
>>> On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
>>>
>>>
>>> Hello David & Jim & Group Members,
>>>
>>> I'm new to this Group, I have just received a KG-UVD1P.
>>>
>>> It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
>>>
>>> I bought a USB Programming cable and mini DC.
>>>
>>> So, HOW can I Test the USB cable / Software is correct
>>>
>>> for my particular model?
>>>
>>> How can I be sure I have the correct Drivers,

>>>
>>> I may have (automatically) installed the wrong ones? (Windows7 here)
>>> At the moment when doing a 'receive' / Read from the HT,
>>>
>>> I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
>>>
>>> Thanks for any comments,
>>>
>>> Stewart G3PMJ UK
>>>
>>>
>>>
>>>
>>>
>>>
>>>
>
>

598. Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 15:18:15 UTC
From: jwheatleyus
Topic: 541 Message: 598

While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from www.wouxun.us
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@...> wrote:
>
> Thanks WA7JRD,
>
> Fine on my checking the device manager.
> How will I know I have the correct one?
> Is there only one Com Port that is 'correct' ?
> I am wishing to use the Software >>>
> http://www.kc8unj.com/kguv014b.zip
>
> Stewart G3PMJ UK
>
>
> On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:
>
> > **
> >
> >
> > Go to device manager and make sure you have the right comm port.
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Sent using sidewalk chalk.
> >
> >
> >
> > On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
> >
> >
> >
> > Hello David & Jim & Group Members,
> >
> > I'm new to this Group, I have just received a KG-UVD1P.
> >
> > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> >
> > I bought a USB Programming cable and mini DC.
> >

> > So, HOW can I Test the USB cable / Software is correct
> >
> > for my particular model?
> >
> > How can I be sure I have the correct Drivers,
> >
> > I may have (automatically) installed the wrong ones? (Windows7 here)
> >
> > At the moment when doing a 'receive' / Read from the HT,
> >
> > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> >
> > Thanks for any comments,
> >
> > Stewart G3PMJ UK
> >
> >
> >
> >
> >
> >
>

599. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 18:35:17 UTC
From: Stewart Revell
Topic: 541 Message: 599

Thanks JohnW,

I'll try your suggestion. Thanks,

G3PMJ UK

On 28 October 2013 15:18, jwheatleyus <taoswheat@...> wrote:

> **
>
>
> While watching Device Mgr, plug and unplug the cable. You will see which
> Com Port is assigned to the USB cable. FindComPort.exe is handy for
> checking Com Ports. Download from www.wouxun.us
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@...>
> wrote:
> >
> > Thanks WA7JRD,
> >
> > Fine on my checking the device manager.
> > How will I know I have the correct one?
> > Is there only one Com Port that is 'correct' ?
> > I am wishing to use the Software >>>
> > http://www.kc8unj.com/kguv014b.zip
> >
> > Stewart G3PMJ UK
> >
> >
> > On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:
> >
> > > **
> > >
> > >
> > > Go to device manager and make sure you have the right comm port.
> > >
> > > Jardy Dawson
> > > WA7JRD
> > >
> > > Sent using sidewalk chalk.
> > >
> > >
> > >

> > > On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
> > >
> > >
> > >
> > > Hello David & Jim & Group Members,
> > >
> > > I'm new to this Group, I have just received a KG-UVD1P.
> > >
> > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> > >
> > > I bought a USB Programming cable and mini DC.
> > >
> > > So, HOW can I Test the USB cable / Software is correct
> > >
> > > for my particular model?
> > >
> > > How can I be sure I have the correct Drivers,
> > >
> > > I may have (automatically) installed the wrong ones? (Windows7 here)
> > >
> > > At the moment when doing a 'receive' / Read from the HT,
> > >
> > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> > >
> > > Thanks for any comments,
> > >
> > > Stewart G3PMJ UK
> > >
> > >
> > >
> > >
> > >
> > >
> >
>
>
>

600. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-28 19:47:22 UTC
From: Jerry Burn
Topic: 541 Message: 600

If it's the same issue I have, I am told that if you bought a Chinese knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and older op system and when I did the automatic update, I too was out! I haven't had time to revert to the previous one to fix it. I don't know if you can do if on 7 or 8,

Jerry
KA7UQO
Beaverton Oregon USA

Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!

> On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@...> wrote:
>
> Thanks JohnW,
>
> I'll try your suggestion. Thanks,
>
> G3PMJ UK
>
>
>> On 28 October 2013 15:18, jwheatleyus <taoswheat@...> wrote:
>>
>> While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from www.wouxun.us
>> JohnW
>> W5JHW
>>
>> --- In KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@...> wrote:
>> >
>> > Thanks WA7JRD,
>> >
>> > Fine on my checking the device manager.
>> > How will I know I have the correct one?
>> > Is there only one Com Port that is 'correct' ?
>> > I am wishing to use the Software >>>
>> > http://www.kc8unj.com/kguv014b.zip
>> >
>> > Stewart G3PMJ UK
>> >
>> >
>> > On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:
>> >

>> > > **
>> > >
>> > >
>> > > Go to device manager and make sure you have the right comm port.
>> > >
>> > > Jardy Dawson
>> > > WA7JRD
>> > >
>> > > Sent using sidewalk chalk.
>> > >
>> > >
>> > >
>> > > On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
>> > >
>> > >
>> > >
>> > > Hello David & Jim & Group Members,
>> > >
>> > > I'm new to this Group, I have just received a KG-UVD1P.
>> > >
>> > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
>> > >
>> > > I bought a USB Programming cable and mini DC.
>> > >
>> > > So, HOW can I Test the USB cable / Software is correct
>> > >
>> > > for my particular model?
>> > >
>> > > How can I be sure I have the correct Drivers,
>> > >
>> > > I may have (automatically) installed the wrong ones? (Windows7 here)
>> > >
>> > > At the moment when doing a 'receive' / Read from the HT,
>> > >
>> > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
>> > >
>> > > Thanks for any comments,
>> > >
>> > > Stewart G3PMJ UK
>> > >
>> > >
>> > >
>> > >
>> > >
>> > >
>> >
>
>

601. RE: Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 22:44:07 UTC
From: <stewart.revell@...>
Topic: 541 Message: 601

OK, I think I have managed to have the USB cable with correct Drivers (3.2.0.0) installed for Win7.
However, when doing a READ from the KG-UVD1P, I'm getting up to 12%, then message

'Error: Radio Not Found' ???
(Using the fine KG-UV6D Version 0.1.0 BETA Software)

So, how to check the functionality of the cable? (The Plug is FULLY Clicked in)
Is there a quick Test please?
G3PMJ UK

---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com> wrote:

If it's the same issue I have, I am told that if you bought a Chinese knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and older op system and when I did the automatic update, I too was out! I haven't had time to revert to the previous one to fix it. I don't know if you can do if on 7 or 8,

Jerry
KA7UQO
Beaverton Oregon USA

Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!

On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@... mailto:stewart.revell@...> wrote:

Thanks JohnW,

I'll try your suggestion. Thanks,

G3PMJ UK

On 28 October 2013 15:18, jwheatleyus <taoswheat@... mailto:taoswheat@...> wrote:
While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from www.wouxun.us http://www.wouxun.us
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@...> wrote:
>
> Thanks WA7JRD,
>

> Fine on my checking the device manager.
> How will I know I have the correct one?
> Is there only one Com Port that is 'correct' ?
> I am wishing to use the Software >>>
> http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
>
> Stewart G3PMJ UK
>
>
> On 28 October 2013 13:17, Jardy Dawson <JARDY72@...> wrote:
>
> > **
> >
> >
> > Go to device manager and make sure you have the right comm port.
> >
> > Jardy Dawson
> > WA7JRD
> >
> > Sent using sidewalk chalk.
> >
> >
> >
> > On Oct 28, 2013, at 6:12, <stewart.revell@...> wrote:
> >
> >
> >
> > Hello David & Jim & Group Members,
> >
> > I'm new to this Group, I have just received a KG-UVD1P.
> >
> > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> >
> > I bought a USB Programming cable and mini DC.
> >
> > So, HOW can I Test the USB cable / Software is correct
> >
> > for my particular model?
> >
> > How can I be sure I have the correct Drivers,
> >
> > I may have (automatically) installed the wrong ones? (Windows7 here)
> >
> > At the moment when doing a 'receive' / Read from the HT,
> >
> > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> >
> > Thanks for any comments,
> >
> > Stewart G3PMJ UK

> >
> >
> >
> >
> >
> >
>

602. [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 22:48:03 UTC
From: jwheatleyus
Topic: 541 Message: 602

Are you sure of the Com Port number assigned to the cable and that port is selected in the software?
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
>
>
>
> OK, I think I have managed to have the USB cable with correct Drivers (3.2.0.0) installed for Win7.
> However, when doing a READ from the KG-UVD1P, I'm getting up to 12%, then message
>
> 'Error: Radio Not Found' ???
> (Using the fine KG-UV6D Version 0.1.0 BETA Software)
>
> So, how to check the functionality of the cable? (The Plug is FULLY Clicked in)
> Is there a quick Test please?
> G3PMJ UK
>
>
>
> ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com> wrote:
>
> If it's the same issue I have, I am told that if you bought a Chinese knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and older op system and when I did the automatic update, I too was out! I haven't had time to revert to the previous one to fix it. I don't know if you can do if on 7 or 8,
>
>
> Jerry
> KA7UQO
> Beaverton Oregon USA
>
> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>
> On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:stewart.revell@> wrote:
>
>
> Thanks JohnW,
>
>

> I'll try your suggestion. Thanks,
>
>
> G3PMJ UK
>
>
> On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@> wrote:
> While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from www.wouxun.us http://www.wouxun.us
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
> >
> > Thanks WA7JRD,
> >
> > Fine on my checking the device manager.
> > How will I know I have the correct one?
> > Is there only one Com Port that is 'correct' ?
> > I am wishing to use the Software >>>
> > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
> >
> > Stewart G3PMJ UK
> >
> >
> > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
> >
> > > **
> > >
> > >
> > > Go to device manager and make sure you have the right comm port.
> > >
> > > Jardy Dawson
> > > WA7JRD
> > >
> > > Sent using sidewalk chalk.
> > >
> > >
> > >
> > > On Oct 28, 2013, at 6:12, <stewart.revell@> wrote:
> > >
> > >
> > >
> > > Hello David & Jim & Group Members,
> > >
> > > I'm new to this Group, I have just received a KG-UVD1P.
> > >
> > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)

> > >
> > > I bought a USB Programming cable and mini DC.
> > >
> > > So, HOW can I Test the USB cable / Software is correct
> > >
> > > for my particular model?
> > >
> > > How can I be sure I have the correct Drivers,
> > >
> > > I may have (automatically) installed the wrong ones? (Windows7 here)
> > >
> > > At the moment when doing a 'receive' / Read from the HT,
> > >
> > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> > >
> > > Thanks for any comments,
> > >
> > > Stewart G3PMJ UK
> > >
> > >
> > >
> > >
> > >
> > >
> >
>

603. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 23:03:08 UTC
From: Stewart Revell
Topic: 541 Message: 603

OK, JohnW W5JHW,

I am not sure! Please point me to where this setting is located?
I believe I should now be OK for COM3. Thanks,

Stewart G3PMJ UK

On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:

> **
>
>
> Are you sure of the Com Port number assigned to the cable and that port is
> selected in the software?
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
> >
> >
> >
> > OK, I think I have managed to have the USB cable with correct Drivers
> (3.2.0.0) installed for Win7.
> > However, when doing a READ from the KG-UVD1P, I'm getting up to 12%,
> then message
> >
> > 'Error: Radio Not Found' ???
> > (Using the fine KG-UV6D Version 0.1.0 BETA Software)
> >
> > So, how to check the functionality of the cable? (The Plug is FULLY
> Clicked in)
> > Is there a quick Test please?
> > G3PMJ UK
> >
> >
> >
> > ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com>
> wrote:
> >
> > If it's the same issue I have, I am told that if you bought a Chinese
> knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and
> older op system and when I did the automatic update, I too was out! I
> haven't had time to revert to the previous one to fix it. I don't know if
> you can do if on 7 or 8,
> >

> >
> > Jerry
> > KA7UQO
> > Beaverton Oregon USA
> >
> > Sent from my iPhone thingamajig, so forgive my misspellings as my
> fingers are fatter than the letters on this keyboard!
> >
> > On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:
> stewart.revell@> wrote:
> >
> >
> > Thanks JohnW,
> >
> >
> > I'll try your suggestion. Thanks,
> >
> >
> > G3PMJ UK
> >
> >
> > On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@>
> wrote:
> > While watching Device Mgr, plug and unplug the cable. You will see which
> Com Port is assigned to the USB cable. FindComPort.exe is handy for
> checking Com Ports. Download from www.wouxun.us http://www.wouxun.us
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com mailto:
> KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
> > >
> > > Thanks WA7JRD,
> > >
> > > Fine on my checking the device manager.
> > > How will I know I have the correct one?
> > > Is there only one Com Port that is 'correct' ?
> > > I am wishing to use the Software >>>
> > > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
> > >
> > > Stewart G3PMJ UK
> > >
> > >
> > > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
> > >
> > > > **
> > > >
> > > >
> > > > Go to device manager and make sure you have the right comm port.
> > > >

> > > > Jardy Dawson
> > > > WA7JRD
> > > >
> > > > Sent using sidewalk chalk.
> > > >
> > > >
> > > >
> > > > On Oct 28, 2013, at 6:12, <stewart.revell@> wrote:
> > > >
> > > >
> > > >
> > > > Hello David & Jim & Group Members,
> > > >
> > > > I'm new to this Group, I have just received a KG-UVD1P.
> > > >
> > > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> > > >
> > > > I bought a USB Programming cable and mini DC.
> > > >
> > > > So, HOW can I Test the USB cable / Software is correct
> > > >
> > > > for my particular model?
> > > >
> > > > How can I be sure I have the correct Drivers,
> > > >
> > > > I may have (automatically) installed the wrong ones? (Windows7
> here)
> > > >
> > > > At the moment when doing a 'receive' / Read from the HT,
> > > >
> > > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> > > >
> > > > Thanks for any comments,
> > > >
> > > > Stewart G3PMJ UK
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
>
>
>

604. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 23:06:32 UTC
From: Jardy Dawson
Topic: 541 Message: 604

DO NOT use the UV-6 Commander software on a 1!! There is different Commander software for the 1, 2, and 3!! You can brick a radio using the wrong version.

Jardy Dawson
WA7JRD Ham Radio

Sent by hurling dead pigeons over the wall by trebuche.

>_____
> From: Stewart Revell <stewart.revell@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Tuesday, October 29, 2013 4:03 PM
>Subject: Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT
>
>
>
>
>OK, JohnW W5JHW,
>
>I am not sure! Please point me to where this setting is located?
>I believe I should now be OK for COM3.   Thanks,
>
>Stewart   G3PMJ   UK
>
>
>
>
>On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:
>
>
>>
>>Are you sure of the Com Port number assigned to the cable and that port is selected in the software?
>>JohnW
>>W5JHW
>>
>>--- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
>>>
>>>
>>>
>>> OK, I think I have managed to have the USB cable with correct Drivers (3.2.0.0) installed for Win7.
>>> However, when doing a READ from the KG-UVD1P, I'm getting up to 12%, then message
>>>

>>> 'Error: Radio Not Found' ???
>>> (Using the fine KG-UV6D Version 0.1.0 BETA Software)
>>>
>>> So, how to check the functionality of the cable? (The Plug is FULLY Clicked in)
>>> Is there a quick Test please?
>>> G3PMJ UK
>>>
>>>
>>>
>>> ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com> wrote:
>>>
>>> If it's the same issue I have, I am told that if you bought a Chinese knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and older op system and when I did the automatic update, I too was out! I haven't had time to revert to the previous one to fix it. I don't know if you can do if on 7 or 8,
>>>
>>>
>>> Jerry
>>> KA7UQO
>>> Beaverton Oregon USA
>>>
>>> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>>
>>> On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:stewart.revell@> wrote:
>>>
>>>
>>> Thanks JohnW,
>>>
>>>
>>> I'll try your suggestion. Thanks,
>>>
>>>
>>> G3PMJ UK
>>>
>>>
>>> On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@> wrote:
>>> While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from http://www.wouxun.us/ http://www.wouxun.us/
>>> JohnW
>>> W5JHW
>>>
>>> --- In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
>>> >
>>> > Thanks WA7JRD,
>>> >
>>> > Fine on my checking the device manager.

>>> > How will I know I have the correct one?
>>> > Is there only one Com Port that is 'correct' ?
>>> > I am wishing to use the Software >>>
>>> > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
>>> >
>>> > Stewart G3PMJ UK
>>> >
>>> >
>>> > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
>>> >
>>> > > **
>>> > >
>>> > >
>>> > > Go to device manager and make sure you have the right comm port.
>>> > >
>>> > > Jardy Dawson
>>> > > WA7JRD
>>> > >
>>> > > Sent using sidewalk chalk.
>>> > >
>>> > >
>>> > >
>>> > > On Oct 28, 2013, at 6:12, <stewart.revell@> wrote:
>>> > >
>>> > >
>>> > >
>>> > > Hello David & Jim & Group Members,
>>> > >
>>> > > I'm new to this Group, I have just received a KG-UVD1P.
>>> > >
>>> > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
>>> > >
>>> > > I bought a USB Programming cable and mini DC.
>>> > >
>>> > > So, HOW can I Test the USB cable / Software is correct
>>> > >
>>> > > for my particular model?
>>> > >
>>> > > How can I be sure I have the correct Drivers,
>>> > >
>>> > > I may have (automatically) installed the wrong ones? (Windows7 here)
>>> > >
>>> > > At the moment when doing a 'receive' / Read from the HT,
>>> > >
>>> > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
>>> > >
>>> > > Thanks for any comments,
>>> > >
>>> > > Stewart G3PMJ UK
>>> > >

>>> > >
>>> > >
>>> > >
>>> > >
>>> > >
>>> >
>>>
>>
>>
>
>
>
>

605. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 23:11:58 UTC
From: Stewart Revell
Topic: 541 Message: 605

OK, Thanks Jardy Dawson, WA7JRD,

Thanks for pointing out the incorrect Software I'm using.
To save me looking, have you a LINK for the correct version, please?
Thanks,
Stewart G3PMJ UK

On 29 October 2013 23:06, Jardy Dawson <JARDY72@...> wrote:

> **
>
>
> DO NOT use the UV-6 Commander software on a 1!! There is different
> Commander software for the 1, 2, and 3!! You can brick a radio using the
> wrong version.
>
> Jardy Dawson
> WA7JRD Ham Radio
>
> Sent by hurling dead pigeons over the wall by trebuche.
>
> *From:* Stewart Revell <stewart.revell@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Tuesday, October 29, 2013 4:03 PM
> *Subject:* Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for
> 2meter/6meter HT
>
>
> OK, JohnW W5JHW,
>
> I am not sure! Please point me to where this setting is located?
> I believe I should now be OK for COM3. Thanks,
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:
>
> **
>
> Are you sure of the Com Port number assigned to the cable and that port
> is selected in the software?
> JohnW
> W5JHW

>
> --- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
> >
> >
> >
> > OK, I think I have managed to have the USB cable with correct Drivers
> (3.2.0.0) installed for Win7.
> > However, when doing a READ from the KG-UVD1P, I'm getting up to 12%,
> then message
> >
> > 'Error: Radio Not Found' ???
> > (Using the fine KG-UV6D Version 0.1.0 BETA Software)
> >
> > So, how to check the functionality of the cable? (The Plug is FULLY
> Clicked in)
> > Is there a quick Test please?
> > G3PMJ UK
> >
> >
> >
> > ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com>
> wrote:
> >
> > If it's the same issue I have, I am told that if you bought a Chinese
> knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and
> older op system and when I did the automatic update, I too was out! I
> haven't had time to revert to the previous one to fix it. I don't know if
> you can do if on 7 or 8,
> >
> >
> > Jerry
> > KA7UQO
> > Beaverton Oregon USA
> >
> > Sent from my iPhone thingamajig, so forgive my misspellings as my
> fingers are fatter than the letters on this keyboard!
> >
> > On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:
> stewart.revell@> wrote:
> >
> >
> > Thanks JohnW,
> >
> >
> > I'll try your suggestion. Thanks,
> >
> >
> > G3PMJ UK
> >
> >

> > On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@>
> wrote:
> > While watching Device Mgr, plug and unplug the cable. You will see which
> Com Port is assigned to the USB cable. FindComPort.exe is handy for
> checking Com Ports. Download from http://www.wouxun.us/
> http://www.wouxun.us/
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com mailto:
> KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
> > >
> > > Thanks WA7JRD,
> > >
> > > Fine on my checking the device manager.
> > > How will I know I have the correct one?
> > > Is there only one Com Port that is 'correct' ?
> > > I am wishing to use the Software >>>
> > > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
> > >
> > > Stewart G3PMJ UK
> > >
> > >
> > > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
> > >
> > > > **
> > > >
> > > >
> > > > Go to device manager and make sure you have the right comm port.
> > > >
> > > > Jardy Dawson
> > > > WA7JRD
> > > >
> > > > Sent using sidewalk chalk.
> > > >
> > > >
> > > >
> > > > On Oct 28, 2013, at 6:12, <stewart.revell@> wrote:
> > > >
> > > >
> > > >
> > > > Hello David & Jim & Group Members,
> > > >
> > > > I'm new to this Group, I have just received a KG-UVD1P.
> > > >
> > > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> > > >
> > > > I bought a USB Programming cable and mini DC.
> > > >
> > > > So, HOW can I Test the USB cable / Software is correct

> > > >
> > > > for my particular model?
> > > >
> > > > How can I be sure I have the correct Drivers,
> > > >
> > > > I may have (automatically) installed the wrong ones? (Windows7
> here)
> > > >
> > > > At the moment when doing a 'receive' / Read from the HT,
> > > >
> > > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> > > >
> > > > Thanks for any comments,
> > > >
> > > > Stewart G3PMJ UK
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >
> > >
>
>
>
>
>
>

606. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 23:25:15 UTC
From: Jardy Dawson
Topic: 541 Message: 606

KC8UNJ.com

Jardy Dawson
WA7JRD Ham Radio

Sent by hurling dead pigeons over the wall by trebuche.

>_____
> From: Stewart Revell <stewart.revell@...>
>To: KG-UV_Commander@yahoogroups.com
>Sent: Tuesday, October 29, 2013 4:11 PM
>Subject: Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT
>
>
>
>
>OK, Thanks Jardy Dawson, WA7JRD,
>
>Thanks for pointing out the incorrect Software I'm using.
>To save me looking, have you a LINK for the correct version, please?
>Thanks,
>Stewart G3PMJ UK
>
>
>
>
>On 29 October 2013 23:06, Jardy Dawson <JARDY72@...> wrote:
>
>
>>
>>DO NOT use the UV-6 Commander software on a 1!! There is different Commander software for the 1, 2, and 3!! You can brick a radio using the wrong version.
>>
>>Jardy Dawson
>>WA7JRD Ham Radio
>>
>>Sent by hurling dead pigeons over the wall by trebuche.
>>
>> From: Stewart Revell <stewart.revell@...>
>>>To: KG-UV_Commander@yahoogroups.com
>>>Sent: Tuesday, October 29, 2013 4:03 PM
>>>Subject: Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT
>>>
>>>

>>>
>>>
>>>OK, JohnW W5JHW,
>>>
>>>I am not sure! Please point me to where this setting is located?
>>>I believe I should now be OK for COM3.   Thanks,
>>>
>>>Stewart   G3PMJ   UK
>>>
>>>
>>>
>>>
>>>On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:
>>>
>>>
>>>>
>>>>Are you sure of the Com Port number assigned to the cable and that port is selected in the software?
>>>>JohnW
>>>>W5JHW
>>>>
>>>>--- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
>>>>>
>>>>>
>>>>>
>>>>> OK, I think I have managed to have the USB cable with correct Drivers (3.2.0.0) installed for Win7.
>>>>> However, when doing a READ from the KG-UVD1P, I'm getting up to 12%, then message
>>>>>
>>>>> 'Error: Radio Not Found' ???
>>>>> (Using the fine KG-UV6D Version 0.1.0 BETA Software)
>>>>>
>>>>> So, how to check the functionality of the cable? (The Plug is FULLY Clicked in)
>>>>> Is there a quick Test please?
>>>>> G3PMJ UK
>>>>>
>>>>>
>>>>>
>>>>> ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com> wrote:
>>>>>
>>>>> If it's the same issue I have, I am told that if you bought a Chinese knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and older op system and when I did the automatic update, I too was out! I haven't had time to revert to the previous one to fix it. I don't know if you can do if on 7 or 8,
>>>>>
>>>>>
>>>>> Jerry
>>>>> KA7UQO
>>>>> Beaverton Oregon USA
>>>>>

>>>>> Sent from my iPhone thingamajig, so forgive my misspellings as my fingers are fatter than the letters on this keyboard!
>>>>>
>>>>> On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:stewart.revell@> wrote:
>>>>>
>>>>>
>>>>> Thanks JohnW,
>>>>>
>>>>>
>>>>> I'll try your suggestion. Thanks,
>>>>>
>>>>>
>>>>> G3PMJ UK
>>>>>
>>>>>
>>>>> On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@> wrote:
>>>>> While watching Device Mgr, plug and unplug the cable. You will see which Com Port is assigned to the USB cable. FindComPort.exe is handy for checking Com Ports. Download from http://www.wouxun.us/ http://www.wouxun.us/
>>>>> JohnW
>>>>> W5JHW
>>>>>
>>>>> --- In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
>>>>> >
>>>>> > Thanks WA7JRD,
>>>>> >
>>>>> > Fine on my checking the device manager.
>>>>> > How will I know I have the correct one?
>>>>> > Is there only one Com Port that is 'correct' ?
>>>>> > I am wishing to use the Software >>>
>>>>> > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
>>>>> >
>>>>> > Stewart G3PMJ UK
>>>>> >
>>>>> >
>>>>> > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
>>>>> >
>>>>> > > **
>>>>> > >
>>>>> > >
>>>>> > > Go to device manager and make sure you have the right comm port.
>>>>> > >
>>>>> > > Jardy Dawson
>>>>> > > WA7JRD
>>>>> > >
>>>>> > > Sent using sidewalk chalk.
>>>>> > >
>>>>> > >

>>>>> > >
>>>>
>>>>
>>>
>>>
>>>
>
>
>
>

607. Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-30 00:25:26 UTC
From: jwheatleyus
Topic: 541 Message: 607

Either use Device Manager in Windows or download FindComPort.exe from www.wouxun.us to determine which port is assigned to the cable.
JohnW
W5JHW

--- In KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@...> wrote:
>
> OK, JohnW W5JHW,
>
> I am not sure! Please point me to where this setting is located?
> I believe I should now be OK for COM3. Thanks,
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:
>
> > **
> >
> >
> > Are you sure of the Com Port number assigned to the cable and that port is
> > selected in the software?
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com, <stewart.revell@> wrote:
> > >
> > >
> > >
> > > OK, I think I have managed to have the USB cable with correct Drivers
> > (3.2.0.0) installed for Win7.
> > > However, when doing a READ from the KG-UVD1P, I'm getting up to 12%,
> > then message
> > >
> > > 'Error: Radio Not Found' ???
> > > (Using the fine KG-UV6D Version 0.1.0 BETA Software)
> > >
> > > So, how to check the functionality of the cable? (The Plug is FULLY
> > Clicked in)
> > > Is there a quick Test please?
> > > G3PMJ UK
> > >
> > >
> > >
> > > ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com>

> > wrote:
> > >
> > > If it's the same issue I have, I am told that if you bought a Chinese
> > knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and
> > older op system and when I did the automatic update, I too was out! I
> > haven't had time to revert to the previous one to fix it. I don't know if
> > you can do if on 7 or 8,
> > >
> > >
> > > Jerry
> > > KA7UQO
> > > Beaverton Oregon USA
> > >
> > > Sent from my iPhone thingamajig, so forgive my misspellings as my
> > fingers are fatter than the letters on this keyboard!
> > >
> > > On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:
> > stewart.revell@> wrote:
> > >
> > >
> > > Thanks JohnW,
> > >
> > >
> > > I'll try your suggestion. Thanks,
> > >
> > >
> > > G3PMJ UK
> > >
> > >
> > > On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@>
> > wrote:
> > > While watching Device Mgr, plug and unplug the cable. You will see which
> > Com Port is assigned to the USB cable. FindComPort.exe is handy for
> > checking Com Ports. Download from www.wouxun.us http://www.wouxun.us
> > > JohnW
> > > W5JHW
> > >
> > > --- In KG-UV_Commander@yahoogroups.com mailto:
> > KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
> > > >
> > > > Thanks WA7JRD,
> > > >
> > > > Fine on my checking the device manager.
> > > > How will I know I have the correct one?
> > > > Is there only one Com Port that is 'correct' ?
> > > > I am wishing to use the Software >>>
> > > > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
> > > >
> > > > Stewart G3PMJ UK
> > > >

> > > >
> > > > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
> > > >
> > > > > **
> > > > >
> > > > >
> > > > > Go to device manager and make sure you have the right comm port.
> > > > >
> > > > > Jardy Dawson
> > > > > WA7JRD
> > > > >
> > > > > Sent using sidewalk chalk.
> > > > >
> > > > >
> > > > >
> > > > > On Oct 28, 2013, at 6:12, <stewart.revell@> wrote:
> > > > >
> > > > >
> > > > >
> > > > > Hello David & Jim & Group Members,
> > > > >
> > > > > I'm new to this Group, I have just received a KG-UVD1P.
> > > > >
> > > > > It will cover 144Mhz and here in the UK the 70Mhz bands. (2m & 4m)
> > > > >
> > > > > I bought a USB Programming cable and mini DC.
> > > > >
> > > > > So, HOW can I Test the USB cable / Software is correct
> > > > >
> > > > > for my particular model?
> > > > >
> > > > > How can I be sure I have the correct Drivers,
> > > > >
> > > > > I may have (automatically) installed the wrong ones? (Windows7
> > here)
> > > > >
> > > > > At the moment when doing a 'receive' / Read from the HT,
> > > > >
> > > > > I'm getting 'not found' ??? Yes! the connector IS fully Clicked in.
> > > > >
> > > > > Thanks for any comments,
> > > > >
> > > > > Stewart G3PMJ UK
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >

> > >
> >
> >
> >
>

608. Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for 2meter/6meter HT

Yahoo group: KG-UV_Commander
Date: 2013-10-29 23:28:10 UTC
From: Stewart Revell
Topic: 541 Message: 608

Thanks !
I'll try that. Many thanks,
Stewart G3PMJ UK

On 29 October 2013 23:25, Jardy Dawson <JARDY72@...> wrote:

> **
>
>
> KC8UNJ.com
>
> Jardy Dawson
> WA7JRD Ham Radio
>
> Sent by hurling dead pigeons over the wall by trebuche.
>
> *From:* Stewart Revell <stewart.revell@...m>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Tuesday, October 29, 2013 4:11 PM
> *Subject:* Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for
> 2meter/6meter HT
>
>
> OK, Thanks Jardy Dawson, WA7JRD,
>
> Thanks for pointing out the incorrect Software I'm using.
> To save me looking, have you a LINK for the correct version, please?
> Thanks,
> Stewart G3PMJ UK
>
>
> On 29 October 2013 23:06, Jardy Dawson <JARDY72@...> wrote:
>
> **
>
> DO NOT use the UV-6 Commander software on a 1!! There is different
> Commander software for the 1, 2, and 3!! You can brick a radio using the
> wrong version.
>
> Jardy Dawson
> WA7JRD Ham Radio
>
> Sent by hurling dead pigeons over the wall by trebuche.
>

> *From:* Stewart Revell <stewart.revell@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Tuesday, October 29, 2013 4:03 PM
> *Subject:* Re: [KG-UV_Commander] Re: [Wouxun_KG-UVD1] software for
> 2meter/6meter HT
>
>
> OK, JohnW W5JHW,
>
> I am not sure! Please point me to where this setting is located?
> I believe I should now be OK for COM3. Thanks,
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 22:48, jwheatleyus <taoswheat@...> wrote:
>
> **
>
> Are you sure of the Com Port number assigned to the cable and that port
> is selected in the software?
> JohnW
> W5JHW
>
> --- In KG-UV_Commander@yahoogroups.com, <stewart.revell@...> wrote:
> >
> >
> >
> > OK, I think I have managed to have the USB cable with correct Drivers
> (3.2.0.0) installed for Win7.
> > However, when doing a READ from the KG-UVD1P, I'm getting up to 12%,
> then message
> >
> > 'Error: Radio Not Found' ???
> > (Using the fine KG-UV6D Version 0.1.0 BETA Software)
> >
> > So, how to check the functionality of the cable? (The Plug is FULLY
> Clicked in)
> > Is there a quick Test please?
> > G3PMJ UK
> >
> >
> >
> > ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com>
> wrote:
> >
> > If it's the same issue I have, I am told that if you bought a Chinese
> knock off cable, the drivers on Windows 7 &8 won't recognize it. I had and
> older op system and when I did the automatic update, I too was out! I
> haven't had time to revert to the previous one to fix it. I don't know if

> you can do if on 7 or 8,
> >
> >
> > Jerry
> > KA7UQO
> > Beaverton Oregon USA
> >
> > Sent from my iPhone thingamajig, so forgive my misspellings as my
> fingers are fatter than the letters on this keyboard!
> >
> > On Oct 28, 2013, at 11:35, Stewart Revell <stewart.revell@ mailto:
> stewart.revell@> wrote:
> >
> >
> > Thanks JohnW,
> >
> >
> > I'll try your suggestion. Thanks,
> >
> >
> > G3PMJ UK
> >
> >
> > On 28 October 2013 15:18, jwheatleyus <taoswheat@ mailto:taoswheat@>
> wrote:
> > While watching Device Mgr, plug and unplug the cable. You will see which
> Com Port is assigned to the USB cable. FindComPort.exe is handy for
> checking Com Ports. Download from http://www.wouxun.us/
> http://www.wouxun.us/
> > JohnW
> > W5JHW
> >
> > --- In KG-UV_Commander@yahoogroups.com mailto:
> KG-UV_Commander@yahoogroups.com, Stewart Revell <stewart.revell@> wrote:
> > >
> > > Thanks WA7JRD,
> > >
> > > Fine on my checking the device manager.
> > > How will I know I have the correct one?
> > > Is there only one Com Port that is 'correct' ?
> > > I am wishing to use the Software >>>
> > > http://www.kc8unj.com/kguv014b.zip http://www.kc8unj.com/kguv014b.zip
> > >
> > > Stewart G3PMJ UK
> > >
> > >
> > > On 28 October 2013 13:17, Jardy Dawson <JARDY72@> wrote:
> > >
> > > > **
> > > >

> > > >
> > > > Go to device manager and make sure you have the right comm port.
> > > >
> > > > Jardy Dawson
> > > > WA7JRD
> > > >
> > > > Sent using sidewalk chalk.
> > > >
> > > >
> > > >
>
>
>
>
>
>
>
>
>

609. Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 00:08:05 UTC
From: Stewart Revell
Topic: 609 Message: 609

Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:

> Stewart,****
>
> ** **
>
> Did you manage to download the software and program the radio?****
>
> I am still waiting for an update on the commander software, it seems that
> there has been am upgrade in the firmware of the radios made in 2013 that
> is why the present commander doesn’t work.****
>
> Just read the CHIRP FAQ’s and you will get done****
>
> ** **
>
> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of
> my friends,****
>
> ** **
>
> ** **
>
> Ishmael****
>
> ** **
>
> *From:* Stewart Revell [mailto:stewart.revell@...]
> *Sent:* Monday, October 28, 2013 2:38 PM
> *To:* Ishmael Cadogan
> *Subject:* Re: KG-UVD1P****
>
> ** **

>
> OK Ishmael,****
>
> Thanks for the Link to try,****
>
> Stewart G3PMJ UK ****
>
> ** **
>

610. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 07:39:03 UTC
From: Jardy Dawson
Topic: 609 Message: 610

It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson
WA7JRD

Sent using sidewalk chalk.

> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...> wrote:
>
> Fine, Ishmael,
>
> I have just been to the Program Downloading site, looking for
> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>
> On selecting the image for my Radio, it takes me to the
> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
> So, I'm baffled??? Where is the Correct Software for Downloading
> for my Version?
> Maybe with the correct Software, I will be able to READ from my HT?
>
> Stewart G3PMJ UK
>
>
>> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:
>> Stewart,
>>
>>
>>
>> Did you manage to download the software and program the radio?
>>
>> I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn’t work.
>>
>> Just read the CHIRP FAQ’s and you will get done
>>
>>
>>
>> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,
>>
>>
>>
>>
>>

>> Ishmael
>>
>>
>>
>> From: Stewart Revell [mailto:stewart.revell@...]
>> Sent: Monday, October 28, 2013 2:38 PM
>> To: Ishmael Cadogan
>> Subject: Re: KG-UVD1P
>>
>>
>>
>> OK Ishmael,
>>
>> Thanks for the Link to try,
>>
>> Stewart G3PMJ UK
>>
>
>

611. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 13:23:08 UTC
From: Stewart Revell
Topic: 609 Message: 611
Attachments: 1 described; binary payloads are missing from this source WARC

Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@...> wrote:

> **
>
>
> It is not the photo in the lower right hand corner that says "KG-UV6D",
> but the picture to the left that says "KG-UV 1, 2, and 3". Look a little
> closer to the titles under the pics. I clicked on the proper one and it
> took me to the right page.
>
> Jardy Dawson
> WA7JRD
>
> Sent using sidewalk chalk.
>
>
>
> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@gmail.com>
> wrote:
>
>
>
> Fine, Ishmael,
>
> I have just been to the Program Downloading site, looking for
> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>
> On selecting the image for my Radio, it takes me to the
> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
> So, I'm baffled??? Where is the Correct Software for Downloading
> for my Version?

> Maybe with the correct Software, I will be able to READ from my HT?
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...>wrote:
>
>> Stewart,****
>>
>> ** **
>>
>> Did you manage to download the software and program the radio?****
>>
>> I am still waiting for an update on the commander software, it seems that
>> there has been am upgrade in the firmware of the radios made in 2013 that
>> is why the present commander doesn’t work.****
>>
>> Just read the CHIRP FAQ’s and you will get done****
>>
>> ** **
>>
>> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two
>> of my friends,****
>>
>> ** **
>>
>> ** **
>>
>> Ishmael****
>>
>> ** **
>>
>> *From:* Stewart Revell [mailto:stewart.revell@...]
>> *Sent:* Monday, October 28, 2013 2:38 PM
>> *To:* Ishmael Cadogan
>> *Subject:* Re: KG-UVD1P****
>>
>> ** **
>>
>> OK Ishmael,****
>>
>> Thanks for the Link to try,****
>>
>> Stewart G3PMJ UK ****
>>
>> ** **
>>
>
>

612. Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yahoo group: KG-UV_Commander
Date: 2013-10-30 14:13:07 UTC
From: Jardy Dawson
Topic: 609 Message: 612

When you click on the picture, it should say "KG-UV" Commander, not "KG-UV6" Commander.

Jardy Dawson
WA7JRD

Sent using sidewalk chalk.

> On Oct 30, 2013, at 6:23, Stewart Revell <stewart.revell@...> wrote:
>
> Yes! That is the image I Clicked on.
>
> See screen shot.
> Mine is 2nd from right, bottom row.
> The Software, when downloaded turns out to NOT for this HT???
> (See the READ ME, for Version type, after Download ?)
>
> Maybe the WRONG Software has been associated with the wrong type?
>
> Please say where the correct Download is located?
>
> Thanks,
>
> Stewart G3PMJ UK
>
>
>
>> On 30 October 2013 07:39, Jardy Dawson <JARDY72@yahoo.com> wrote:
>>
>> It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.
>>
>> Jardy Dawson
>> WA7JRD
>>
>> Sent using sidewalk chalk.
>>
>>
>>
>>> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...> wrote:
>>>
>>>
>>> Fine, Ishmael,
>>>
>>> I have just been to the Program Downloading site, looking for
>>> specify software for my KG-UVD1P. (http://www.kc8unj.com/)

>>>
>>> On selecting the image for my Radio, it takes me to the
>>> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
>>> So, I'm baffled??? Where is the Correct Software for Downloading
>>> for my Version?
>>> Maybe with the correct Software, I will be able to READ from my HT?
>>>
>>> Stewart G3PMJ UK
>>>
>>>
>>>> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:
>>>> Stewart,
>>>>
>>>>
>>>>
>>>> Did you manage to download the software and program the radio?
>>>>
>>>> I am still waiting for an update on the commander software, it seems that there has
been am upgrade in the firmware of the radios made in 2013 that is why the present
commander doesn’t work.
>>>>
>>>> Just read the CHIRP FAQ’s and you will get done
>>>>
>>>>
>>>>
>>>> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,
>>>>
>>>>
>>>>
>>>>
>>>>
>>>> Ishmael
>>>>
>>>>
>>>>
>>>> From: Stewart Revell [mailto:stewart.revell@...]
>>>> Sent: Monday, October 28, 2013 2:38 PM
>>>> To: Ishmael Cadogan
>>>> Subject: Re: KG-UVD1P
>>>>
>>>>
>>>>
>>>> OK Ishmael,
>>>>
>>>> Thanks for the Link to try,
>>>>
>>>> Stewart G3PMJ UK
>>>>
>
>

> <My HT KG-UVD1P.jpg>

613. Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yahoo group: KG-UV_Commander
Date: 2013-10-30 15:01:22 UTC
From: Gary
Topic: 609 Message: 613

Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@gmail.com]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

  Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@yahoo.com> wrote:
  It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson WA7JRD
Sent using sidewalk chalk.

On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@gmail.com> wrote:

  Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@gmail.com> wrote:
Stewart,

Did you manage to download the software and program the radio?
I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn't work.
Just read the CHIRP FAQ's and you will get done

Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,

Ishmael

From: Stewart Revell [mailto:stewart.revell@gmail.com]
Sent: Monday, October 28, 2013 2:38 PM
To: Ishmael Cadogan
Subject: Re: KG-UVD1P

OK Ishmael,
Thanks for the Link to try,
Stewart G3PMJ UK

View attachments on the web Reply via web post Reply to sender Reply to group Start a New Topic

614. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 16:29:16 UTC
From: Stewart Revell
Topic: 609 Message: 614

Thanks all,

So, why when Clicking on the image of MY Radio
the KG-UVD1P, it takes me to the incorrect Download?
I did not know it was the the wrong software until
reading the 'Read Me' file, which then give the
model it was intended for ! (*KG-UV6D)
*
I would have thought, that by Clicking on the KG-UVD1P
it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@...> wrote:

> Here is the direct link for the correct KG-UV Commander for your radio. It
> was found with a simple Google search.
>
> http://www.kc8unj.com/kguv.html
>
> Gary N9PTC
>
>
> -------Original Message-------
> From: Stewart Revell [stewart.revell@...]
> Date: Wed, Oct 30, 2013
> To: [KG-UV_Commander@yahoogroups.com]
> Reply To: [KG-UV_Commander@yahoogroups.com]
> Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]
>
> Yes! That is the image I Clicked on.
>
> See screen shot.
> Mine is 2nd from right, bottom row.
> The Software, when downloaded turns out to NOT for this HT???
> (See the READ ME, for Version type, after Download ?)
>
> Maybe the WRONG Software has been associated with the wrong type?
>
> Please say where the correct Download is located?
>
> Thanks,
>
> Stewart G3PMJ UK

>
>
>
> On 30 October 2013 07:39, Jardy Dawson <JARDY72@...> wrote:
> It is not the photo in the lower right hand corner that says "KG-UV6D",
> but the picture to the left that says "KG-UV 1, 2, and 3". Look a little
> closer to the titles under the pics. I clicked on the proper one and it
> took me to the right page.
>
> Jardy Dawson WA7JRD
> Sent using sidewalk chalk.
>
>
> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...>
> wrote:
>
> Fine, Ishmael,
>
> I have just been to the Program Downloading site, looking for
> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>
> On selecting the image for my Radio, it takes me to the
> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
> So, I'm baffled??? Where is the Correct Software for Downloading
> for my Version?
> Maybe with the correct Software, I will be able to READ from my HT?
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...>
> wrote:
> Stewart,
>
> Did you manage to download the software and program the radio?
> I am still waiting for an update on the commander software, it seems that
> there has been am upgrade in the firmware of the radios made in 2013 that
> is why the present commander doesn’t work.
> Just read the CHIRP FAQ’s and you will get done
>
> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of
> my friends,
>
>
> Ishmael
>
> From: Stewart Revell [mailto:stewart.revell@gmail.com]
> Sent: Monday, October 28, 2013 2:38 PM
> To: Ishmael Cadogan
> Subject: Re: KG-UVD1P

>
> OK Ishmael,
> Thanks for the Link to try,
> Stewart G3PMJ UK
>
>
> View attachments on the web Reply via web post Reply to sender Reply to
> group Start a New Topic
>
>
> ------------------------------------
>
> Yahoo Groups Links
>
>
>
>

615. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 23:18:34 UTC
From: ZIP-G
Topic: 609 Message: 615

IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.
ZIPPY
----- Original Message -----
From: Stewart Revell
To: KG-UV_Commander@yahoogroups.com
Sent: Wednesday, October 30, 2013 12:29
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P

Thanks all,

So, why when Clicking on the image of MY Radio

the KG-UVD1P, it takes me to the incorrect Download?

I did not know it was the the wrong software until

reading the 'Read Me' file, which then give the

model it was intended for ! (KG-UV6D)

I would have thought, that by Clicking on the KG-UVD1P

it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@...> wrote:

Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@...]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???

(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@yahoo.com> wrote:
It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson WA7JRD
Sent using sidewalk chalk.

On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...> wrote:

Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:
Stewart,

Did you manage to download the software and program the radio?
I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn’t work.
Just read the CHIRP FAQ’s and you will get done

Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,

Ishmael

From: Stewart Revell [mailto:stewart.revell@...]
Sent: Monday, October 28, 2013 2:38 PM
To: Ishmael Cadogan
Subject: Re: KG-UVD1P

OK Ishmael,
Thanks for the Link to try,
Stewart G3PMJ UK

View attachments on the web Reply via web post Reply to sender Reply to group Start a New Topic

---

Yahoo Groups Links

616. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-30 23:40:56 UTC
From: Stewart Revell
Topic: 609 Message: 616

OK all,
I'm now Running the correct Prog/Software.
I'm using WIN7 with the recommended OLD Drivers 3.2.0.0
configured for COM 3 Port.
Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)

(The Mini CD that came with the USB Lead is VERY Poor!
I am unable to find the Install Prog. for the KG-UVD1P on it,
it covers many Makes, but not my HT .
Maybe this LINK to eBay, will show the USB
Cable & Mini CD >>> http://tinyurl.com/nzr5qfz)

I'm sure the KG-UV_ Prog will be very good, once it's working.

I'm beginning to loose interest.
Any further suggestions please?
Thanks,
SR UK

On 30 October 2013 23:18, ZIP-G <zip.doe@...> wrote:

> **
>
>
> **
> *IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.*
> *ZIPPY*
>
> ----- Original Message -----
> *From:* Stewart Revell <stewart.revell@...>
> *To:* KG-UV_Commander@...m
> *Sent:* Wednesday, October 30, 2013 12:29
> *Subject:* Re: [KG-UV_Commander] Re: KG-UVD1P
>
>
>
> Thanks all,
>
> So, why when Clicking on the image of MY Radio
> the KG-UVD1P, it takes me to the incorrect Download?
> I did not know it was the the wrong software until
> reading the 'Read Me' file, which then give the
> model it was intended for ! (*KG-UV6D)
> *
> I would have thought, that by Clicking on the KG-UVD1P
> it would take me to the correct Software/Download? (KG-UV)

>
> Thanks for pointing out the discrepancy on the KC8UNJ.COM site.
>
> Stewart G3PMJ UK
>
>
>
> On 30 October 2013 15:01, Gary <n9ptc@...> wrote:
>
>> Here is the direct link for the correct KG-UV Commander for your radio.
>> It was found with a simple Google search.
>>
>> http://www.kc8unj.com/kguv.html
>>
>> Gary N9PTC
>>
>>
>> -------Original Message-------
>> From: Stewart Revell [stewart.revell@...]
>> Date: Wed, Oct 30, 2013
>> To: [KG-UV_Commander@yahoogroups.com]
>> Reply To: [KG-UV_Commander@yahoogroups.com]
>> Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]
>>
>> Yes! That is the image I Clicked on.
>>
>> See screen shot.
>> Mine is 2nd from right, bottom row.
>> The Software, when downloaded turns out to NOT for this HT???
>> (See the READ ME, for Version type, after Download ?)
>>
>> Maybe the WRONG Software has been associated with the wrong type?
>>
>> Please say where the correct Download is located?
>>
>> Thanks,
>>
>> Stewart G3PMJ UK
>>
>>
>>
>> On 30 October 2013 07:39, Jardy Dawson <JARDY72@...m> wrote:
>> It is not the photo in the lower right hand corner that says "KG-UV6D",
>> but the picture to the left that says "KG-UV 1, 2, and 3". Look a little
>> closer to the titles under the pics. I clicked on the proper one and it
>> took me to the right page.
>>
>> Jardy Dawson WA7JRD
>> Sent using sidewalk chalk.
>>

>>
>> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...>
>> wrote:
>>
>> Fine, Ishmael,
>>
>> I have just been to the Program Downloading site, looking for
>> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>>
>> On selecting the image for my Radio, it takes me to the
>> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
>> So, I'm baffled??? Where is the Correct Software for Downloading
>> for my Version?
>> Maybe with the correct Software, I will be able to READ from my HT?
>>
>> Stewart G3PMJ UK
>>
>>
>> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...>
>> wrote:
>> Stewart,
>>
>> Did you manage to download the software and program the radio?
>> I am still waiting for an update on the commander software, it seems that
>> there has been am upgrade in the firmware of the radios made in 2013 that
>> is why the present commander doesn’t work.
>> Just read the CHIRP FAQ’s and you will get done
>>
>> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of
>> my friends,
>>
>>
>> Ishmael
>>
>> From: Stewart Revell [mailto:stewart.revell@...]
>> Sent: Monday, October 28, 2013 2:38 PM
>> To: Ishmael Cadogan
>> Subject: Re: KG-UVD1P
>>
>> OK Ishmael,
>> Thanks for the Link to try,
>> Stewart G3PMJ UK
>>
>>
>> View attachments on the web Reply via web post Reply to sender Reply to
>> group Start a New Topic
>>
>>
>> ------------------------------------
>>

```
>> Yahoo Groups Links
>>
>>
>>
>>
>
>
```

617. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 00:00:48 UTC
From: Gary
Topic: 609 Message: 617

I'm really starting to think you want everyone else to do your leg work while you sit back in your lazy chair enjoying your favorite beverage.

Go to: http://www.wouxun.com to find the factory software.

Learn how to use Google!

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@gmail.com]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P

OK all,
I'm now Running the correct Prog/Software.
I'm using WIN7 with the recommended OLD Drivers 3.2.0.0
configured for COM 3 Port.
Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)

(The Mini CD that came with the USB Lead is VERY Poor!
I am unable to find the Install Prog. for the KG-UVD1P on it,
it covers many Makes, but not my HT .
Maybe this LINK to eBay, will show the USB
Cable & Mini CD >>> http://tinyurl.com/nzr5qfz)

I'm sure the KG-UV_ Prog will be very good, once it's working.

I'm beginning to loose interest.
Any further suggestions please?
Thanks,
SR UK

On 30 October 2013 23:18, ZIP-G <zip.doe@gmail.com> wrote:
IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D. ZIPPY ----- Original Message ----- From: Stewart Revell To: KG-UV_Commander@yahoogroups.com Sent: Wednesday, October 30, 2013 12:29 Subject: Re: [KG-UV_Commander] Re: KG-UVD1P
Thanks all,

So, why when Clicking on the image of MY Radio
the KG-UVD1P, it takes me to the incorrect Download?
I did not know it was the the wrong software until
reading the 'Read Me' file, which then give the
model it was intended for ! (KG-UV6D)
I would have thought, that by Clicking on the KG-UVD1P

it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@comcast.net> wrote:
Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@gmail.com]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

  Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download

618. Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 00:13:43 UTC
From: Jardy Dawson
Topic: 609 Message: 618

The cable disk is only for the cable driver, not any programming software. You can use the Commander software or go to www.powerwerx.com and follow their info on software they have available, including install info. Also, make sure you follow the correct radio there. ALWAYS read the radio first before you write anything to it.

Jardy Dawson
WA7JRD

Sent using sidewalk chalk.

> On Oct 30, 2013, at 16:40, Stewart Revell <stewart.revell@gmail.com> wrote:
>
> OK all,
> I'm now Running the correct Prog/Software.
> I'm using WIN7 with the recommended OLD Drivers 3.2.0.0
> configured for COM 3 Port.
> Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)
>
> (The Mini CD that came with the USB Lead is VERY Poor!
> I am unable to find the Install Prog. for the KG-UVD1P on it,
> it covers many Makes, but not my HT .
> Maybe this LINK to eBay, will show the USB
> Cable & Mini CD >>> http://tinyurl.com/nzr5qfz)
>
> I'm sure the KG-UV_ Prog will be very good, once it's working.
>
> I'm beginning to loose interest.
> Any further suggestions please?
> Thanks,
> SR UK
>
>
>> On 30 October 2013 23:18, ZIP-G <zip.doe@...> wrote:
>>
>>
>> IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.
>> ZIPPY
>> ----- Original Message -----
>> From: Stewart Revell
>> To: KG-UV_Commander@yahoogroups.com
>> Sent: Wednesday, October 30, 2013 12:29
>> Subject: Re: [KG-UV_Commander] Re: KG-UVD1P
>>
>>
>> Thanks all,
>>

>> So, why when Clicking on the image of MY Radio
>> the KG-UVD1P, it takes me to the incorrect Download?
>> I did not know it was the the wrong software until
>> reading the 'Read Me' file, which then give the
>> model it was intended for ! (KG-UV6D)
>> I would have thought, that by Clicking on the KG-UVD1P
>> it would take me to the correct Software/Download? (KG-UV)
>>
>> Thanks for pointing out the discrepancy on the KC8UNJ.COM site.
>>
>> Stewart G3PMJ UK
>>
>>
>>
>>> On 30 October 2013 15:01, Gary <n9ptc@comcast.net> wrote:
>>> Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.
>>>
>>> http://www.kc8unj.com/kguv.html
>>>
>>> Gary N9PTC
>>>
>>>
>>> -------Original Message-------
>>> From: Stewart Revell [stewart.revell@...]
>>> Date: Wed, Oct 30, 2013
>>> To: [KG-UV_Commander@yahoogroups.com]
>>> Reply To: [KG-UV_Commander@yahoogroups.com]
>>> Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]
>>>
>>> Yes! That is the image I Clicked on.
>>>
>>> See screen shot.
>>> Mine is 2nd from right, bottom row.
>>> The Software, when downloaded turns out to NOT for this HT???
>>> (See the READ ME, for Version type, after Download ?)
>>>
>>> Maybe the WRONG Software has been associated with the wrong type?
>>>
>>> Please say where the correct Download is located?
>>>
>>> Thanks,
>>>
>>> Stewart G3PMJ UK
>>>
>>>
>>>
>>> On 30 October 2013 07:39, Jardy Dawson <JARDY72@yahoo.com> wrote:
>>> It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the

pics. I clicked on the proper one and it took me to the right page.
>>>
>>> Jardy Dawson WA7JRD
>>> Sent using sidewalk chalk.
>>>
>>>
>>> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...> wrote:
>>>
>>> Fine, Ishmael,
>>>
>>> I have just been to the Program Downloading site, looking for
>>> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>>>
>>> On selecting the image for my Radio, it takes me to the
>>> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
>>> So, I'm baffled??? Where is the Correct Software for Downloading
>>> for my Version?
>>> Maybe with the correct Software, I will be able to READ from my HT?
>>>
>>> Stewart G3PMJ UK
>>>
>>>
>>> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:
>>> Stewart,
>>>
>>> Did you manage to download the software and program the radio?
>>> I am still waiting for an update on the commander software, it seems that there has
been am upgrade in the firmware of the radios made in 2013 that is why the present
commander doesn’t work.
>>> Just read the CHIRP FAQ’s and you will get done
>>>
>>> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,
>>>
>>>
>>> Ishmael
>>>
>>> From: Stewart Revell [mailto:stewart.revell@...]
>>> Sent: Monday, October 28, 2013 2:38 PM
>>> To: Ishmael Cadogan
>>> Subject: Re: KG-UVD1P
>>>
>>> OK Ishmael,
>>> Thanks for the Link to try,
>>> Stewart G3PMJ UK
>>>
>>>
>>> View attachments on the web Reply via web post Reply to sender Reply to group Start a
New Topic
>>>
>>>
>>> ----------

```
>>>
>>> Yahoo Groups Links
>>>
>>>
>>>
>
```

619. RE: Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 00:19:05 UTC
From: <ed@...>
Topic: 609 Message: 619

Go to my web site and download the program FindComPort. It will tell you two things. 1- Is your cable working 2- What port it is really on.

http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt

If you have no success, most likely one of two things are happening. 1- The cable is not plugged firmly into the radio. Press firmly on the cable with your thumb while trying to read the radio.

2- And in my opinion, the most likely. You have a recently manufactured radio sold by a dealer that had Wouxun make changes to the radio's firmware. These changes were made because some dealers gave Wouxun false information on FCC Part 90 rules and Wouxun has, let's say, limited them. If programmed with the correct software from Wouxun.com, these changes will not prevent the software from working. As for Commander, unless Jim has updated the Commander software to take those changes into consideration, and I don't know this one way or the other, then Commander just may not work with those particular radios.

I do not allow the factory to make their misguided changes to my orders. You can always buy a 6D from me and I guarantee it will work with Commander.

Regards,
Ed Griffin
www.Wouxun.US

---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com> wrote:

OK all,

I'm now Running the correct Prog/Software.

I'm using WIN7 with the recommended OLD Drivers 3.2.0.0

configured for COM 3 Port.

Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)

(The Mini CD that came with the USB Lead is VERY Poor!

I am unable to find the Install Prog. for the KG-UVD1P on it,

it covers many Makes, but not my HT .

Maybe this LINK to eBay, will show the USB
Cable & Mini CD >>> http://tinyurl.com/nzr5qfz http://tinyurl.com/nzr5qfz)

I'm sure the KG-UV_ Prog will be very good, once it's working.

I'm beginning to loose interest.
Any further suggestions please?

Thanks,

SR UK

On 30 October 2013 23:18, ZIP-G <zip.doe@... mailto:zip.doe@...> wrote:

IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.
ZIPPY
----- Original Message -----
From: Stewart Revell mailto:stewart.revell@...
To: KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com
Sent: Wednesday, October 30, 2013 12:29
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P

Thanks all,

So, why when Clicking on the image of MY Radio

the KG-UVD1P, it takes me to the incorrect Download?

I did not know it was the the wrong software until

reading the 'Read Me' file, which then give the

model it was intended for ! (KG-UV6D)

I would have thought, that by Clicking on the KG-UVD1P

it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM http://KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@... mailto:n9ptc@...> wrote:
Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@... mailto:stewart.revell@...]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.

The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@... mailto:JARDY72@...> wrote:
It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson WA7JRD
Sent using sidewalk chalk.

On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@... mailto:stewart.revell@...> wrote:

Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/ http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@... mailto:ishmaelcadogan@...> wrote:
Stewart,

Did you manage to download the software and program the radio?
I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn’t work.
Just read the CHIRP FAQ’s and you will get done

Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,

Ishmael

From: Stewart Revell [mailto:stewart.revell@... mailto:stewart.revell@...]
Sent: Monday, October 28, 2013 2:38 PM
To: Ishmael Cadogan
Subject: Re: KG-UVD1P

OK Ishmael,
Thanks for the Link to try,
Stewart G3PMJ UK

View attachments on the web Reply via web post Reply to sender Reply to group Start a New Topic

---

Yahoo Groups Links

620. Re: Re: [KG-UV_Commander] Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 00:51:53 UTC
From: Stewart Revell
Topic: 609 Message: 620

Thanks Ed Griffin of Wouxun.us,

I've RUN the FindComPort Thanks.
All I'm getting is that "This Port is Available" COM 3 .
Nothing about the Cable working?
Nothing about cable with no Echo Loopback ???

Would there be anyway of checking this HT (Serial number?)
to give from which Batch it was made?

I've checked on the Commander Prog KG-UV_, but not sure
of the location for setting it to COM3 ?
It doesn't seem to be obvious to me, I am NOT a
computer Nerd!

Thanks for the other information.

SR UK

On 31 October 2013 00:19, <ed@...> wrote:

> **
>
>
> Go to my web site and download the program FindComPort. It will tell you
> two things. 1- Is your cable working 2- What port it is really on.
>
> http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
>
> http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt
>
>
> If you have no success, most likely one of two things are happening. 1-
> The cable is not plugged firmly into the radio. Press firmly on the cable
> with your thumb while trying to read the radio.
>
>
> 2- And in my opinion, the most likely. You have a recently manufactured
> radio sold by a dealer that had Wouxun make changes to the radio's
> firmware. These changes were made because some dealers gave Wouxun false
> information on FCC Part 90 rules and Wouxun has, let's say, limited them.
> If programmed with the correct software from Wouxun.com, these changes will
> not prevent the software from working. As for Commander, unless Jim has
> updated the Commander software to take those changes into consideration,
> and I don't know this one way or the other, then Commander just may not
> work with those particular radios.
>

>
> I do not allow the factory to make their misguided changes to my orders.
> You can always buy a 6D from me and I guarantee it will work with
> Commander.
>
>
> Regards,
>
> Ed Griffin
>
> www.Wouxun.US
>
>
>
>
>
>
> ---In KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com>
> wrote:
>
> OK all,
> I'm now Running the correct Prog/Software.
> I'm using WIN7 with the recommended OLD Drivers 3.2.0.0
> configured for COM 3 Port.
> Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)
>
> (The Mini CD that came with the USB Lead is VERY Poor!
> I am unable to find the Install Prog. for the KG-UVD1P on it,
> it covers many Makes, but not my HT .
> Maybe this LINK to eBay, will show the USB
> Cable & Mini CD >>> http://tinyurl.com/nzr5qfz)
>
> I'm sure the KG-UV_ Prog will be very good, once it's working.
>
> I'm beginning to loose interest.
> Any further suggestions please?
> Thanks,
> SR UK
>
>
> On 30 October 2013 23:18, ZIP-G <zip.doe@...> wrote:
>
> **
>
>
> **
> *IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.*
> *ZIPPY*
>
> ----- Original Message -----

> *From:* Stewart Revell <stewart.revell@...>
> *To:* KG-UV_Commander@yahoogroups.com
> *Sent:* Wednesday, October 30, 2013 12:29
> *Subject:* Re: [KG-UV_Commander] Re: KG-UVD1P
>
>
>
> Thanks all,
>
> So, why when Clicking on the image of MY Radio
> the KG-UVD1P, it takes me to the incorrect Download?
> I did not know it was the the wrong software until
> reading the 'Read Me' file, which then give the
> model it was intended for ! (*KG-UV6D)
> *
> I would have thought, that by Clicking on the KG-UVD1P
> it would take me to the correct Software/Download? (KG-UV)
>
> Thanks for pointing out the discrepancy on the KC8UNJ.COM site.
>
> Stewart G3PMJ UK
>
>
>
> On 30 October 2013 15:01, Gary <n9ptc@...> wrote:
>
> Here is the direct link for the correct KG-UV Commander for your radio. It
> was found with a simple Google search.
>
> http://www.kc8unj.com/kguv.html
>
> Gary N9PTC
>
>
> -------Original Message-------
> From: Stewart Revell [stewart.revell@...]
> Date: Wed, Oct 30, 2013
> To: [KG-UV_Commander@yahoogroups.com]
> Reply To: [KG-UV_Commander@yahoogroups.com]
> Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]
>
> Yes! That is the image I Clicked on.
>
> See screen shot.
> Mine is 2nd from right, bottom row.
> The Software, when downloaded turns out to NOT for this HT???
> (See the READ ME, for Version type, after Download ?)
>
> Maybe the WRONG Software has been associated with the wrong type?
>

> Please say where the correct Download is located?
>
> Thanks,
>
> Stewart G3PMJ UK
>
>
>
> On 30 October 2013 07:39, Jardy Dawson <JARDY72@...> wrote:
> It is not the photo in the lower right hand corner that says "KG-UV6D",
> but the picture to the left that says "KG-UV 1, 2, and 3". Look a little
> closer to the titles under the pics. I clicked on the proper one and it
> took me to the right page.
>
> Jardy Dawson WA7JRD
> Sent using sidewalk chalk.
>
>
> On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@...> wrote:
>
> Fine, Ishmael,
>
> I have just been to the Program Downloading site, looking for
> specify software for my KG-UVD1P. (http://www.kc8unj.com/)
>
> On selecting the image for my Radio, it takes me to the
> Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
> So, I'm baffled??? Where is the Correct Software for Downloading
> for my Version?
> Maybe with the correct Software, I will be able to READ from my HT?
>
> Stewart G3PMJ UK
>
>
> On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@...> wrote:
> Stewart,
>
> Did you manage to download the software and program the radio?
> I am still waiting for an update on the commander software, it seems that
> there has been am upgrade in the firmware of the radios made in 2013 that
> is why the present commander doesn’t work.
> Just read the CHIRP FAQ’s and you will get done
>
> Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of
> my friends,
>
>
> Ishmael
>
> From: Stewart Revell [mailto:stewart.revell@...]

> Sent: Monday, October 28, 2013 2:38 PM
> To: Ishmael Cadogan
> Subject: Re: KG-UVD1P
>
> OK Ishmael,
> Thanks for the Link to try,
> Stewart G3PMJ UK
>
>
> View attachments on the web Reply via web post Reply to sender Reply to
> group Start a New Topic
>
>
> ---
>
> Yahoo Groups Links
>
>
>
>
>
>
>

621. RE: Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 03:17:10 UTC
From: <ed@...>
Topic: 609 Message: 621

If your cable was working, you will get the "Echo Loopback" message. You either have 1- a defective cable or 2- an incorrect driver. I believe you mentioned Windows 7, so my money is on the driver. It is a Windows problem. Read the driver info on this page and hopefully you can get it sorted. http://www.wouxun.us/item.php?item_id=300&manufacturer_id=43

Regards,
Ed Griffin
www.ImportCommunications.com

---In kg-uv_commander@yahoogroups.com, <stewart.revell@...> wrote:

Thanks Ed Griffin of Wouxun.us,

I've RUN the FindComPort Thanks.

All I'm getting is that "This Port is Available" COM 3 .

Nothing about the Cable working?

Nothing about cable with no Echo Loopback ???

Would there be anyway of checking this HT (Serial number?)

to give from which Batch it was made?

I've checked on the Commander Prog KG-UV_, but not sure

of the location for setting it to COM3 ?

It doesn't seem to be obvious to me, I am NOT a
computer Nerd!

Thanks for the other information.

SR UK

On 31 October 2013 00:19, <ed@... mailto:ed@...> wrote:
Go to my web site and download the program FindComPort. It will tell you two things. 1- Is your cable working 2- What port it is really on.

http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt
http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt

If you have no success, most likely one of two things are happening. 1- The cable is not plugged firmly into the radio. Press firmly on the cable with your thumb while trying to read the radio.

2- And in my opinion, the most likely. You have a recently manufactured radio sold by a dealer that had Wouxun make changes to the radio's firmware. These changes were made because some dealers gave Wouxun false information on FCC Part 90 rules and Wouxun has, let's say, limited them. If programmed with the correct software from Wouxun.com, these changes will not prevent the software from working. As for Commander, unless Jim has updated the Commander software to take those changes into consideration, and I don't know this one way or the other, then Commander just may not work with those particular radios.

I do not allow the factory to make their misguided changes to my orders. You can always buy a 6D from me and I guarantee it will work with Commander.

Regards,
Ed Griffin
www.Wouxun.US http://www.Wouxun.US

---In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com, <kg-uv_commander@yahoogroups.com mailto:kg-uv_commander@yahoogroups.com> wrote:

OK all,

I'm now Running the correct Prog/Software.

I'm using WIN7 with the recommended OLD Drivers 3.2.0.0

configured for COM 3 Port.

Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)

(The Mini CD that came with the USB Lead is VERY Poor!

I am unable to find the Install Prog. for the KG-UVD1P on it,

it covers many Makes, but not my HT .

Maybe this LINK to eBay, will show the USB
Cable & Mini CD >>> http://tinyurl.com/nzr5qfz http://tinyurl.com/nzr5qfz)

I'm sure the KG-UV_ Prog will be very good, once it's working.

I'm beginning to loose interest.
Any further suggestions please?

Thanks,

SR UK

On 30 October 2013 23:18, ZIP-G <zip.doe@... mailto:zip.doe@...> wrote:

IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.
ZIPPY
----- Original Message -----
From: Stewart Revell mailto:stewart.revell@...
To: KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com
Sent: Wednesday, October 30, 2013 12:29
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P

Thanks all,

So, why when Clicking on the image of MY Radio

the KG-UVD1P, it takes me to the incorrect Download?

I did not know it was the the wrong software until

reading the 'Read Me' file, which then give the

model it was intended for ! (KG-UV6D)

I would have thought, that by Clicking on the KG-UVD1P

it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM http://KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@... mailto:n9ptc@...> wrote:
Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@... mailto:stewart.revell@...]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@... mailto:JARDY72@...> wrote:
It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson WA7JRD
Sent using sidewalk chalk.

On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@... mailto:stewart.revell@...> wrote:

Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/ http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@... mailto:ishmaelcadogan@...> wrote:
Stewart,

Did you manage to download the software and program the radio?
I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn’t work.
Just read the CHIRP FAQ’s and you will get done

Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,

Ishmael

From: Stewart Revell [mailto:stewart.revell@... mailto:stewart.revell@...]
Sent: Monday, October 28, 2013 2:38 PM
To: Ishmael Cadogan
Subject: Re: KG-UVD1P

OK Ishmael,
Thanks for the Link to try,
Stewart G3PMJ UK

View attachments on the web Reply via web post Reply to sender Reply to group Start a New Topic

---

Yahoo Groups Links

622. RE: Re: KG-UVD1P

Yahoo group: KG-UV_Commander
Date: 2013-10-31 14:51:41 UTC
From: <ed@...>
Topic: 609 Message: 622

All working Wouxun cables I've ever tested with FindComPort would return with the "cable without Echo Loopback" results. A USB cable I use with the X1M QRP radio only reports "port available". So I'm unsure about your results, probably the cable is good.

Perhaps I did not read your earlier posts close enough but after seeing the jpg you emailed, maybe I now know your problem. Your radio's serial number of K08..... shows the radio was made in August of 2011 (certainly not "new"). Also the frequency range shows it is a 4 meter / 2 meter radio. I have not kept up with the development of Commander, but I don't think Jim included that range in the program. Maybe that's why it's not working.

Download this program from my site and see if it will get you going. http://wouxun.us/Software/Programming_Software/KG-UV2D%20(136-174&66-88).zip It is the factory software for radios of your frequency range.

Regards,
Ed Griffin
www.ImportCommunications.com

---In kg-uv_commander@yahoogroups.com, <ed@...> wrote:

If your cable was working, you will get the "Echo Loopback" message. You either have 1- a defective cable or 2- an incorrect driver. I believe you mentioned Windows 7, so my money is on the driver. It is a Windows problem. Read the driver info on this page and hopefully you can get it sorted. http://www.wouxun.us/item.php?item_id=300&manufacturer_id=43

Regards,
Ed Griffin
www.ImportCommunications.com

---In kg-uv_commander@yahoogroups.com, <stewart.revell@...> wrote:

Thanks Ed Griffin of Wouxun.us,

I've RUN the FindComPort Thanks.

All I'm getting is that "This Port is Available" COM 3 .

Nothing about the Cable working?

Nothing about cable with no Echo Loopback ???

Would there be anyway of checking this HT (Serial number?)

to give from which Batch it was made?

I've checked on the Commander Prog KG-UV_, but not sure

of the location for setting it to COM3 ?

It doesn't seem to be obvious to me, I am NOT a
computer Nerd!

Thanks for the other information.

SR UK

On 31 October 2013 00:19, <ed@... mailto:ed@...> wrote:
Go to my web site and download the program FindComPort. It will tell you two things. 1- Is your cable working 2- What port it is really on.

http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
http://wouxun.us/Software/USB%20Drivers/FindComPort.exe
http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt
http://wouxun.us/Software/USB%20Drivers/How%20to%20use%20FindComPort.txt

If you have no success, most likely one of two things are happening. 1- The cable is not plugged firmly into the radio. Press firmly on the cable with your thumb while trying to read the radio.

2- And in my opinion, the most likely. You have a recently manufactured radio sold by a dealer that had Wouxun make changes to the radio's firmware. These changes were made because some dealers gave Wouxun false information on FCC Part 90 rules and Wouxun has, let's say, limited them. If programmed with the correct software from Wouxun.com, these changes will not prevent the software from working. As for Commander, unless Jim has updated the Commander software to take those changes into consideration, and I don't know this one way or the other, then Commander just may not work with those particular radios.

I do not allow the factory to make their misguided changes to my orders. You can always buy a 6D from me and I guarantee it will work with Commander.

Regards,
Ed Griffin
www.Wouxun.US http://www.Wouxun.US

---In KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com,
<kg-uv_commander@yahoogroups.com mailto:kg-uv_commander@yahoogroups.com> wrote:

OK all,

I'm now Running the correct Prog/Software.

I'm using WIN7 with the recommended OLD Drivers 3.2.0.0

configured for COM 3 Port.

Sadly, still no READ from my KG-UVD1P (Not tried SEND, just in case!)

(The Mini CD that came with the USB Lead is VERY Poor!

I am unable to find the Install Prog. for the KG-UVD1P on it,

it covers many Makes, but not my HT .

Maybe this LINK to eBay, will show the USB
Cable & Mini CD >>> http://tinyurl.com/nzr5qfz http://tinyurl.com/nzr5qfz)

I'm sure the KG-UV_ Prog will be very good, once it's working.

I'm beginning to loose interest.
Any further suggestions please?

Thanks,

SR UK

On 30 October 2013 23:18, ZIP-G <zip.doe@... mailto:zip.doe@...> wrote:

IT WORKED FINE FOR ME, IT DOES SAY THAT IT IS NOT FOR THE KG-UV6D.
ZIPPY
----- Original Message -----
From: Stewart Revell mailto:stewart.revell@...
To: KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com
Sent: Wednesday, October 30, 2013 12:29
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P

Thanks all,

So, why when Clicking on the image of MY Radio

the KG-UVD1P, it takes me to the incorrect Download?

I did not know it was the the wrong software until

reading the 'Read Me' file, which then give the

model it was intended for ! (KG-UV6D)

I would have thought, that by Clicking on the KG-UVD1P

it would take me to the correct Software/Download? (KG-UV)

Thanks for pointing out the discrepancy on the KC8UNJ.COM http://KC8UNJ.COM site.

Stewart G3PMJ UK

On 30 October 2013 15:01, Gary <n9ptc@... mailto:n9ptc@...> wrote:
Here is the direct link for the correct KG-UV Commander for your radio. It was found with a simple Google search.

http://www.kc8unj.com/kguv.html http://www.kc8unj.com/kguv.html

Gary N9PTC

-------Original Message-------
From: Stewart Revell [stewart.revell@... mailto:stewart.revell@...]
Date: Wed, Oct 30, 2013
To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Reply To: [KG-UV_Commander@yahoogroups.com mailto:KG-UV_Commander@yahoogroups.com]
Subject: Re: [KG-UV_Commander] Re: KG-UVD1P [1 Attachment]

Yes! That is the image I Clicked on.

See screen shot.
Mine is 2nd from right, bottom row.
The Software, when downloaded turns out to NOT for this HT???
(See the READ ME, for Version type, after Download ?)

Maybe the WRONG Software has been associated with the wrong type?

Please say where the correct Download is located?

Thanks,

Stewart G3PMJ UK

On 30 October 2013 07:39, Jardy Dawson <JARDY72@... mailto:JARDY72@...> wrote:
It is not the photo in the lower right hand corner that says "KG-UV6D", but the picture to the left that says "KG-UV 1, 2, and 3". Look a little closer to the titles under the pics. I clicked on the proper one and it took me to the right page.

Jardy Dawson WA7JRD
Sent using sidewalk chalk.

On Oct 29, 2013, at 17:08, Stewart Revell <stewart.revell@... mailto:stewart.revell@...> wrote:

Fine, Ishmael,

I have just been to the Program Downloading site, looking for
specify software for my KG-UVD1P. (http://www.kc8unj.com/ http://www.kc8unj.com/)

On selecting the image for my Radio, it takes me to the
Software I am already using...KG-UV6D Commander - Version 0.1.0 BETA ?
So, I'm baffled??? Where is the Correct Software for Downloading
for my Version?
Maybe with the correct Software, I will be able to READ from my HT?

Stewart G3PMJ UK

On 29 October 2013 23:40, Ishmael Cadogan <ishmaelcadogan@... mailto:ishmaelcadogan@...> wrote:
Stewart,

Did you manage to download the software and program the radio?
I am still waiting for an update on the commander software, it seems that there has been am upgrade in the firmware of the radios made in 2013 that is why the present commander doesn’t work.
Just read the CHIRP FAQ’s and you will get done

Since programming my KG-UVD1P, I have programmed two BF UV-5R+ for two of my friends,

Ishmael

From: Stewart Revell [mailto:stewart.revell@... mailto:stewart.revell@...]
Sent: Monday, October 28, 2013 2:38 PM

To: Ishmael Cadogan
Subject: Re: KG-UVD1P

OK Ishmael,
Thanks for the Link to try,
Stewart G3PMJ UK

View attachments on the web Reply via web post Reply to sender Reply to group Start a New Topic

---

Yahoo Groups Links

623. RE: Running uv-commander on Ubuntu linux

Yahoo group: KG-UV_Commander
Date: 2013-12-08 02:53:45 UTC
From: <cbrompton@...>
Topic: 495 Message: 623

If you're still interested I have it running in a wineskin wrapper in osx. its fairly straight forward

624. wouxun kg-uvdp1

Yahoo group: KG-UV_Commander
Date: 2013-12-29 16:32:57 UTC
From: <n4jem@...>
Topic: 624 Message: 624

trying to enter frequency 151.01750 is goes backto 151.01500 like the old batwing rss is thare a way to get it entered.
I using the original wouxun software still trying to get kg-uv commander to work tried 7 two different versions winme usb & serial even win98se is true rs232 serial no luck win7 lap top is used for batwing kwood vertex so is desktop win 7 all of these are usb win 98se laptop is serial only any help is appricated thanks

625. Re: [KG-UV_Commander] wouxun kg-uvdp1

Yahoo group: KG-UV_Commander
Date: 2013-12-29 18:04:51 UTC
From: Kb3hg@...
Topic: 624 Message: 625

First, the obvious, does your radio support 2.5KHz steps? 2nd does the version of software support it? Sounds like an pre 2.5 KHz radio.

-----Original Message-----
From: n4jem <n4jem@...>
To: KG-UV_Commander <KG-UV_Commander@yahoogroups.com>
Sent: Sun, Dec 29, 2013 11:32 am
Subject: [KG-UV_Commander] wouxun kg-uvdp1

trying to enter frequency 151.01750 is goes backto 151.01500 like the old batwing rss
is thare a way to get it entered.
I using the original wouxun software still trying to get kg-uv commander to work tried 7
two different versions winme usb & serial even win98se is true rs232 serial no luck
win7 lap top is used for batwing kwood vertex so is desktop win 7 all of these are usb win
98se laptop is serial only any help is appricated thanks

626. Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-26 03:36:47 UTC
From: n6jsx@...
Topic: 542 Message: 626

Most interesting as we bought a Wouxun Black USB cable form AES today. The driver enabled the cable just fine on y WinXP SP3 NB.

But when I tried to setup the owners Win7 64b Home, we got Code 10, all the time.
We DL from Wouxun the (Vista) driver and tried to install - code 10..
We tried the Red cable driver - code 10.
(and yes we uninstalled and rebooted each attempt - even did a Registry clean)

There is something more afoot with Win7 64b that will not take the driver, I do not think it is this lock out issue you speak. If so Wouxun/AES is selling the bad chip cables and does not have the right driver on their web site.

627. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-26 04:01:49 UTC
From: Bill Maxwell
Topic: 542 Message: 627

On 26/07/2014 1:36 PM, n6jsx@... [KG-UV_Commander] wrote:
>
>
> Most interesting as we bought a Wouxun Black USB cable form AES today.
> The driver enabled the cable just fine on y WinXP SP3 NB.
>
> But when I tried to setup the owners Win7 64b Home, we got Code 10,
> all the time.
> We DL from Wouxun the (Vista) driver and tried to install - code 10..
> We tried the Red cable driver - code 10.
> (and yes we uninstalled and rebooted each attempt - even did a
> Registry clean)
>
> There is something more afoot with Win7 64b that will not take the
> driver, I do not think it is this lock out issue you speak. If so
> Wouxun/AES is selling the bad chip cables and does not have the right
> driver on their web site.
>
>

628. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-26 05:35:58 UTC
From: Bob Nielsen
Topic: 542 Message: 628

Check here for a possible/probable solution:
http://www.miklor.com/COM/UV_Drivers.php#cable

Bob, N7XY

On Jul 25, 2014, at 8:36 PM, n6jsx@... [KG-UV_Commander] <KG-UV_Commander@yahoogroups.com> wrote:

> Most interesting as we bought a Wouxun Black USB cable form AES today. The driver enabled the cable just fine on y WinXP SP3 NB.
>
> But when I tried to setup the owners Win7 64b Home, we got Code 10, all the time.
> We DL from Wouxun the (Vista) driver and tried to install - code 10..
> We tried the Red cable driver - code 10.
> (and yes we uninstalled and rebooted each attempt - even did a Registry clean)
>
> There is something more afoot with Win7 64b that will not take the driver, I do not think it is this lock out issue you speak. If so Wouxun/AES is selling the bad chip cables and does not have the right driver on their web site.
>
>

629. Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-26 16:23:47 UTC
From: kg4jry@...
Topic: 542 Message: 629

I had the same problem with Win7,found out you have to use USB Driver Ver 3.2.0.0

630. Re: [KG-UV_Commander] Re: Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-26 16:55:56 UTC
From: W3TLN
Topic: 542 Message: 630

Untistall current driver then.....

Install driver BEFORE plugging in cable and HT.

-W3TLN

>
>
>
> Most interesting as we bought a Wouxun Black USB cable form AES today. The driver enabled
> the cable just fine on y WinXP SP3 NB.
>
> But when I tried to setup the owners Win7 64b Home, we got Code 10, all the time.
> We DL from Wouxun the (Vista) driver and tried to install - code 10..
> We tried the Red cable driver - code 10.
> (and yes we uninstalled and rebooted each attempt - even did a Registry clean)
>
> There is something more afoot with Win7 64b that will not take the driver, I do not think
it is this
> lock out issue you speak. If so Wouxun/AES is selling the bad chip cables and does not
have the
> right driver on their web site.
>
>
>
>

631. UV3D: 2m/220 programming

Yahoo group: KG-UV_Commander
Date: 2014-07-27 19:00:11 UTC
From: n6jsx@...
Topic: 631 Message: 631

Can KG-UV be used to program the 2m/220 UV3? Is there any special methods/initalization required, i.e. read is first, save file, then modify so the bands are known?

Also I no longer see 'band limits' in the Memory menu? How is MARS opened in 014b?

Side note: major faux-pas, as there is >>>NO<<< external way to know if the UV3D is the 2m/440 or the 2m/220 version - not even a model designation label difference (hell of a QA/ISO9K method in China)! The only way ti to flip the battery off and read the internal label.

632. Re: [KG-UV_Commander] Can't get USB programming cable to work...

Yahoo group: KG-UV_Commander
Date: 2014-07-27 19:01:58 UTC
From: n6jsx@...
Topic: 542 Message: 632

This worked.... Installed the 2007 driver and all is now good.

The 2013 & 2014 drivers do not work for this Wouxun sold 'black' cable and the driver on their web site does not work for Win7 64b. Use the link in this string to get the RIGHT and GOOD WORKING procedure.

633. Re: [KG-UV_Commander] UV3D: 2m/220 programming

Yahoo group: KG-UV_Commander
Date: 2014-07-27 19:23:26 UTC
From: Jardy Dawson
Topic: 631 Message: 633

Yes you can use the program to do 220. ALWAYS read the radio first, even is you already have a template you want to load. The program has to know certain things about the radio before you write to it. The radio should already work wide enough for MARS. You can flip through the memory channels in frequency mode to see what version you have in your hand.

Jardy Dawson
WA7JRD Ham Radio

Message relayed through SETI (Search for Extra-Terrestrial Intelligence, although no terrestrial intelligence has been found yet, either)

> On Jul 27, 2014, at 12:00, "n6jsx@... [KG-UV_Commander]" <KG-UV_Commander@yahoogroups.com> wrote:
>
> Can KG-UV be used to program the 2m/220 UV3? Is there any special methods/initalization required, i.e. read is first, save file, then modify so the bands are known?
>
> Also I no longer see 'band limits' in the Memory menu? How is MARS opened in 014b?
>
>
>
>
>
> Side note: major faux-pas, as there is >>>NO<<< external way to know if the UV3D is the 2m/440 or the 2m/220 version - not even a model designation label difference (hell of a QA/ISO9K method in China)! The only way ti to flip the battery off and read the internal label.
>
>

634. Re: [KG-UV_Commander] UV3D: 2m/220 programming

Yahoo group: KG-UV_Commander
Date: 2014-07-27 20:49:19 UTC
From: Jay Rutherford
Topic: 631 Message: 634

I got my 2m/220 UV-3D after my 2m/440 one. After modifying the 2m/440 file to remove the 440 frequencies and add the 220 ones, I bricked the radio...twice. So the advice to ALWAYS read the radio first is excellent, but also remember to SAVE the file that you read as reloading that file is apparently the only way to get the radio "back" from being bricked.

73
Jay K3BH

On 07/27/2014 03:23 PM, Jardy Dawson JARDY72@... [KG-UV_Commander] wrote:
>
>
> Yes you can use the program to do 220. ALWAYS read the radio first,
> even is you already have a template you want to load.

635. KG-UV8D PGM ???

Yahoo group: KG-UV_Commander
Date: 2014-11-17 15:03:56 UTC
From: n6jsx@...
Topic: 635 Message: 635

Any status in creating a KG-UV8D program?

636. Re: [KG-UV_Commander] KG-UV8D PGM ???

Yahoo group: KG-UV_Commander
Date: 2014-11-17 18:26:10 UTC
From: Jardy Dawson
Topic: 635 Message: 636

Try http://www.miklor.com/UV8D/UV8D-Software.php

Jardy Dawson
WA7JRD Ham Radio

Message relayed through SETI (Search for Extra-Terrestrial Intelligence, although no terrestrial intelligence has been found yet, either)

> On Nov 17, 2014, at 07:03, n6jsx@... [KG-UV_Commander] <KG-UV_Commander@yahoogroups.com> wrote:
>
> Any status in creating a KG-UV8D program?
>
>

637. Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 05:01:18 UTC
From: hardyp3@...
Topic: 637 Message: 637

Help! I downloaded the latest version of the Wouxun software, v2.14, for the KG-UVD1P and installed the Silicon Labs CP210x USB to UART Bridge driver. It is acting as COM5. The Wouxun software recognizes COM5 (it's the only com port that isn't greyed out on the Communication Port screen). I am also running Windows 10 Home, Version 1709 (OS Build 16299.371). The usb cable is labeled Wouxun, is a red-orange color. When inserted into a usb port, device manager reports com5 with Silicon Labs CP210x USB to UART Bridge (COM5). The two driver files are silabenm.sys and silabser.sys. I get 'failed connection' errors when attempting to read from the radio. I get essentially the same thing from KG-UV Commander v0.1.4 (beta). Has anyone run into this problem lately? The messages from 2014 and earlier all relate to problems with Prolific clones and incompatible drivers. I'm not sure that applies here.
Cheers..
--KG5ZID

638. Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 05:17:35 UTC
From: David A. Behar
Topic: 637 Message: 638

Hi KG5ZID,

I am hopeful that someone might be able to help you. However, if you are not able to get KG-UV Commander working, another option is CHIRP <https://chirp.danplanet.com/projects/chirp>, which is also free and reportedly supports your radio (see Supported Radios <https://chirp.danplanet.com/projects/chirp/wiki/Supported_Radios>).

David A. Behar
/ K7DB

On Sun, Apr 29, 2018 at 10:01 PM, hardyp3@... [KG-UV_Commander] <
KG-UV_Commander@yahoogroups.com> wrote:

>
>
> Help! I downloaded the latest version of the Wouxun software, v2.14, for
> the KG-UVD1P and installed the Silicon Labs CP210x USB to UART Bridge
> driver. It is acting as COM5. The Wouxun software recognizes COM5 (it's the
> only com port that isn't greyed out on the Communication Port screen). I am
> also running Windows 10 Home, Version 1709 (OS Build 16299.371). The usb
> cable is labeled Wouxun, is a red-orange color. When inserted into a usb
> port, device manager reports com5 with Silicon Labs CP210x USB to UART
> Bridge (COM5). The two driver files are silabenm.sys and silabser.sys. I
> get 'failed connection' errors when attempting to read from the radio. I
> get essentially the same thing from KG-UV Commander v0.1.4 (beta). Has
> anyone run into this problem lately? The messages from 2014 and earlier all
> relate to problems with Prolific clones and incompatible drivers. I'm not
> sure that applies here.
>
> Cheers..
>
> --KG5ZID
>
>
>
>

639. RE: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 14:44:01 UTC
From: Enrique A. Wembagher LU8EFF
Topic: 637 Message: 639
Attachments: 1 described; binary payloads are missing from this source WARC

Hi,

Read the doc.

Enrique LU8EFF

De: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com]
Enviado el: lunes, 30 de abril de 2018 02:01
Para: KG-UV_Commander@yahoogroups.com
Asunto: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Help! I downloaded the latest version of the Wouxun software, v2.14, for the KG-UVD1P and installed the Silicon Labs CP210x USB to UART Bridge driver. It is acting as COM5. The Wouxun software recognizes COM5 (it's the only com port that isn't greyed out on the Communication Port screen). I am also running Windows 10 Home, Version 1709 (OS Build 16299.371). The usb cable is labeled Wouxun, is a red-orange color. When inserted into a usb port, device manager reports com5 with Silicon Labs CP210x USB to UART Bridge (COM5). The two driver files are silabenm.sys and silabser.sys. I get 'failed connection' errors when attempting to read from the radio. I get essentially the same thing from KG-UV Commander v0.1.4 (beta). Has anyone run into this problem lately? The messages from 2014 and earlier all relate to problems with Prolific clones and incompatible drivers. I'm not sure that applies here.

Cheers..

--KG5ZID

El software de antivirus Avast ha analizado este correo electrónico en busca de virus.
https://www.avast.com/antivirus

640. Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 20:13:08 UTC
From: hardyp3@...
Topic: 637 Message: 640

Gracias Enrique for the well written instructions on how to roll back the Prolific driver. Unfortunately my USB chip enumerates as a Silicon Labs chip, not a Prolific one. It's the newer Wouxun (red) cable. I'll try K7DB's solution and get CHIRP. Thanks again for the quick reply!
73
--KG5ZID

641. Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 20:38:08 UTC
From: hardyp3@...
Topic: 637 Message: 641

Thanks David. I just tried CHIRP for Windows. I was pleased that it had the first decent instructions on the correct procedure (turn radio off, insert cable, turn radio on, etc). Unfortunately, it too gave an error when trying to download from the radio: Failed to communicate with radio: Radio not responding.
At this point it looks like I'm going to have to resort to manual programming as I'm running out of time. I'll play with it some more when I get back from our annual road trip. I like the idea of a live Linux CD and will have to try that out when I get more time.
Cheers..
--KG5ZID

642. Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 20:58:49 UTC
From: hardyp3@...
Topic: 637 Message: 642

David (or anyone!), is there a way to install a loopback on the Wouxun cable? That was always my standard way of checking out uart connections but I know nothing about the configuration of the Wouxun cable. If I could hook it up in a loopback mode I could at least check it out with Putty or another terminal emulator.
--KG5ZID

643. Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 21:08:08 UTC
From: taoswheat@...
Topic: 637 Message: 643

Make sure you pressed the two pin connector into the radio really hard. Look at the plug to radio interface and verify no gap. Sometimes I find a radio/cable combination that really takes a more than firm press to fully engage the connector.
JohnW
W5JHW

644. Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 21:03:42 UTC
From: ZIP
Topic: 637 Message: 644

why don't you go to the chirp website and do some research to find the problem? it is probably somewhere in the cable, not seated or a driver problem.
----- Original Message -----
From: hardyp3@... [KG-UV_Commander]
To: KG-UV_Commander@yahoogroups.com
Sent: 30 April, 2018 16:58
Subject: Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

David (or anyone!), is there a way to install a loopback on the Wouxun cable? That was always my standard way of checking out uart connections but I know nothing about the configuration of the Wouxun cable. If I could hook it up in a loopback mode I could at least check it out with Putty or another terminal emulator.
--KG5ZID

645. RE: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-04-30 22:44:22 UTC
From: Gary Desler
Topic: 637 Message: 645
Attachments: 3 described; binary payloads are missing from this source WARC

Windows 10 will not let you use a knock off Prolific chip. As soon as you try to load and use the work around drivers windows restores the version that disallows the use of knock offs.

You will need to buy a cable with the proper chip, or manual program.

Gary

AA7YO

From: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com]
Sent: Monday, April 30, 2018 5:04 PM
To: KG-UV_Commander@yahoogroups.com
Subject: Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

□

why don't you go to the chirp website and do some research to find the problem? it is probably somewhere in the cable, not seated or a driver problem.

----- Original Message -----

From: hardyp3@... [KG-UV_Commander] <mailto:hardyp3@yahoo.com%20[KG-UV_Commander]>

To: KG-UV_Commander@yahoogroups.com

Sent: 30 April, 2018 16:58

Subject: Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

David (or anyone!), is there a way to install a loopback on the Wouxun cable? That was always my standard way of checking out uart connections but I know nothing about the configuration of the Wouxun cable. If I could hook it up in a loopback mode I could at least check it out with Putty or another terminal emulator.
--KG5ZID

646. Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-05-01 00:49:39 UTC
From: Jardy
Topic: 637 Message: 646

That is not true. I have several cables that seem to have a fake Prolific chip in them, they work fine. On occasion, you must restore the older driver, but it is not a big deal to me.

Jardy Dawson WA7JRD
Message sent through sub space hailing frequencies using the Universal Translator.

> On Apr 30, 2018, at 15:44, Gary Desler gdesler@... [KG-UV_Commander] <KG-UV_Commander@yahoogroups.com> wrote:
>
> Windows 10 will not let you use a knock off Prolific chip. As soon as you try to load and use the work around drivers windows restores the version that disallows the use of knock offs.
>
> You will need to buy a cable with the proper chip, or manual program.
>
> Gary
>
> AA7YO
>
>
>
> From: KG-UV_Commander@yahoogroups.com [mailto:KG-UV_Commander@yahoogroups.com]
> Sent: Monday, April 30, 2018 5:04 PM
> To: KG-UV_Commander@yahoogroups.com
> Subject: Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem
>
>
>
>
>
> □
>
> why don't you go to the chirp website and do some research to find the problem? it is probably somewhere in the cable, not seated or a driver problem.
>
> ----- Original Message -----
>
> From: hardyp3@... [KG-UV_Commander]
>
> To: KG-UV_Commander@yahoogroups.com
>
> Sent: 30 April, 2018 16:58
>
> Subject: Re: [KG-UV_Commander] Windows 10 and KG-UVD1P problem
>

>
>
>
>
> David (or anyone!), is there a way to install a loopback on the Wouxun cable? That was always my standard way of checking out uart connections but I know nothing about the configuration of the Wouxun cable. If I could hook it up in a loopback mode I could at least check it out with Putty or another terminal emulator.
> --KG5ZID
>
>
>

647. Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-05-01 01:46:34 UTC
From: hardyp3@...
Topic: 637 Message: 647

Thanks to all who have replied so far! Here's the latest on my saga:
After getting basically the same response from CHIRP as I got from the other two programs (communication error), I tried the CHIRP live CD. That was a great idea which bypasses all knockoff chip troubles and Win10 driver issues in one fell swoop. I slapped the iso onto a spare 1GB thumb drive, booted it up in an old rusty laptop I save for such purposes, and voila! There is CHIRP running nicely under Xubuntu! As per the instructions, I plugged the Wouxun red USB cable into both my KG-UVD1 radio and a free USB port, turned on the radio, clicked on Radio etc and got basically the same result as before "Failed to communicate with radio. Radio not responding".
So it appears that I have either a bad cable, a bad radio, or both. I refuse to accept that I have a bad radio so I'll tinker some more with the cable. When I get time that is!
Thanks again all.
73
--KG5ZID

648. Re: [KG-UV_Commander] Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-05-01 02:22:09 UTC
From: David A. Behar
Topic: 637 Message: 648

Hi KG5ZID,

One other thing to check (even though it's probably not the problem)...

I recall some people have reported that sometimes the two-jack connector
that plugs into the radio sometimes appears to be fully seated, but in fact
it needs an extra push to *really* be seated. So it might be good to check
that just to be sure all the bases are covered.

David / K7DB

On Mon, Apr 30, 2018 at 6:46 PM, hardyp3@... [KG-UV_Commander] <
KG-UV_Commander@yahoogroups.com> wrote:

>
>
> Thanks to all who have replied so far! Here's the latest on my saga:
> After getting basically the same response from CHIRP as I got from the
> other two programs (communication error), I tried the CHIRP live CD. That
> was a great idea which bypasses all knockoff chip troubles and Win10 driver
> issues in one fell swoop. I slapped the iso onto a spare 1GB thumb drive,
> booted it up in an old rusty laptop I save for such purposes, and voila!
> There is CHIRP running nicely under Xubuntu! As per the instructions, I
> plugged the Wouxun red USB cable into both my KG-UVD1 radio and a free USB
> port, turned on the radio, clicked on Radio etc and got basically the same
> result as before "Failed to communicate with radio. Radio not responding".
> So it appears that I have either a bad cable, a bad radio, or both. I
> refuse to accept that I have a bad radio so I'll tinker some more with the
> cable. When I get time that is!
> Thanks again all.
> 73
> --KG5ZID
>
>

649. Re: Windows 10 and KG-UVD1P problem

Yahoo group: KG-UV_Commander
Date: 2018-05-01 03:03:50 UTC
From: hardyp3@...
Topic: 637 Message: 649

Problem SOLVED!
It's the cable.
I couldn't believe my old paper clip jumper between TX and RX wasn't working, so I tried it again. I'm using a windows version of Putty which is a simple terminal emulator that will work with about anything including USB comm ports. I set it up for COM5 which is what Device Manager reports for the cable's com port, and 9600 baud which is what Wouxun seems to like. Next I put a piece of breadboard wire I had laying around between tx and rx and held it in place with my fingers. I used my pinky to press a key on the keyboard - and nothing. As I was wiggling my fingers, trying to make a better contact, there it WAS - a string of dots (I was pressing the period key). It was only a short string of about 20 or 30 characters but definitely not noise. I couldn't get it to repeat though and was tired of trying to hold down two connections and use the keyboard at the same time so I switched to a jumper wire with tiny alligator clips. That made a better connection but still no loopback. Then an 'ah-ha' moment struck. It must be an intermittent but where? I found that if it pushed on the 3.5mm mic plug a bit, I got the loopback to work.
So it looks like I need to hack into the molded connector, fix the loose connection, and I'll be in business.
Bottom line is the newer Wouxun cable uses a Silicon Labs chip (probably the CP210), the signal at the SP/MIC plugs is 5v TTL, and the driver is fine.
Thanks again to everyone who responded.
Cheers, and...
73
KG5ZID